

Usage Guideline

CBPRPlus- camt.054.001.08_BankToCustomerDebitCre ditNotification

OneClearstream - CBPR+ (SR2024) - Customers

This document describes a usage guideline restricting the base message camt.054.001.08. You can also consult this [information online](#).

Published by Clearstream and generated by [MyStandards](#).

09 April 2025

Table of Content	2
Message Functionality	3
About this document	8
Usage Guideline	9
Rule Definitions	76
Legal Notices	80

Message Functionality

Collection Description

OneClearstream - CBPR+ (SR2024) - Customers ([link](#))

This is the Cross-Border Payment and Reporting Collection part of Standards Release November 2024 for Clearstream.

It contains 14 Usage guidelines that are live since November 2024.

CBL VERSION CHANGES

Changes from v7 to v8:

- Agent option removed from "/Document/FIToFIPmtCxlReq/Undrlyg/TxInf/Case/Cretr/Agt" in camt.056
- Changed Creditor Agent to optional in pacs.009 Internal Transfer. In case it is present, "CEDELULLXXX" must be populated in BICFI.

CBL VERSION CHANGES

Changes from v8 to v9:

- CBL recommends to use of BICFI for identification in any Agent field in camt.057, pacs.008, pacs.009, pacs.009 internal.
- CBL recommends populating the account in the Identification in the Creditor field for pacs.009 internal (Document/FICdtTrf/CdtTrfTxInf/CdtrAcct/Id/Othr/Id) and for pacs.008(Document/FIToFICstmrCdtTrf/CdtTrfTxInf/CdtrAcct/Id/Othr/Id).

Usage Guideline Description

CBPRPlus-camt.054.001.08_BankToCustomerDebitCreditNotification ([link](#))

Principles:

1A. AGENTS IDENTIFICATION - Textual Rules for CBPR plus transactions:

-> If BICFI is present, then (Name & Postal Address) is NOT allowed (ClearingSystemMemberIdentification and LEI may complement) – However, in case of conflicting information, the BICFI will always take precedence.

-> If BICFI is absent, (Name & Postal Address) OR [(Name & Postal Address) and ClearingSystemMemberIdentification] must be present.

Exception: If BICFI is absent, whenever Debtor Agent, Creditor Agent and all agents in between are located within the same country, the clearing code only may be used.

1B. DEBTOR/CREDITOR - PARTY IDENTIFICATION - Textual Rules for CBPR plus

transactions:

-> If AnyBIC is present, then (Name and Postal Address) is NOT allowed (other elements remain optional) - However, in case of conflicting information, AnyBIC will always take precedence.

-> If Name is present, it is recommended to use Postal Address.

2. CBPR+ camt.054 covers both the Bank to Bank and the Bank to Customer legs

3. CBPR+ camt.054 covers all payment instruments needs, not credit transfers or Direct Debits only. Therefore less restrictions are applied to elements compared to the Payments Instructions Usage guidelines (eg, pacs.008)

4. CBPR+ camt.054 is aligned with CGI whenever possible (i.e. CGI camt.054 usage guidelines are built on version 2 of global Standard and cover the Payment Instructions only).

5. The character sets are restricted to those applied for the pacs.008/pacs.009 messages, that is:

All proprietary and Text fields EXCLUDING Name and Address for all actors and Related Remittance Information and Remittance are limited to the FIN-X-Character set.

All Name and Address for all actors, Related Remittance Information and Remittance Information (structured and unstructured), Email Address where included as part of a proxy element are extended to support the following additional characters:

!#\$%&*='_{}~";<>@[\\]

< is replaced with <

> is replaced with >

6. The number of occurrences of Notifications and Entries must be bilaterally agreed.

7. CBPR_Agent_PointToPointOnSWIFT:

If the transaction is exchanged on the SWIFT network (ie if the instructing agent/sender and instructed agent/receiver of the message are on SWIFT), then BICFI is mandatory and other elements are optional, eg LEI

Outline

In the Collection OneClearstream - CBPR+ (SR2024) - Customers, the message CBPRPlus-camt.054.001.08_BankToCustomerDebitCreditNotification is composed of a mandatory Business Application Header V02 (head.001.001.02) and a Document.

Business Application Header V02 (head.001.001.02)

The Business Application Header V02 (head.001.001.02) is composed of 15 elements.

a - Character Set

Contains the character set of the text-based elements used in the Business Message.

b - From

The sending MessagingEndpoint that has created this Business Message for the receiving MessagingEndpoint that will process this Business Message.

Note the sending MessagingEndpoint might be different from the sending address potentially contained in the transport header (as defined in the transport layer).

c - To

The MessagingEndpoint designated by the sending MessagingEndpoint to be the recipient who will ultimately process this Business Message.

Note the receiving MessagingEndpoint might be different from the receiving address potentially contained in the transport header (as defined in the transport layer).

d - Business Message Identifier

Unambiguously identifies the Business Message to the MessagingEndpoint that has created the Business Message.

e - Message Definition Identifier

Contains the MessageIdentifier that defines the BusinessMessage.
It must contain a MessageIdentifier published on the ISO 20022 website.

example camt.001.001.03.

f - Business Service

Specifies the business service agreed between the two MessagingEndpoints under which rules this Business Message is exchanged.

To be used when there is a choice of processing services or processing service levels.

Example: E&I.

g - Market Practice

Specifies the market practice to which the message conforms. The market practices are a set of rules agreed between parties that restricts the usage of the messages in order to achieve

better STP (Straight Through Processing) rates.

A market practice specification may also extend the underlying message specification by using extensions or supplementary data of this underlying message.

h - Creation Date

Date and time when this Business Message (header) was created.

i - Business Processing Date

Processing date and time indicated by the sender for the receiver of the business message.

This date may be different from the date and time provided in the CreationDate.

Usage: Market practice or bilateral agreement should specify how this element should be used.

j - Copy Duplicate

Indicates whether the message is a Copy, a Duplicate or a copy of a duplicate of a previously sent ISO 20022 Message.

k - Possible Duplicate

Flag indicating if the Business Message exchanged between the MessagingEndpoints is possibly a duplicate.

If the receiving MessagingEndpoint did not receive the original, then this Business Message should be processed as if it were the original.

If the receiving MessagingEndpoint did receive the original, then it should perform necessary actions to avoid processing this Business Message again.

This will guarantee business idempotent behaviour.

NOTE: this is named "PossResend" in FIX - this is an application level resend not a network level retransmission.

l - Priority

Relative indication of the processing precedence of the message over a (set of) Business Messages with assigned priorities.

m - Signature

Contains the digital signature of the Business Entity authorised to sign this Business Message.

n - Related

Specifies the Business Application Header(s) of the Business Message(s) to which this Business Message relates.

Can be used when replying to a query; can also be used when canceling or amending.

o - CrossElementComplexRule : RelatedPresentWhenCopyDupl

Related MUST contain the relevant BusinessMessageHeader elements of the BusinessMessage to which this BusinessMessage relates.

If CopyDuplicate is present, then Related MUST be present.

Document - Bank To Customer Debit Credit Notification V08 (camt.054.001.08)

The Document - Bank To Customer Debit Credit Notification V08 (camt.054.001.08) is composed of 5 elements.

a - Group Header

Common information for the message.

b - Notification

Notifies debit and credit entries for the account.

c - Supplementary Data

Additional information that cannot be captured in the structured elements and/or any other specific block.

d - CrossElementSimpleRule : MessageOrNotificationPaginationRule

MessagePagination may be present or NotificationPagination may be present, but not both.

e - Textual : SupplementaryDataRule

The SupplementaryData building block at message level must not be used to provide additional information about a transaction. The SupplementaryData element at transaction level should be used for that purpose.

About this document

Legend

Abbreviation	Term	Description
X	Excluded	An optional field or element must not be populated.
I	Ignored	A field or element could be populated but is ignored by the receiver.
[x..y]	Multiplicity	A field or element multiplicity has changed.
FV	Fixed Value	A field or element must contain a given value.
T/C	Type / Code Change	A user-defined datatype replaces an existing simple datatype.
A	Element Added	A field or element has been added.

Header	Description
Index	Element reference
LvL	Element nesting in tree hierarchy
Name	Element name
XML Tag	Element XML tag
Mult	Element multiplicity
Type / Code	Element formatting
Rest	Restriction type
Additional details	Other restriction specifics

Type/Code Notation	Describes the Element	Examples
text{m,M}	minimum (m) and maximum (M) length	text{1,35}
text{L}	maximum (L) length, minimum length is 0	test{10}
m <= decimal <= M	minimum (m) and maximum (M) values	0.01 <= decimal <= 9999.99
fd = F, td = T	maximum fractional (F) and total (T) number of digits	fd = 2, td = 11
<<regular expression>>	regular expression pattern	[A-Z]{6,6}([A-Z0-9]{3,3}){0,1}

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	0	Full Message		[1..1]			Rules: R1
	1	Business Application Header V02 (head.001.001.02)	<AppHdr>	[1..1]			
	2	Character Set	<CharSet>	[0..1]	text		Rules: R2
	2	From	<Fr>	[1..1]	Choice		Comment: Usage Rule: 1. When exchanged on SWIFT, "From" must contain either a BIC8 or a BIC11 2. Additional Information may be used optionally 3. If there is an inconsistency, the BIC will take precedence.
	3	Financial Institution Identification	<FIId>	[1..1]			
	4	Financial Institution Identification	<FinInstnId>	[1..1]			
	5	BICFI	<BICFI>	[0..1]	text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}	[1..1]	
	5	Clearing System Member Identification	<ClrSysMmbld>	[0..1]			
	6	Clearing System Identification	<ClrSysId>	[0..1]	Choice	[1..1]	
	7	Code	<Cd>	[1..1]	text{1,5}		
	6	Member Identification	<Mmbld>	[1..1]	text{1,35}	T/C	Type Changed: text{1,28} [0-9a-zA-Z/\-!?:\(\)\. ,\'+]+
	5	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	2	To	<To>	[1..1]	Choice		Comment: Usage Rule: 1. When exchanged on SWIFT, "To" must contain either a BIC8 or a BIC11 2. Additional Information may be used optionally 3. If there is an inconsistency, the BIC will take precedence.
	3	Financial Institution Identification	<FIId>	[1..1]			

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	4	Financial Institution Identification	<FinInstnId>	[1..1]			
	5	BICFI	<BICFI>	[0..1]	text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}	[1..1]	
	5	Clearing System Member Identification	<ClrSysMmbld>	[0..1]			
	6	Clearing System Identification	<ClrSysId>	[0..1]	Choice	[1..1]	
	7	Code	<Cd>	[1..1]	text{1,5}		
	6	Member Identification	<Mmbld>	[1..1]	text{1,35}	T/C	Type Changed: text{1,28} [0-9a-zA-Z/\-?:(\)\.\'+]+
	5	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	2	Business Message Identifier	<BizMsgIdr>	[1..1]	text{1,35}		Rules: R3 ----- Comment: The field must be populated with the Message identification (present at the level of the group header).
	2	Message Definition Identifier	<MsgDefIdr>	[1..1]	text{1,35}		Rules: R4
	2	Business Service	<BizSvc>	[0..1]	text{1,35}	[1..1] T/C	Rules: R5, R6 ----- Type Changed: text{6,35} [a-z0-9]{1,10}\.([a-z0-9]{1,10}\.)*\d\d
	2	Market Practice	<MktPrctc>	[0..1]			Rules: R7
	3	Registry	<Regy>	[1..1]	text{1,350}		
	3	Identification	<Id>	[1..1]	text{1,2048}		
	2	Creation Date	<CreDt>	[1..1]	dateTime	T/C	Type Changed: dateTime .*(\+ -)((0[0-9]) (1[0-3])):[0-5][0-9]
	2	Copy Duplicate	<CpyDplct>	[0..1]	text		Rules: R1
	3	Copy Duplicate			CODU		
	3	Copy			COPY		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	3	Duplicate			DUPL		
	2	Possible Duplicate	<PssbIDplct>	[0..1]	boolean		
	2	Priority	<Prty>	[0..1]	text	T/C	Type Changed: One of the following code values must be used: HIGH (High) NORM (Normal)
	3	High			HIGH		
	3	Normal			NORM		
	2	Related	<Rltd>	[0..*]		[0..1]	Rules: R8
	3	Character Set	<CharSet>	[0..1]	text		Rules: R2
	3	From	<Fr>	[1..1]	Choice		Comment: Usage Rule: 1. When exchanged on SWIFT, "From" must contain either a BIC8 or a BIC11 2. Additional Information may be used optionally 3. If there is an inconsistency, the BIC will take precedence.
	4	Financial Institution Identification	<FIId>	[1..1]			
	5	Financial Institution Identification	<FinInstnId>	[1..1]			
	6	BICFI	<BICFI>	[0..1]	text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}	[1..1]	
	6	Clearing System Member Identification	<ClrSysMmbld>	[0..1]			
	7	Clearing System Identification	<ClrSysId>	[0..1]	Choice	[1..1]	
	8	Code	<Cd>	[1..1]	text{1,5}		
	7	Member Identification	<Mmbld>	[1..1]	text{1,35}	T/C	Type Changed: text{1,28} [0-9a-zA-Z/\-?:(\)\.,'\+]+
	6	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	3	To	<To>	[1..1]	Choice		Comment: Usage Rule: 1. When exchanged on SWIFT, "To" must contain either a BIC8 or a BIC11 2. Additional Information may be used optionally 3. If there is an inconsistency, the BIC will take precedence.
	4	Financial Institution Identification	<FIId>	[1..1]			
	5	Financial Institution Identification	<FinInstnId>	[1..1]			
	6	BICFI	<BICFI>	[0..1]	text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}	[1..1]	
	6	Clearing System Member Identification	<ClrSysMmbld>	[0..1]			
	7	Clearing System Identification	<ClrSysId>	[0..1]	Choice	[1..1]	
	8	Code	<Cd>	[1..1]	text{1,5}		
	7	Member Identification	<Mmbld>	[1..1]	text{1,35}	T/C	Type Changed: text{1,28} [0-9a-zA-Z\-\!\?:\(\)\.\, '\+]+
	6	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	3	Business Message Identifier	<BizMsgIdr>	[1..1]	text{1,35}		Rules: R3
	3	Message Definition Identifier	<MsgDefIdr>	[1..1]	text{1,35}		Rules: R4
	3	Business Service	<BizSvc>	[0..1]	text{1,35}		Rules: R5, R9
	3	Creation Date	<CreDt>	[1..1]	dateTime	T/C	Type Changed: dateTime .*(\+ -)((0[0-9]) (1[0-3])):[0-5][0-9]
	3	Copy Duplicate	<CpyDplct>	[0..1]	text		
	4	Copy Duplicate			CODU		
	4	Copy			COPY		
	4	Duplicate			DUPL		
	3	Priority	<Prty>	[0..1]	text		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	1	Document		[1..1]			
	2	Bank To Customer Debit Credit Notification V08 (camt.054.001.08)	<BkToCstmrDbtCdtNtfctn>				
	3	Group Header	<GrpHdr>	[1..1]			
	4	Message Identification	<MsgId>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:(\)\.,'\+]+
	4	Creation Date Time	<CreDtTm>	[1..1]	dateTime	T/C	Type Changed: dateTime .*(\+ -)((0[0-9]) (1[0-3])):[0-5][0-9]
	4	Additional Information	<AddtlInf>	[0..1]	text{1,500}	T/C	Rules: R10 ----- Type Changed: text{1,500} [0-9a-zA-Z\-\!\?:(\)\.,'\+]+
	3	Notification	<Ntfctn>	[1..*]			
	4	Identification	<Id>	[1..1]	text{1,35}	T/C	Synonym: 20 (in context : 900 & 910) ----- Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:(\)\.,'\+]+
	4	Notification Pagination	<NtfctnPgntn>	[0..1]			
	5	Page Number	<PgNb>	[1..1]	text [0-9]{1,5}		
	5	Last Page Indicator	<LastPgInd>	[1..1]	boolean		
	4	Account	<Acct>	[1..1]			
	5	Identification	<Id>	[1..1]	Choice		
	6	IBAN	<IBAN>	[1..1]	text [A-Z]{2,2}[0-9]{2,2}[a-zA-Z0-9]{1,30}		
	6	Other	<Othr>	[1..1]			
	7	Identification	<Id>	[1..1]	text{1,34}	T/C	Type Changed: text{1,34} ([0-9a-zA-Z\-\!\?:(\)\.,'\+]([0-9a-zA-Z\-\!\?:(\)\.,'\+])*([0-9a-zA-Z\-\!\?:(\)\.,'\+])?)*
	7	Scheme Name	<SchmeNm>	[0..1]	Choice		
	8	Code	<Cd>	[1..1]	text{1,4}		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	8	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\?:(\)\.,'\+]+
	7	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\?:(\)\.,'\+]+
	5	Currency	<Ccy>	[0..1]	text [A-Z]{3,3}	[1..1]	
	4	Entry	<Ntry>	[0..*]		[1..*]	
	5	Entry Reference	<NtryRef>	[0..1]	text{1,35}	[1..1] T/C	Synonym: 20 (in context : 900 & 910) ----- Type Changed: text{1,16} ([0-9a-zA-Z\-\?:(\)\.,'\+]+ [0-9a-zA-Z\-\?:(\)\.,'\+]+)*[0-9a-zA-Z\-\?:(\)\.,'\+]
	5	Amount	<Amt>	[1..1]	0 <= decimal td = 18 fd = 5		Rules: R11 ----- Synonym: 32A (in context : 900 & 910)
	6	Xml Attribute Currency	<Ccy>		text [A-Z]{3,3}		
	5	Credit Debit Indicator	<CdtDbtInd>	[1..1]	text		
	6	Credit			CRDT		
	6	Debit			DBIT		
	5	Status	<Sts>	[1..1]	Choice		
	6	Code	<Cd>	[1..1]	text{1,4}		
	5	Booking Date	<BookgDt>	[0..1]	Choice		Rules: R12
	6	Date Time	<DtTm>	[1..1]	dateTime	T/C	Synonym: 13D (in context : 900 & 910) ----- Type Changed: dateTime .*(\+ -)(([0-9]) (1[0-3])):[0-5][0-9]
	5	Value Date	<ValDt>	[0..1]	Choice		Rules: R13 ----- Comment: For (SEPA) Instant Credit Notifications Value Date is required, as this notification is sent before booking, thus value date and booking date differ.

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	6	Date	<Dt>	[1..1]	date		
	6	Date Time	<DtTm>	[1..1]	dateTime	T/C	Type Changed: dateTime .*(\+ -)((0[0-9]) (1[0-3])):[0-5][0-9]
	5	Bank Transaction Code	<BkTxCd>	[1..1]			Rules: R14
	6	Domain	<Domn>	[0..1]			
	7	Code	<Cd>	[1..1]	text{1,4}		
	7	Family	<Fmly>	[1..1]			
	8	Code	<Cd>	[1..1]	text{1,4}		
	8	Sub Family Code	<SubFmlyCd>	[1..1]	text{1,4}		
	6	Proprietary	<Prtry>	[0..1]			
	7	Code	<Cd>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-?:(\)\.,'+]+
	7	Issuer	<Issr>	[0..1]	text{1,35}	[1..1] T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-?:(\)\.,'+]+
	5	Entry Details	<NtryDtls>	[0..*]			
	6	Transaction Details	<TxDtls>	[0..*]			
	7	References	<Refs>	[0..1]			
	8	Identification Instruction	<InstrId>	[0..1]	text{1,35}	[1..1] T/C	Rules: R15 ----- Synonym: 21 (in context : 900 & 910) ----- Type Changed: text{1,35} [0-9a-zA-Z/\-?:(\)\.,'+]+
	8	Identification End To End	<EndToEndId>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-?:(\)\.,'+]+
	8	Identification Transaction	<TxId>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-?:(\)\.,'+]+
	7	Amount	<Amt>	[0..1]	0 <= decimal td = 18 fd = 5	[1..1]	Synonym: 32A (in context : 900 & 910)
	8	Currency Xml Attribute	<Ccy>		text [A-Z]{3,3}		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	7	Credit Debit Indicator	<CdtDbtInd>	[0..1]	text	[1..1]	
	8	Credit			CRDT		
	8	Debit			DBIT		
	7	Related Parties	<RltdPties>	[0..1]			Comment: All Related Parties must be identified in the same way as they were in the original payment instruction.
	8	Initiating Party	<InitgPty>	[0..1]	Choice		Rules: R16
	9	Party	<Pty>	[1..1]			
	10	Name	<Nm>	[0..1]	text{1,140}	T/C	Type Changed: text{1,140} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*=-^ \\\ }~";<>@\ \\]+
	10	Postal Address	<PstlAdr>	[0..1]			
	11	Type Address	<AdrTp>	[0..1]	Choice		
	12	Code	<Cd>	[1..1]	text		
	13	Postal			ADDR		
	13	PO Box			PBOX		
	13	Residential			HOME		
	13	Business			BIZZ		
	13	Mail To			MLTO		
	13	Delivery To			DLVY		
	12	Proprietary	<Prtry>	[1..1]			
	13	Identification	<Id>	[1..1]	text [a-zA-Z0-9]{4}		
	13	Issuer	<Issr>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*=-^ \\\ }~";<>@\ \\]+
	13	Name Scheme	<SchmeNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*=-^ \\\ }~";<>@\ \\]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	11	Department	<Dept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]+
	11	Department Sub	<SubDept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]+
	11	Street Name	<StrtNm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]+
	11	Number Building	<BldgNb>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]+
	11	Name Building	<BldgNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]+
	11	Floor	<Flr>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]+
	11	Post Box	<PstBx>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]+
	11	Room	<Room>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]+
	11	Post Code	<PstCd>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]+
	11	Town Name	<TwnNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]+
	11	Location Name Town	<TwnLctnNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]+
	11	District Name	<DstrctNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]+
	11	Division Country Sub	<CtrySubDvsn>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]+
	11	Country	<Ctry>	[0..1]	text [A-Z]{2,2}		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	11	Address Line	<AdrLine>	[0..7]	text{1,70}	[0..3] T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&\!*^=\^ \\\}\~";<>@\ \\]+
	10	Identification	<Id>	[0..1]	Choice		
	11	Identification Organisation	<OrgId>	[1..1]			
	12	Any BIC	<AnyBIC>	[0..1]	text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}		
	12	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	12	Other	<Othr>	[0..*]			
	13	Identification	<Id>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+]+
	13	Scheme Name	<SchmeNm>	[0..1]	Choice		
	14	Code	<Cd>	[1..1]	text{1,4}		
	14	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+]+
	13	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+]+
	11	Identification Private	<PrvtId>	[1..1]			
	12	Date And Place Of Birth	<DtAndPlcOfBirth>	[0..1]			
	13	Birth Date	<BirthDt>	[1..1]	date		
	13	Province Of Birth	<PrvcOfBirth>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&\!*^=\^ \\\}\~";<>@\ \\]+
	13	City Of Birth	<CityOfBirth>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&\!*^=\^ \\\}\~";<>@\ \\]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	13	Country Of Birth	<CtryOfBirth>	[1..1]	text [A-Z]{2,2}		
	12	Other	<Othr>	[0..*]			
	13	Identification	<Id>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-?:\(\)\.,\'+]+
	13	Scheme Name	<SchmeNm>	[0..1]	Choice		
	14	Code	<Cd>	[1..1]	text{1,4}		
	14	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-?:\(\)\.,\'+]+
	13	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-?:\(\)\.,\'+]+
	10	Country Of Residence	<CtryOfRes>	[0..1]	text [A-Z]{2,2}		
	9	Agent	<Agt>	[1..1]			
	10	Financial Institution Identification	<FinInstnId>	[1..1]			
	11	BICFI	<BICFI>	[0..1]	text [A-Z0-9]{4,4}[A- Z]{2,2}[A-Z0- 9]{2,2}([A-Z0- 9]{3,3}){0,1}		
	11	Clearing System Member Identification	<ClrSysMmbld>	[0..1]			
	12	Clearing System Identification	<ClrSysId>	[0..1]	Choice	[1..1]	
	13	Code	<Cd>	[1..1]	text{1,5}		
	12	Member Identification	<Mmbld>	[1..1]	text{1,35}	T/C	Type Changed: text{1,28} [0-9a-zA-Z/\-?:\(\)\.,\'+]+
	11	LEI	<LEI>	[0..1]	text [A-Z0- 9]{18,18}[0- 9]{2,2}		
	11	Name	<Nm>	[0..1]	text{1,140}	T/C	Type Changed: text{1,140} [0-9a-zA-Z/\-?:\(\)\.,\'+ !#\$%&!*=-^ `\'\/\}\~";<>@\ \\\]]+]

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	11	Postal Address	<PstlAdr>	[0..1]			
	12	Address Type	<AdrTp>	[0..1]	Choice		
	13	Code	<Cd>	[1..1]	text		
	14	Postal			ADDR		
	14	PO Box			PBOX		
	14	Residential			HOME		
	14	Business			BIZZ		
	14	Mail To			MLTO		
	14	Delivery To			DLVY		
	13	Proprietary	<Prtry>	[1..1]			
	14	Identification	<Id>	[1..1]	text [a-zA-Z0-9]{4}		
	14	Issuer	<Issr>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*=-^ `\'~";<>@\ \\]+
	14	Scheme Name	<SchmeNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*=-^ `\'~";<>@\ \\]+
	12	Department	<Dept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*=-^ `\'~";<>@\ \\]+
	12	Department Sub	<SubDept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*=-^ `\'~";<>@\ \\]+
	12	Street Name	<StrtNm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*=-^ `\'~";<>@\ \\]+
	12	Building Number	<BldgNb>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*=-^ `\'~";<>@\ \\]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	12	Building Name	<BldgNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]+
	12	Floor	<Flr>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]+
	12	Post Box	<PstBx>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]+
	12	Room	<Room>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]+
	12	Post Code	<PstCd>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]+
	12	Town Name	<TwnNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]+
	12	Town Location Name	<TwnLctnNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]+
	12	District Name	<DstrctNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]+
	12	Country Sub Division	<CtrySubDvsn>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]+
	12	Country	<Ctry>	[0..1]	text [A-Z]{2,2}		
	12	Address Line	<AdrLine>	[0..7]	text{1,70}	[0..3] T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]+
	11	Other	<Othr>	[0..1]			
	12	Identification	<Id>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+]+
	12	Scheme Name	<SchmeNm>	[0..1]	Choice		
	13	Code	<Cd>	[1..1]	text{1,4}		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	13	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'\+]+
	12	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'\+]+
	10	Identification Branch	<BrnchId>	[0..1]			
	11	Identification	<Id>	[0..1]	text{1,35}		
	11	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	11	Name	<Nm>	[0..1]	text{1,140}		
	11	Postal Address	<PstlAdr>	[0..1]			
	12	Address Type	<AdrTp>	[0..1]	Choice		
	13	Code	<Cd>	[1..1]	text		
	14	Postal			ADDR		
	14	Box	PO		PBOX		
	14	Residential			HOME		
	14	Business			BIZZ		
	14	Mail To			MLTO		
	14	Delivery To			DLVY		
	13	Proprietary	<Prtry>	[1..1]			
	14	Identification	<Id>	[1..1]	text [a-zA-Z0-9]{4}		
	14	Issuer	<Issr>	[1..1]	text{1,35}		
	14	Scheme Name	<SchmeNm>	[0..1]	text{1,35}		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	12	Department	<Dept>	[0..1]	text{1,70}		
	12	Department Sub	<SubDept>	[0..1]	text{1,70}		
	12	Name Street	<StrtNm>	[0..1]	text{1,70}		
	12	Number Building	<BldgNb>	[0..1]	text{1,16}		
	12	Name Building	<BldgNm>	[0..1]	text{1,35}		
	12	Floor	<Flr>	[0..1]	text{1,70}		
	12	Post Box	<PstBx>	[0..1]	text{1,16}		
	12	Room	<Room>	[0..1]	text{1,70}		
	12	Post Code	<PstCd>	[0..1]	text{1,16}		
	12	Name Town	<TwnNm>	[0..1]	text{1,35}		
	12	Location Name Town	<TwnLctnNm>	[0..1]	text{1,35}		
	12	Name District	<DstrctNm>	[0..1]	text{1,35}		
	12	Sub Division Country	<CtrySubDvsn>	[0..1]	text{1,35}		
	12	Country	<Ctry>	[0..1]	text [A-Z]{2,2}		
	12	Line Address	<AdrLine>	[0..7]	text{1,70}		
	8	Debtor	<Dbtr>	[0..1]	Choice		Rules: R17 ----- Synonym: 50a (in context : 910)
	9	Party	<Pty>	[1..1]			
	10	Name	<Nm>	[0..1]	text{1,140}	T/C	Type Changed: text{1,140} [0-9a-zA-Z/\-!?:\(\)\.,'+ !#\$%&!*!=^ `\'~";<>@\ \\]+
	10	Postal Address	<PstlAdr>	[0..1]			
	11	Department	<Dept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,'+ !#\$%&!*!=^ `\'~";<>@\ \\]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	11	Department Sub	<SubDept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+`
	11	Street Name	<StrtNm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+`
	11	Number Building	<BldgNb>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+`
	11	Name Building	<BldgNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+`
	11	Floor	<Flr>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+`
	11	Post Box	<PstBx>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+`
	11	Room	<Room>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+`
	11	Post Code	<PstCd>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+`
	11	Town Name	<TwnNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+`
	11	Location Name Town	<TwnLctnNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+`
	11	District Name	<DstrctNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+`
	11	Division Country Sub	<CtrySubDvsn>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+`
	11	Country	<Ctry>	[0..1]	text [A-Z]{2,2}		
	11	Address Line	<AdrLine>	[0..7]	text{1,70}	[0..3] T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+`

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	10	Identification	<Id>	[0..1]	Choice		
	11	Identification	Organisation <OrgId>	[1..1]			
	12	Any BIC	<AnyBIC>	[0..1]	text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}		
	12	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	12	Other	<Othr>	[0..*]		[0..2]	
	13	Identification	<Id>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!\?:\(\)\.,'\+]+
	13	Name	Scheme <SchmeNm>	[0..1]	Choice	[1..1]	
	14	Code	<Cd>	[1..1]	text{1,4}		
	14	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!\?:\(\)\.,'\+]+
	13	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!\?:\(\)\.,'\+]+
	11	Identification	Private <PrvtId>	[1..1]			
	12	Place Of Birth	Date And <DtAndPlcOfBirth>	[0..1]			
	13	Date	Birth <BirthDt>	[1..1]	date		
	13	Province Of Birth	<PrvcOfBirth>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!\?:\(\)\.,'\+ !#\$%&!*='^ `\'{}~";<>@\ \\]+
	13	Birth	City Of <CityOfBirth>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!\?:\(\)\.,'\+ !#\$%&!*='^ `\'{}~";<>@\ \\]+
	13	Of Birth	Country <CtryOfBirth>	[1..1]	text [A-Z]{2,2}		
	12	Other	<Othr>	[0..*]		[0..2]	

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	13	Identification	<Id>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,\'+]+
	13	Scheme Name	<SchmeNm>	[0..1]	Choice	[1..1]	
	14	Code	<Cd>	[1..1]	text{1,4}		
	14	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,\'+]+
	13	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,\'+]+
	10	Country Of Residence	<CtryOfRes>	[0..1]	text [A-Z]{2,2}		
	10	Contact Details	<CtctDtls>	[0..1]			
	11	Name	<Nm>	[0..1]	text{1,140}	T/C	Type Changed: text{1,140} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&*^_`{ }~";<>@\[\]]+
	11	Preferred Method	<PrefrdMtd>	[0..1]	text		
	12	Letter			LETT		
	12	Email			MAIL		
	12	Phone			PHON		
	12	Fax			FAXX		
	12	Mobile Or Cell Phone			CELL		
	9	Agent	<Agt>	[1..1]			
	10	Financial Institution Identification	<FinInstnId>	[1..1]			
	11	BICFI	<BICFI>	[0..1]	text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}		
	11	Clearing System Member Identification	<ClrSysMmbld>	[0..1]			
	12	Clearing System Identification	<ClrSysId>	[0..1]	Choice	[1..1]	
	13	Code	<Cd>	[1..1]	text{1,5}		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	12	Member Identification	<Mmbld>	[1..1]	text{1,35}	T/C	Type Changed: text{1,28} [0-9a-zA-Z/\-!?:\(\)\.,\'+]+
	11	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	11	Name	<Nm>	[0..1]	text{1,140}	T/C	Type Changed: text{1,140} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*=-^ `\'{}~";<>@\ \\]+
	11	Postal Address	<PstlAdr>	[0..1]			
	12	Address Type	<AdrTp>	[0..1]	Choice		
	13	Code	<Cd>	[1..1]	text		
	14	Postal			ADDR		
	14	Box PO			PBOX		
	14	Residential			HOME		
	14	Business			BIZZ		
	14	Mail To			MLTO		
	14	Delivery To			DLVY		
	13	Proprietary	<Prtry>	[1..1]			
	14	Identification	<Id>	[1..1]	text [a-zA-Z0-9]{4}		
	14	Issuer	<Issr>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*=-^ `\'{}~";<>@\ \\]+
	14	Scheme Name	<SchmeNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*=-^ `\'{}~";<>@\ \\]+
	12	Department	<Dept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*=-^ `\'{}~";<>@\ \\]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	12	Department Sub	<SubDept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	12	Name Street	<StrtNm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	12	Number Building	<BldgNb>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	12	Name Building	<BldgNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	12	Floor	<Flr>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	12	Post Box	<PstBx>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	12	Room	<Room>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	12	Post Code	<PstCd>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	12	Name Town	<TwnNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	12	Location Name Town	<TwnLctnNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	12	Name District	<DstrctNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	12	Sub Division Country	<CtrySubDvsn>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	12	Country	<Ctry>	[0..1]	text [A-Z]{2,2}		
	12	Line Address	<AdrLine>	[0..7]	text{1,70}	[0..3] T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	11	Other	<Othr>	[0..1]			
	12	Identification	<Id>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+]+
	12	Scheme Name	<SchmeNm>	[0..1]	Choice		
	13	Code	<Cd>	[1..1]	text{1,4}		
	13	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+]+
	12	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+]+
	10	Branch Identification	<BrnchId>	[0..1]			
	11	Identification	<Id>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+]+
	11	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	11	Name	<Nm>	[0..1]	text{1,140}	T/C	Type Changed: text{1,140} [0-9a-zA-Z/\-!?:\(\)\.,'+ !#\$%&!*=-^_`{ }~";<>@\ \\]+
	11	Postal Address	<PstlAdr>	[0..1]			
	12	Address Type	<AdrTp>	[0..1]	Choice		
	13	Code	<Cd>	[1..1]	text		
	14	Postal			ADDR		
	14	Box PO			PBOX		
	14	Residential			HOME		
	14	Business			BIZZ		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	14	Mail To			MLTO		
	14	Delivery To			DLVY		
	13	Proprietary	<Prtry>	[1..1]			
	14	Identification	<Id>	[1..1]	text [a-zA-Z0-9]{4}		
	14	Issuer	<Issr>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+!#\$%&!*^=\`\'~";<>@\ \\]+
	14	Scheme Name	<SchmeNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+!#\$%&!*^=\`\'~";<>@\ \\]+
	12	Department	<Dept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,'+!#\$%&!*^=\`\'~";<>@\ \\]+
	12	Department Sub	<SubDept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,'+!#\$%&!*^=\`\'~";<>@\ \\]+
	12	Name Street	<StrtNm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,'+!#\$%&!*^=\`\'~";<>@\ \\]+
	12	Number Building	<BldgNb>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z/\-!?:\(\)\.,'+!#\$%&!*^=\`\'~";<>@\ \\]+
	12	Name Building	<BldgNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+!#\$%&!*^=\`\'~";<>@\ \\]+
	12	Floor	<Flr>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,'+!#\$%&!*^=\`\'~";<>@\ \\]+
	12	Post Box	<PstBx>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z/\-!?:\(\)\.,'+!#\$%&!*^=\`\'~";<>@\ \\]+
	12	Room	<Room>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,'+!#\$%&!*^=\`\'~";<>@\ \\]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	12	Post Code	<PstCd>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!?:\(\)\.,'+!#\$%&!*^=\`\'\/\}~";<>@\ \\\]]+
	12	Name Town	<TwnNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\.,'+!#\$%&!*^=\`\'\/\}~";<>@\ \\\]]+
	12	Location Name Town	<TwnLctnNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\.,'+!#\$%&!*^=\`\'\/\}~";<>@\ \\\]]+
	12	Name District	<DstrctNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\.,'+!#\$%&!*^=\`\'\/\}~";<>@\ \\\]]+
	12	Sub Division Country	<CtrySubDvsn>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\.,'+!#\$%&!*^=\`\'\/\}~";<>@\ \\\]]+
	12	Country	<Ctry>	[0..1]	text [A-Z]{2,2}		
	12	Line Address	<AdrLine>	[0..7]	text{1,70}	[0..3] T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\.,'+!#\$%&!*^=\`\'\/\}~";<>@\ \\\]]+
	8	Debtor Account	<DbtrAcct>	[0..1]			Rules: R18
	9	Identification	<Id>	[1..1]	Choice		
	10	IBAN	<IBAN>	[1..1]	text [A-Z]{2,2}[0-9]{2,2}[a-zA-Z0-9]{1,30}		
	10	Other	<Othr>	[1..1]			
	11	Identification	<Id>	[1..1]	text{1,34}	T/C	Type Changed: text{1,34} ([0-9a-zA-Z\-\!?:\(\)\.,'+]([0-9a-zA-Z\-\!?:\(\)\.,'+]*)/([0-9a-zA-Z\-\!?:\(\)\.,'+])?*)
	11	Name Scheme	<SchmeNm>	[0..1]	Choice		
	12	Code	<Cd>	[1..1]	text{1,4}		
	12	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\.,'+]+
	11	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\.,'+]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	9	Type	<Tp>	[0..1]	Choice		
	10	Code	<Cd>	[1..1]	text{1,4}		
	10	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\.,\'+]+
	9	Currency	<Ccy>	[0..1]	text [A-Z]{3,3}		
	9	Name	<Nm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!?:\(\)\.,\'+]+
	9	Proxy	<Prxy>	[0..1]			
	10	Type	<Tp>	[0..1]	Choice		
	11	Code	<Cd>	[1..1]	text{1,4}		
	11	Proprietary	<Prtry>	[1..1]	text{1,35}		
	10	Identification	<Id>	[1..1]	text{1,2048}	T/C	Type Changed: text{1,320} [0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&\!*^_`~";<>@\ \\]+
	8	Ultimate Debtor	<UltmtDbtr>	[0..1]	Choice		Rules: R19
	9	Party	<Pty>	[1..1]			
	10	Name	<Nm>	[0..1]	text{1,140}	T/C	Type Changed: text{1,140} [0-9a-zA-Z\-\!?:\(\)\.,\'+]+
	10	Postal Address	<PstlAdr>	[0..1]			
	11	Type	Address	[0..1]	Choice		
	12	Code	<Cd>	[1..1]	text		
	13	Postal			ADDR		
	13	Box	PO		PBOX		
	13	Residential			HOME		
	13	Business			BIZZ		
	13	Mail			MLTO		
	13	Delivery To			DLVY		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	12	Proprietary	<Prtry>	[1..1]			
	13	Identification	<Id>	[1..1]	text [a-zA-Z0-9]{4}		
	13	Issuer	<Issr>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+\!#\$%&\!*^=\^ \\\ }~";<>@\ \\\]+
	13	Scheme	<SchmeNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+\!#\$%&\!*^=\^ \\\ }~";<>@\ \\\]+
	11	Department	<Dept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\.,\'+\!#\$%&\!*^=\^ \\\ }~";<>@\ \\\]+
	11	Sub Department	<SubDept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\.,\'+\!#\$%&\!*^=\^ \\\ }~";<>@\ \\\]+
	11	Street Name	<StrtNm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\.,\'+\!#\$%&\!*^=\^ \\\ }~";<>@\ \\\]+
	11	Building Number	<BldgNb>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!\?:\(\)\.,\'+\!#\$%&\!*^=\^ \\\ }~";<>@\ \\\]+
	11	Building Name	<BldgNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+\!#\$%&\!*^=\^ \\\ }~";<>@\ \\\]+
	11	Floor	<Flr>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\.,\'+\!#\$%&\!*^=\^ \\\ }~";<>@\ \\\]+
	11	Post Box	<PstBx>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!\?:\(\)\.,\'+\!#\$%&\!*^=\^ \\\ }~";<>@\ \\\]+
	11	Room	<Room>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\.,\'+\!#\$%&\!*^=\^ \\\ }~";<>@\ \\\]+
	11	Post Code	<PstCd>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!\?:\(\)\.,\'+\!#\$%&\!*^=\^ \\\ }~";<>@\ \\\]+
	11	Town Name	<TwnNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+\!#\$%&\!*^=\^ \\\ }~";<>@\ \\\]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	11	Location Name	Town	<TwnLctnNm>	[0..1] text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+!#\$%&!*='^`\'{}~";<>@\ \\]]+]
	11		District Name	<DstrctNm>	[0..1] text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+!#\$%&!*='^`\'{}~";<>@\ \\]]+]
	11	Division	Country Sub	<CtrySubDvsn>	[0..1] text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+!#\$%&!*='^`\'{}~";<>@\ \\]]+]
	11		Country	<Ctry>	[0..1] text [A-Z]{2,2}		
	11		Address Line	<AdrLine>	[0..7] text{1,70}	[0..3] T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+!#\$%&!*='^`\'{}~";<>@\ \\]]+]
	10		Identification	<Id>	[0..1] Choice		
	11	Identification	Organisation	<OrgId>	[1..1]		
	12		Any BIC	<AnyBIC>	[0..1] text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}		
	12		LEI	<LEI>	[0..1] text [A-Z0-9]{18,18}[0-9]{2,2}		
	12		Other	<Othr>	[0..*]	[0..2]	
	13	Identification		<Id>	[1..1] text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+]+
	13	Name	Scheme	<SchmeNm>	[0..1] Choice		
	14		Code	<Cd>	[1..1] text{1,4}		
	14	Proprietary		<Prtry>	[1..1] text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+]+
	13		Issuer	<Issr>	[0..1] text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	11	Private Identification	<PrvtId>	[1..1]			
	12	Date And Place Of Birth	<DtAndPlcOfBirt h>	[0..1]			
	13	Birth Date	<BirthDt>	[1..1]	date		
	13	Province Of Birth	<PrvcOfBirth>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\]+
	13	City Of Birth	<CityOfBirth>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\]+
	13	Country Of Birth	<CtryOfBirth>	[1..1]	text [A-Z]{2,2}		
	12	Other	<Othr>	[0..*]		[0..2]	
	13	Identification	<Id>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+]+
	13	Scheme Name	<SchmeNm>	[0..1]	Choice		
	14	Code	<Cd>	[1..1]	text{1,4}		
	14	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+]+
	13	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+]+
	10	Country Of Residence	<CtryOfRes>	[0..1]	text [A-Z]{2,2}		
	10	Contact Details	<CtctDtls>	[0..1]			
	11	Name	<Nm>	[0..1]	text{1,140}		
	9	Agent	<Agt>	[1..1]			
	10	Financial Institution Identification	<FinInstnId>	[1..1]			
	11	BICFI	<BICFI>	[0..1]	text [A-Z0-9]{4,4}[A- Z]{2,2}[A-Z0- 9]{2,2}([A-Z0- 9]{3,3}){0,1}		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	11	Clearing System Member Identification	<ClrSysMmbld>	[0..1]			
	12	Clearing System Identification	<ClrSysId>	[0..1]	Choice	[1..1]	
	13	Code	<Cd>	[1..1]	text{1,5}		
	12	Member Identification	<Mmbld>	[1..1]	text{1,35}	T/C	Type Changed: text{1,28} [0-9a-zA-Z/\-!?:\(\)\.,\'+]+
	11	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	11	Name	<Nm>	[0..1]	text{1,140}	T/C	Type Changed: text{1,140} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*!=^ `\'{}~";<>@\[\]]+]
	11	Postal Address	<PstlAdr>	[0..1]			
	12	Address Type	<AdrTp>	[0..1]	Choice		
	13	Code	<Cd>	[1..1]	text		
	14	Postal			ADDR		
	14	PO Box			PBOX		
	14	Residential			HOME		
	14	Business			BIZZ		
	14	Mail To			MLTO		
	14	Delivery To			DLVY		
	13	Proprietary	<Prtry>	[1..1]			
	14	Identification	<Id>	[1..1]	text [a-zA-Z0-9]{4}		
	14	Issuer	<Issr>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*!=^ `\'{}~";<>@\[\]]+]

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	14	Scheme Name	<SchmeNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+
	12	Department	<Dept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+
	12	Department Sub	<SubDept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+
	12	Name Street	<StrtNm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+
	12	Number Building	<BldgNb>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+
	12	Name Building	<BldgNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+
	12	Floor	<Flr>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+
	12	Post Box	<PstBx>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+
	12	Room	<Room>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+
	12	Post Code	<PstCd>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+
	12	Name Town	<TwnNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+
	12	Location Name Town	<TwnLctnNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+
	12	Name District	<DstrctNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	12	Country Sub Division	<CtrySubDvsn>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\]+
	12	Country	<Ctry>	[0..1]	text [A-Z]{2,2}		
	12	Address Line	<AdrLine>	[0..7]	text{1,70}	[0..3] T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\]+
	11	Other	<Othr>	[0..1]			
	12	Identification	<Id>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,\'+]+
	12	Scheme Name	<SchmeNm>	[0..1]	Choice		
	13	Code	<Cd>	[1..1]	text{1,4}		
	13	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,\'+]+
	12	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,\'+]+
	10	Branch Identification	<BrnchId>	[0..1]			
	11	Identification	<Id>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,\'+]+
	11	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	11	Name	<Nm>	[0..1]	text{1,140}	T/C	Type Changed: text{1,140} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\]+
	11	Postal Address	<PstlAdr>	[0..1]			
	12	Address Type	<AdrTp>	[0..1]	Choice		
	13	Code	<Cd>	[1..1]	text		
	14	Postal			ADDR		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	14	Box	PO		PBOX		
	14	Residential			HOME		
	14	Business			BIZZ		
	14	Mail To			MLTO		
	14	Delivery To			DLVY		
	13	Proprietary	<Prtry>	[1..1]			
	14	Identification	<Id>	[1..1]	text [a-zA-Z0-9]{4}		
	14	Issuer	<Issr>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+
	14	Scheme Name	<SchmeNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+
	12	Department	<Dept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+
	12	Department	Sub <SubDept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+
	12	Name	Street <StrtNm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+
	12	Number	Building <BldgNb>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+
	12	Name	Building <BldgNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+
	12	Floor	<Flr>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	12	Post Box	<PstBx>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\^ `\'~";<>@\ \\]+
	12	Room	<Room>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\^ `\'~";<>@\ \\]+
	12	Post Code	<PstCd>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\^ `\'~";<>@\ \\]+
	12	Name Town	<TwnNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\^ `\'~";<>@\ \\]+
	12	Location Name Town	<TwnLctnNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\^ `\'~";<>@\ \\]+
	12	Name District	<DstrctNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\^ `\'~";<>@\ \\]+
	12	Sub Division Country	<CtrySubDvsn>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\^ `\'~";<>@\ \\]+
	12	Country	<Ctry>	[0..1]	text [A-Z]{2,2}		
	12	Line Address	<AdrLine>	[0..7]	text{1,70}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\^ `\'~";<>@\ \\]+
	8	Creditor	<Cdtr>	[0..1]	Choice		Rules: R20
	9	Party	<Pty>	[1..1]			
	10	Name	<Nm>	[0..1]	text{1,140}	T/C	Type Changed: text{1,140} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\^ `\'~";<>@\ \\]+
	10	Postal Address	<PstlAdr>	[0..1]			
	11	Type Address	<AdrTp>	[0..1]	Choice		
	12	Code	<Cd>	[1..1]	text		
	13	Postal			ADDR		
	13	PO Box			PBOX		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	13	Residential			HOME		
	13	Business			BIZZ		
	13	Mail To			MLTO		
	13	Delivery To			DLVY		
	12	Proprietary	<Prtry>	[1..1]			
	13	Identification	<Id>	[1..1]	text [a-zA-Z0-9]{4}		
	13	Issuer	<Issr>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%& \!*=^ `\'~";<>@\ \\\]]+
	13	Scheme Name	<SchmeNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%& \!*=^ `\'~";<>@\ \\\]]+
	11	Department	<Dept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%& \!*=^ `\'~";<>@\ \\\]]+
	11	Department Sub	<SubDept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%& \!*=^ `\'~";<>@\ \\\]]+
	11	Street Name	<StrtNm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%& \!*=^ `\'~";<>@\ \\\]]+
	11	Building Number	<BldgNb>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%& \!*=^ `\'~";<>@\ \\\]]+
	11	Building Name	<BldgNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%& \!*=^ `\'~";<>@\ \\\]]+
	11	Floor	<Flr>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%& \!*=^ `\'~";<>@\ \\\]]+
	11	Post Box	<PstBx>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%& \!*=^ `\'~";<>@\ \\\]]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	11	Room	<Room>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\\]+
	11	Post Code	<PstCd>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z/\-!?:\(\)\.,'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\\]+
	11	Town Name	<TwnNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\\]+
	11	Location Name Town	<TwnLctnNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\\]+
	11	District Name	<DstrctNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\\]+
	11	Division Country Sub	<CtrySubDvsn>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\\]+
	11	Country	<Ctry>	[0..1]	text [A-Z]{2,2}		
	11	Address Line	<AdrLine>	[0..7]	text{1,70}	[0..2] T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\\]+
	10	Identification	<Id>	[0..1]	Choice		
	11	Identification Organisation	<OrgId>	[1..1]			
	12	Any BIC	<AnyBIC>	[0..1]	text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}		
	12	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	12	Other	<Othr>	[0..*]		[0..2]	
	13	Identification	<Id>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	13	Scheme Name	<SchmeNm>	[0..1]	Choice		
	14	Code	<Cd>	[1..1]	text{1,4}		
	14	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+]+
	13	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+]+
	11	Private Identification	<PrvtId>	[1..1]			
	12	Date And Place Of Birth	<DtAndPlcOfBirt h>	[0..1]			
	13	Birth Date	<BirthDt>	[1..1]	date		
	13	Province Of Birth	<PrvcOfBirth>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+ !#\$%&!*^_`{ }~"-;<>@\[\]]+
	13	City Of Birth	<CityOfBirth>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+ !#\$%&!*^_`{ }~"-;<>@\[\]]+
	13	Country Of Birth	<CtryOfBirth>	[1..1]	text [A-Z]{2,2}		
	12	Other	<Othr>	[0..*]		[0..2]	
	13	Identification	<Id>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+]+
	13	Scheme Name	<SchmeNm>	[0..1]	Choice		
	14	Code	<Cd>	[1..1]	text{1,4}		
	14	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+]+
	13	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+]+
	10	Country Of Residence	<CtryOfRes>	[0..1]	text [A-Z]{2,2}		
	10	Contact Details	<CtctDtls>	[0..1]			

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	11	Name	<Nm>	[0..1]	text{1,140}	T/C	Type Changed: text{1,140} [0-9a-zA-Z/\-!\?:\(\)\.,\'+ !#\$%&!*=-^ `\'~";<>@\ \\]+
	9	Agent	<Agt>	[1..1]			
	10	Financial Institution Identification	<FinInstnId>	[1..1]			
	11	BICFI	<BICFI>	[0..1]	text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}		
	11	Clearing System Member Identification	<ClrSysMmbld>	[0..1]			
	12	Clearing System Identification	<ClrSysId>	[0..1]	Choice	[1..1]	
	13	Code	<Cd>	[1..1]	text{1,5}		
	12	Member Identification	<Mmbld>	[1..1]	text{1,35}	T/C	Type Changed: text{1,28} [0-9a-zA-Z/\-!\?:\(\)\.,\'+]+
	11	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	11	Name	<Nm>	[0..1]	text{1,140}	T/C	Type Changed: text{1,140} [0-9a-zA-Z/\-!\?:\(\)\.,\'+ !#\$%&!*=-^ `\'~";<>@\ \\]+
	11	Postal Address	<PstlAdr>	[0..1]			
	12	Address Type	<AdrTp>	[0..1]	Choice		
	13	Code	<Cd>	[1..1]	text		
	14	Postal			ADDR		
	14	PO Box			PBOX		
	14	Residential			HOME		
	14	Business			BIZZ		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	14	Mail To			MLTO		
	14	Delivery To			DLVY		
	13	Proprietary	<Prtry>	[1..1]			
	14	Identification	<Id>	[1..1]	text [a-zA-Z0-9]{4}		
	14	Issuer	<Issr>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+!#\$%&!*^=\`\'~";<>@\ \\]+
	14	Scheme Name	<SchmeNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+!#\$%&!*^=\`\'~";<>@\ \\]+
	12	Department	<Dept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,'+!#\$%&!*^=\`\'~";<>@\ \\]+
	12	Department Sub	<SubDept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,'+!#\$%&!*^=\`\'~";<>@\ \\]+
	12	Name Street	<StrtNm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,'+!#\$%&!*^=\`\'~";<>@\ \\]+
	12	Number Building	<BldgNb>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z/\-!?:\(\)\.,'+!#\$%&!*^=\`\'~";<>@\ \\]+
	12	Name Building	<BldgNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+!#\$%&!*^=\`\'~";<>@\ \\]+
	12	Floor	<Flr>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,'+!#\$%&!*^=\`\'~";<>@\ \\]+
	12	Post Box	<PstBx>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z/\-!?:\(\)\.,'+!#\$%&!*^=\`\'~";<>@\ \\]+
	12	Room	<Room>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,'+!#\$%&!*^=\`\'~";<>@\ \\]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	12	Post Code	<PstCd>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z/\-!?:\(\)\.,'+!#\$%&!*^=\`\'~";<>@\ \\]+
	12	Town Name	<TwnNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+!#\$%&!*^=\`\'~";<>@\ \\]+
	12	Town Location Name	<TwnLctnNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+!#\$%&!*^=\`\'~";<>@\ \\]+
	12	District Name	<DstrctNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+!#\$%&!*^=\`\'~";<>@\ \\]+
	12	Country Sub Division	<CtrySubDvsn>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+!#\$%&!*^=\`\'~";<>@\ \\]+
	12	Country	<Ctry>	[0..1]	text [A-Z]{2,2}		
	12	Address Line	<AdrLine>	[0..7]	text{1,70}	[0..3] T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+!#\$%&!*^=\`\'~";<>@\ \\]+
	11	Other	<Othr>	[0..1]			
	12	Identification	<Id>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+]+
	12	Scheme Name	<SchmeNm>	[0..1]	Choice		
	13	Code	<Cd>	[1..1]	text{1,4}		
	13	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+]+
	12	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+]+
	10	Branch Identification	<BrnchId>	[0..1]			
	11	Identification	<Id>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	11	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	11	Name	<Nm>	[0..1]	text{1,140}	T/C	Type Changed: text{1,140} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*!=^ `\'~";<>@\ \\\]+
	11	Postal Address	<PstlAdr>	[0..1]			
	12	Address Type	<AdrTp>	[0..1]	Choice		
	13	Code	<Cd>	[1..1]	text		
	14	Postal			ADDR		
	14	PO Box			PBOX		
	14	Residential			HOME		
	14	Business			BIZZ		
	14	Mail To			MLTO		
	14	Delivery To			DLVY		
	13	Proprietary	<Prtry>	[1..1]			
	14	Identification	<Id>	[1..1]	text [a-zA-Z0-9]{4}		
	14	Issuer	<Issr>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*!=^ `\'~";<>@\ \\\]+
	14	Scheme Name	<SchmeNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*!=^ `\'~";<>@\ \\\]+
	12	Department	<Dept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*!=^ `\'~";<>@\ \\\]+
	12	Sub Department	<SubDept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*!=^ `\'~";<>@\ \\\]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	12	Name Street	<StrtNm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ `\'~";<>@\ \\\]]+
	12	Number Building	<BldgNb>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ `\'~";<>@\ \\\]]+
	12	Name Building	<BldgNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ `\'~";<>@\ \\\]]+
	12	Floor	<Flr>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ `\'~";<>@\ \\\]]+
	12	Post Box	<PstBx>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ `\'~";<>@\ \\\]]+
	12	Room	<Room>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ `\'~";<>@\ \\\]]+
	12	Post Code	<PstCd>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ `\'~";<>@\ \\\]]+
	12	Name Town	<TwnNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ `\'~";<>@\ \\\]]+
	12	Location Name Town	<TwnLctnNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ `\'~";<>@\ \\\]]+
	12	Name District	<DstrctNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ `\'~";<>@\ \\\]]+
	12	Sub Division Country	<CtrySubDvsn>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ `\'~";<>@\ \\\]]+
	12	Country	<Ctry>	[0..1]	text [A-Z]{2,2}		
	12	Line Address	<AdrLine>	[0..7]	text{1,70}	[0..3] T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ `\'~";<>@\ \\\]]+
	8	Creditor Account	<CdtrAcct>	[0..1]			Rules: R21
	9	Identification	<Id>	[1..1]	Choice		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	10	IBAN	<IBAN>	[1..1]	text [A-Z]{2,2}[0-9]{2,2}[a-zA-Z0-9]{1,30}		
	10	Other	<Othr>	[1..1]			
	11	Identification	<Id>	[1..1]	text{1,34}	T/C	Type Changed: text{1,34} ([0-9a-zA-Z\-\?\:\(\)\.\,'+]([0-9a-zA-Z\-\?\:\(\)\.\,'+]*([0-9a-zA-Z\-\?\:\(\)\.\,'+])?)*)
	11	Name	<SchmeNm>	[0..1]	Choice		
	12	Code	<Cd>	[1..1]	text{1,4}		
	12	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\?\:\(\)\.\,'+]+
	11	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\?\:\(\)\.\,'+]+
	9	Type	<Tp>	[0..1]	Choice		
	10	Code	<Cd>	[1..1]	text{1,4}		
	10	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\?\:\(\)\.\,'+]+
	9	Currency	<Ccy>	[0..1]	text [A-Z]{3,3}		
	9	Name	<Nm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\?\:\(\)\.\,'+]+
	9	Proxy	<Prxy>	[0..1]			
	10	Type	<Tp>	[0..1]	Choice		
	11	Code	<Cd>	[1..1]	text{1,4}		
	11	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\?\:\(\)\.\,'+]+
	10	Identification	<Id>	[1..1]	text{1,2048}	T/C	Type Changed: text{1,320} [0-9a-zA-Z\-\?\:\(\)\.\,'+ !#\$%&!*=-^ \\\ }~";<>@\ \\]+
	8	Ultimate Creditor	<UltmtCdtr>	[0..1]	Choice		Rules: R22
	9	Party	<Pty>	[1..1]			

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	10	Name	<Nm>	[0..1]	text{1,140}	T/C	Type Changed: text{1,140} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*!=^ `\'~";<>@\ \\\]]+
	10	Postal Address	<PstlAdr>	[0..1]			
	11	Type Address	<AdrTp>	[0..1]	Choice		
	12	Code	<Cd>	[1..1]	text		
	13	Postal			ADDR		
	13	Box	PO		PBOX		
	13	Residential			HOME		
	13	Business			BIZZ		
	13	Mail			MLTO		
	13	Delivery To			DLVY		
	12	Proprietary	<Prtry>	[1..1]			
	13	Identification	<Id>	[1..1]	text [a-zA-Z0-9]{4}		
	13	Issuer	<Issr>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*!=^ `\'~";<>@\ \\\]]+
	13	Name Scheme	<SchmeNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*!=^ `\'~";<>@\ \\\]]+
	11	Department	<Dept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*!=^ `\'~";<>@\ \\\]]+
	11	Department Sub	<SubDept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*!=^ `\'~";<>@\ \\\]]+
	11	Street Name	<StrtNm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!*!=^ `\'~";<>@\ \\\]]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	11	Number Building	<BldgNb>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]+
	11	Name Building	<BldgNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]+
	11	Floor	<Flr>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]+
	11	Post Box	<PstBx>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]+
	11	Room	<Room>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]+
	11	Post Code	<PstCd>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]+
	11	Town Name	<TwnNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]+
	11	Location Name Town	<TwnLctnNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]+
	11	District Name	<DstrctNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]+
	11	Division Country Sub	<CtrySubDvsn>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]+
	11	Country	<Ctry>	[0..1]	text [A-Z]{2,2}		
	11	Address Line	<AdrLine>	[0..7]	text{1,70}	[0..3] T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\}\~";<>@\ \\\]+
	10	Identification	<Id>	[0..1]	Choice		
	11	Identification Organisation	<OrgId>	[1..1]			

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	12	Any BIC	<AnyBIC>	[0..1]	text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}		
	12	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	12	Other	<Othr>	[0..*]		[0..2]	
	13	Identification	<Id>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+]+
	13	Scheme Name	<SchmeNm>	[0..1]	Choice		
	14	Code	<Cd>	[1..1]	text{1,4}		
	14	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+]+
	13	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+]+
	11	Private Identification	<PrvtId>	[1..1]			
	12	Date And Place Of Birth	<DtAndPlcOfBirth>	[0..1]			
	13	Birth Date	<BirthDt>	[1..1]	date		
	13	Province Of Birth	<PrvcOfBirth>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+ !#\$%&!*^=\ `\'/{}~";<>@\ /\\]+
	13	City Of Birth	<CityOfBirth>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+ !#\$%&!*^=\ `\'/{}~";<>@\ /\\]+
	13	Country Of Birth	<CtryOfBirth>	[1..1]	text [A-Z]{2,2}		
	12	Other	<Othr>	[0..*]		[0..2]	
	13	Identification	<Id>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	13	Scheme Name	<SchmeNm>	[0..1]	Choice		
	14	Code	<Cd>	[1..1]	text{1,4}		
	14	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+]+
	13	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+]+
	10	Country Of Residence	<CtryOfRes>	[0..1]	text [A-Z]{2,2}		
	10	Contact Details	<CtctDtls>	[0..1]			
	11	Name	<Nm>	[0..1]	text{1,140}	T/C	Type Changed: text{1,140} [0-9a-zA-Z/\-!?:\(\)\.,'+ !#\$%&!*=-^ `\\ /}~";<>@\ \\]+
	9	Agent	<Agt>	[1..1]			
	10	Financial Institution Identification	<FinInstnId>	[1..1]			
	11	BICFI	<BICFI>	[0..1]	text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}		
	11	Clearing System Member Identification	<ClrSysMmbld>	[0..1]			
	12	Clearing System Identification	<ClrSysId>	[0..1]	Choice	[1..1]	
	13	Code	<Cd>	[1..1]	text{1,5}		
	12	Member Identification	<Mmbld>	[1..1]	text{1,35}	T/C	Type Changed: text{1,28} [0-9a-zA-Z/\-!?:\(\)\.,'+]+
	11	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	11	Name	<Nm>	[0..1]	text{1,140}	T/C	Type Changed: text{1,140} [0-9a-zA-Z/\-!?:\(\)\.,'+ !#\$%&!*=-^ `\\ /}~";<>@\ \\]+
	11	Postal Address	<PstlAdr>	[0..1]			

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	12	Address Type	<AdrTp>	[0..1]	Choice		
	13	Code	<Cd>	[1..1]	text		
	14	Postal			ADDR		
	14	Box PO			PBOX		
	14	Residential			HOME		
	14	Business			BIZZ		
	14	Mail To			MLTO		
	14	Delivery To			DLVY		
	13	Proprietary	<Prtry>	[1..1]			
	14	Identification	<Id>	[1..1]	text [a-zA-Z0-9]{4}		
	14	Issuer	<Issr>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+!#\$%&!*^=\^ \\\ }~";<>@\ \\]+
	14	Scheme Name	<SchmeNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+!#\$%&!*^=\^ \\\ }~";<>@\ \\]+
	12	Department	<Dept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,'+!#\$%&!*^=\^ \\\ }~";<>@\ \\]+
	12	Department Sub	<SubDept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,'+!#\$%&!*^=\^ \\\ }~";<>@\ \\]+
	12	Name Street	<StrtNm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,'+!#\$%&!*^=\^ \\\ }~";<>@\ \\]+
	12	Number Building	<BldgNb>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z/\-!?:\(\)\.,'+!#\$%&!*^=\^ \\\ }~";<>@\ \\]+
	12	Name Building	<BldgNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+!#\$%&!*^=\^ \\\ }~";<>@\ \\]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	12	Floor	<Flr>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ `\'~";<>@\ \\\]]+
	12	Post Box	<PstBx>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ `\'~";<>@\ \\\]]+
	12	Room	<Room>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ `\'~";<>@\ \\\]]+
	12	Post Code	<PstCd>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ `\'~";<>@\ \\\]]+
	12	Name Town	<TwnNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ `\'~";<>@\ \\\]]+
	12	Location Name Town	<TwnLctnNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ `\'~";<>@\ \\\]]+
	12	Name District	<DstrctNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ `\'~";<>@\ \\\]]+
	12	Sub Division Country	<CtrySubDvsn>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ `\'~";<>@\ \\\]]+
	12	Country	<Ctry>	[0..1]	text [A-Z]{2,2}		
	12	Line Address	<AdrLine>	[0..7]	text{1,70}	[0..3] T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ `\'~";<>@\ \\\]]+
	11	Other	<Othr>	[0..1]			
	12	Identification	<Id>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\. ,\'+]+
	12	Name Scheme	<SchmeNm>	[0..1]	Choice		
	13	Code	<Cd>	[1..1]	text{1,4}		
	13	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\. ,\'+]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	12	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,\'+]+
	10	Branch	<BrnchId>	[0..1]			
	11	Identification	<Id>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,\'+]+
	11	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	11	Name	<Nm>	[0..1]	text{1,140}	T/C	Type Changed: text{1,140} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^_`\'\"{}~";<>@\ \\]]+]
	11	Postal	<PstlAdr>	[0..1]			
	12	Address	<AdrTp>	[0..1]	Choice		
	13	Type	<Cd>	[1..1]	text		
	14	Code			ADDR		
	14	Postal					
	14	PO			PBOX		
	14	Box					
	14	Residential			HOME		
	14	Business			BIZZ		
	14	Mail To			MLTO		
	14	Delivery To			DLVY		
	13	Proprietary	<Prtry>	[1..1]			
	14	Identification	<Id>	[1..1]	text [a-zA-Z0-9]{4}		
	14	Issuer	<Issr>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^_`\'\"{}~";<>@\ \\]]+]

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	14	Scheme Name	<SchmeNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	12	Department	<Dept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	12	Department Sub	<SubDept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	12	Name Street	<StrtNm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	12	Number Building	<BldgNb>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	12	Name Building	<BldgNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	12	Floor	<Flr>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	12	Post Box	<PstBx>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	12	Room	<Room>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	12	Post Code	<PstCd>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	12	Name Town	<TwnNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	12	Location Name Town	<TwnLctnNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	12	Name District	<DstrctNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	12	Country Sub Division	<CtrySubDvsn>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&\!*^=^ `\'~";<>@\ \\]]+
	12	Country	<Ctry>	[0..1]	text [A-Z]{2,2}		
	12	Address Line	<AdrLine>	[0..7]	text{1,70}	[0..3] T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&\!*^=^ `\'~";<>@\ \\]]+
	8	Trading Party	<TradgPty>	[0..1]	Choice		
	9	Party	<Pty>	[1..1]			
	10	Name	<Nm>	[0..1]	text{1,140}	T/C	Type Changed: text{1,140} [0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&\!*^=^ `\'~";<>@\ \\]]+
	10	Postal Address	<PstlAdr>	[0..1]			
	11	Address Type	<AdrTp>	[0..1]	Choice		
	12	Code	<Cd>	[1..1]	text		
	13	Postal			ADDR		
	13	PO Box			PBOX		
	13	Residential			HOME		
	13	Business			BIZZ		
	13	Mail To			MLTO		
	13	Delivery To			DLVY		
	12	Proprietary	<Prtry>	[1..1]			
	13	Identification	<Id>	[1..1]	text [a-zA-Z0-9]{4}		
	13	Issuer	<Issr>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&\!*^=^ `\'~";<>@\ \\]]+
	13	Scheme Name	<SchmeNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&\!*^=^ `\'~";<>@\ \\]]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	11	Department	<Dept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ `\'~";<>@\ \\\]]+
	11	Department Sub	<SubDept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ `\'~";<>@\ \\\]]+
	11	Street Name	<StrtNm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ `\'~";<>@\ \\\]]+
	11	Number Building	<BldgNb>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ `\'~";<>@\ \\\]]+
	11	Name Building	<BldgNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ `\'~";<>@\ \\\]]+
	11	Floor	<Flr>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ `\'~";<>@\ \\\]]+
	11	Post Box	<PstBx>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ `\'~";<>@\ \\\]]+
	11	Room	<Room>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ `\'~";<>@\ \\\]]+
	11	Post Code	<PstCd>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ `\'~";<>@\ \\\]]+
	11	Town Name	<TwnNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ `\'~";<>@\ \\\]]+
	11	Location Name Town	<TwnLctnNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ `\'~";<>@\ \\\]]+
	11	District Name	<DstrctNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ `\'~";<>@\ \\\]]+
	11	Division Country Sub	<CtrySubDvsn>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=\^ `\'~";<>@\ \\\]]+
	11	Country	<Ctry>	[0..1]	text [A-Z]{2,2}		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	11	Address Line	<AdrLine>	[0..7]	text{1,70}	[0..3] T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,'\+ !#\$%&\!*^=\^ \\\}\~";<>@\ \\\]\+]
	10	Identification	<Id>	[0..1]	Choice		
	11	Identification Organisation	<OrgId>	[1..1]			
	12	Any BIC	<AnyBIC>	[0..1]	text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}		
	12	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	12	Other	<Othr>	[0..*]		[0..2]	
	13	Identification	<Id>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,'\+]+
	13	Scheme Name	<SchmeNm>	[0..1]	Choice		
	14	Code	<Cd>	[1..1]	text{1,4}		
	14	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,'\+]+
	13	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,'\+]+
	11	Identification Private	<PrvtId>	[1..1]			
	12	Date And Place Of Birth	<DtAndPlcOfBirth>	[0..1]			
	13	Birth Date	<BirthDt>	[1..1]	date		
	13	Province Of Birth	<PrvcOfBirth>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,'\+ !#\$%&\!*^=\^ \\\}\~";<>@\ \\\]\+]
	13	City Of Birth	<CityOfBirth>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,'\+ !#\$%&\!*^=\^ \\\}\~";<>@\ \\\]\+]

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	13	Country Of Birth	<CtryOfBirth>	[1..1]	text [A-Z]{2,2}		
	12	Other	<Othr>	[0..*]		[0..2]	
	13	Identification	<Id>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,\'+]+
	13	Scheme Name	<SchmeNm>	[0..1]	Choice		
	14	Code	<Cd>	[1..1]	text{1,4}		
	14	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,\'+]+
	13	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,\'+]+
	10	Country Of Residence	<CtryOfRes>	[0..1]	text [A-Z]{2,2}		
	10	Contact Details	<CtctDtls>	[0..1]			
	11	Name	<Nm>	[0..1]	text{1,140}	T/C	Type Changed: text{1,140} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\^ \\\ }\~";<>@\ \\]+
	9	Agent	<Agt>	[1..1]			
	10	Financial Institution Identification	<FinInstnId>	[1..1]			
	11	BICFI	<BICFI>	[0..1]	text [A-Z0-9]{4,4}[A- Z]{2,2}[A-Z0- 9]{2,2}([A-Z0- 9]{3,3}){0,1}		
	11	Clearing System Member Identification	<ClrSysMmbld>	[0..1]			
	12	Clearing System Identification	<ClrSysId>	[0..1]	Choice	[1..1]	
	13	Code	<Cd>	[1..1]	text{1,5}		
	12	Member Identification	<Mmbld>	[1..1]	text{1,35}	T/C	Type Changed: text{1,28} [0-9a-zA-Z/\-!?:\(\)\.,\'+]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	11	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	11	Name	<Nm>	[0..1]	text{1,140}	T/C	Type Changed: text{1,140} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]+
	11	Postal Address	<PstlAdr>	[0..1]			
	12	Address Type	<AdrTp>	[0..1]	Choice		
	13	Code	<Cd>	[1..1]	text		
	14	Postal			ADDR		
	14	PO Box			PBOX		
	14	Residential			HOME		
	14	Business			BIZZ		
	14	Mail To			MLTO		
	14	Delivery To			DLVY		
	13	Proprietary	<Prtry>	[1..1]			
	14	Identification	<Id>	[1..1]	text [a-zA-Z0-9]{4}		
	14	Issuer	<Issr>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]+
	14	Scheme Name	<SchmeNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]+
	12	Department	<Dept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]+
	12	Sub Department	<SubDept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*=-^ `\'~";<>@\ \\\]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	12	Name	Street	<StrtNm>	[0..1] text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ `\'~";<>@\ \\\]+
	12	Number	Building	<BldgNb>	[0..1] text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ `\'~";<>@\ \\\]+
	12	Name	Building	<BldgNm>	[0..1] text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ `\'~";<>@\ \\\]+
	12		Floor	<Flr>	[0..1] text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ `\'~";<>@\ \\\]+
	12		Post Box	<PstBx>	[0..1] text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ `\'~";<>@\ \\\]+
	12		Room	<Room>	[0..1] text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ `\'~";<>@\ \\\]+
	12		Post Code	<PstCd>	[0..1] text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ `\'~";<>@\ \\\]+
	12	Name	Town	<TwnNm>	[0..1] text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ `\'~";<>@\ \\\]+
	12	Location Name	Town	<TwnLctnNm>	[0..1] text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ `\'~";<>@\ \\\]+
	12	Name	District	<DstrctNm>	[0..1] text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ `\'~";<>@\ \\\]+
	12	Sub Division	Country	<CtrySubDvsn>	[0..1] text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ `\'~";<>@\ \\\]+
	12		Country	<Ctry>	[0..1] text [A-Z]{2,2}		
	12	Line	Address	<AdrLine>	[0..7] text{1,70}	[0..3] T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ `\'~";<>@\ \\\]+
	11	Other	<Othr>	[0..1]			

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	12	Identification	<Id>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'\+]+
	12	Name	<SchmeNm>	[0..1]	Choice		
	13	Code	<Cd>	[1..1]	text{1,4}		
	13	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'\+]+
	12	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'\+]+
	10	Branch	<BrnchId>	[0..1]			
	11	Identification	<Id>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'\+]+
	11	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	11	Name	<Nm>	[0..1]	text{1,140}	T/C	Type Changed: text{1,140} [0-9a-zA-Z/\-!?:\(\)\.,'\+ !#\$%&!*=-^`\'\/\}\~";<>@\ \\\]]+
	11	Postal	<PstlAdr>	[0..1]			
	12	Address	<AdrTp>	[0..1]	Choice		
	13	Code	<Cd>	[1..1]	text		
	14	Postal			ADDR		
	14	Box	PO		PBOX		
	14	Residential			HOME		
	14	Business			BIZZ		
	14	Mail To			MLTO		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	14	Delivery To			DLVY		
	13	Proprietary	<Prtry>	[1..1]			
	14	Identification	<Id>	[1..1]	text [a-zA-Z0-9]{4}		
	14	Issuer	<Issr>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+\!#\$%&\!*=^ \\\}\~";<>@\ \\\]+
	14	Scheme Name	<SchmeNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+\!#\$%&\!*=^ \\\}\~";<>@\ \\\]+
	12	Department	<Dept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\.,\'+\!#\$%&\!*=^ \\\}\~";<>@\ \\\]+
	12	Department Sub	<SubDept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\.,\'+\!#\$%&\!*=^ \\\}\~";<>@\ \\\]+
	12	Name Street	<StrtNm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\.,\'+\!#\$%&\!*=^ \\\}\~";<>@\ \\\]+
	12	Number Building	<BldgNb>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!\?:\(\)\.,\'+\!#\$%&\!*=^ \\\}\~";<>@\ \\\]+
	12	Name Building	<BldgNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+\!#\$%&\!*=^ \\\}\~";<>@\ \\\]+
	12	Floor	<Flr>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\.,\'+\!#\$%&\!*=^ \\\}\~";<>@\ \\\]+
	12	Post Box	<PstBx>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!\?:\(\)\.,\'+\!#\$%&\!*=^ \\\}\~";<>@\ \\\]+
	12	Room	<Room>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\.,\'+\!#\$%&\!*=^ \\\}\~";<>@\ \\\]+
	12	Post Code	<PstCd>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!\?:\(\)\.,\'+\!#\$%&\!*=^ \\\}\~";<>@\ \\\]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	12	Town Name	<TwnNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*=-^ `\'~";<>@\ \\]+
	12	Town Location Name	<TwnLctnNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*=-^ `\'~";<>@\ \\]+
	12	District Name	<DstrctNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*=-^ `\'~";<>@\ \\]+
	12	Country Sub Division	<CtrySubDvsn>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*=-^ `\'~";<>@\ \\]+
	12	Country	<Ctry>	[0..1]	text [A-Z]{2,2}		
	12	Address Line	<AdrLine>	[0..7]	text{1,70}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*=-^ `\'~";<>@\ \\]+
	8	Proprietary	<Prtry>	[0..*]			
	9	Type	<Tp>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,\'+]+
	9	Party	<Pty>	[1..1]	Choice		
	10	Party	<Pty>	[1..1]			
	11	Name	<Nm>	[0..1]	text{1,140}	T/C	Type Changed: text{1,140} [0-9a-zA-Z/\-!?:\(\)\.,\'+]+
	11	Postal Address	<PstlAdr>	[0..1]			
	12	Address Type	<AdrTp>	[0..1]	Choice		
	13	Code	<Cd>	[1..1]	text		
	14	Postal			ADDR		
	14	Box PO			PBOX		
	14	Residential			HOME		
	14	Business			BIZZ		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	14	Mail To			MLTO		
	14	Delivery To			DLVY		
	13	Proprietary	<Prtry>	[1..1]			
	14	Identification	<Id>	[1..1]	text [a-zA-Z0-9]{4}		
	14	Issuer	<Issr>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*!=^ `\'\/\ }~";<>@\ \\\]+
	14	Scheme Name	<SchmeNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*!=^ `\'\/\ }~";<>@\ \\\]+
	12	Department	<Dept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*!=^ `\'\/\ }~";<>@\ \\\]+
	12	Department Sub	<SubDept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*!=^ `\'\/\ }~";<>@\ \\\]+
	12	Name Street	<StrtNm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*!=^ `\'\/\ }~";<>@\ \\\]+
	12	Number Building	<BldgNb>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*!=^ `\'\/\ }~";<>@\ \\\]+
	12	Name Building	<BldgNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*!=^ `\'\/\ }~";<>@\ \\\]+
	12	Floor	<Flr>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*!=^ `\'\/\ }~";<>@\ \\\]+
	12	Post Box	<PstBx>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*!=^ `\'\/\ }~";<>@\ \\\]+
	12	Room	<Room>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*!=^ `\'\/\ }~";<>@\ \\\]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	12	Post Code	<PstCd>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z/\-!?:\(\)\.,'+!#\$%&!*^=\`\'~";<>@\ \\]+
	12	Town Name	<TwnNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+!#\$%&!*^=\`\'~";<>@\ \\]+
	12	Town Location Name	<TwnLctnNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+!#\$%&!*^=\`\'~";<>@\ \\]+
	12	District Name	<DstrctNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+!#\$%&!*^=\`\'~";<>@\ \\]+
	12	Country Sub Division	<CtrySubDvsn>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+!#\$%&!*^=\`\'~";<>@\ \\]+
	12	Country	<Ctry>	[0..1]	text [A-Z]{2,2}		
	12	Address Line	<AdrLine>	[0..7]	text{1,70}	[0..3] T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+!#\$%&!*^=\`\'~";<>@\ \\]+
	11	Identification	<Id>	[0..1]	Choice		
	12	Organisation Identification	<OrgId>	[1..1]			
	13	Any BIC	<AnyBIC>	[0..1]	text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}		
	13	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	13	Other	<Othr>	[0..*]		[0..2]	
	14	Identification	<Id>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+]+
	14	Scheme Name	<SchmeNm>	[0..1]	Choice		
	15	Code	<Cd>	[1..1]	text{1,4}		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	15	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+]+
	14	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+]+
	12	Identification Private	<PrvtId>	[1..1]			
	13	And Place Of Birth Date	<DtAndPlcOfBirth>	[0..1]			
	14	Date Birth	<BirthDt>	[1..1]	date		
	14	Province Of Birth	<PrvcOfBirth>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+ !#\$%&!*='^ `\'\/\}~";<>@\ \\]+
	14	Of Birth City	<CityOfBirth>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+ !#\$%&!*='^ `\'\/\}~";<>@\ \\]+
	14	Country Of Birth	<CtryOfBirth>	[1..1]	text [A-Z]{2,2}		
	13	Other	<Othr>	[0..*]		[0..2]	
	14	Identification	<Id>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+]+
	14	Scheme Name	<SchmeNm>	[0..1]	Choice		
	15	Code	<Cd>	[1..1]	text{1,4}		
	15	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+]+
	14	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+]+
	11	Residence Country Of	<CtryOfRes>	[0..1]	text [A-Z]{2,2}		
	11	Details Contact	<CtctDtls>	[0..1]			

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	12	Name	<Nm>	[0..1]	text{1,140}	T/C	Type Changed: text{1,140} [0-9a-zA-Z/\-!\?:\(\)\.,\'+ !#\$%&!*^=^ `\'~";<>@\ \\]+
	10	Agent	<Agt>	[1..1]			
	11	Financial Institution Identification	<FinInstnId>	[1..1]			
	12	BICFI	<BICFI>	[0..1]	text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}[A-Z0-9]{3,3}{0,1}		
	12	Clearing System Member Identification	<ClrSysMmbld>	[0..1]			
	13	Clearing System Identification	<ClrSysId>	[0..1]	Choice		
	14	Code	<Cd>	[1..1]	text{1,5}		
	14	Proprietary	<Prtry>	[1..1]	text{1,35}		
	13	Member Identification	<Mmbld>	[1..1]	text{1,35}		
	12	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	12	Name	<Nm>	[0..1]	text{1,140}	T/C	Type Changed: text{1,140} [0-9a-zA-Z/\-!\?:\(\)\.,\'+]+
	12	Postal Address	<PstlAdr>	[0..1]			
	13	Address Type	<AdrTp>	[0..1]	Choice		
	14	Code	<Cd>	[1..1]	text		
	15	Postal			ADDR		
	15	PO Box			PBOX		
	15	Residential			HOME		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	15	Business			BIZZ		
	15	Mail To			MLTO		
	15	Delivery To			DLVY		
	14	Proprietary	<Prtry>	[1..1]			
	15	Identification	<Id>	[1..1]	text [a-zA-Z0-9]{4}		
	15	Issuer	<Issr>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]]+
	15	Scheme Name	<SchmeNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]]+
	13	Department	<Dept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]]+
	13	Department Sub	<SubDept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]]+
	13	Name Street	<StrtNm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]]+
	13	Number Building	<BldgNb>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]]+
	13	Name Building	<BldgNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]]+
	13	Floor	<Flr>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]]+
	13	Box Post	<PstBx>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]]+
	13	Room	<Room>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	13	Post Code	<PstCd>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&\!*^=^ `\'~";<>@\ \\\]]+
	13	Town Name	<TwnNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&\!*^=^ `\'~";<>@\ \\\]]+
	13	Town Location Name	<TwnLctnNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&\!*^=^ `\'~";<>@\ \\\]]+
	13	District Name	<DstrctNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&\!*^=^ `\'~";<>@\ \\\]]+
	13	Country Sub Division	<CtrySubDvsn>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&\!*^=^ `\'~";<>@\ \\\]]+
	13	Country	<Ctry>	[0..1]	text [A-Z]{2,2}		
	13	Address Line	<AdrLine>	[0..7]	text{1,70}	[0..3] T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&\!*^=^ `\'~";<>@\ \\\]]+
	12	Other	<Othr>	[0..1]			
	13	Identification	<Id>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\.,\'+]+
	13	Scheme Name	<SchmeNm>	[0..1]	Choice		
	14	Code	<Cd>	[1..1]	text{1,4}		
	14	Proprietary	<Prtry>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\.,\'+]+
	13	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!?:\(\)\.,\'+]+
	11	Branch Identification	<BrnchId>	[0..1]			
	12	Identification	<Id>	[0..1]	text{1,35}		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	12	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	12	Name	<Nm>	[0..1]	text{1,140}	T/C	Type Changed: text{1,140} [0-9a-zA-Z/\-!?:\(\)\.,\'+]+
	12	Postal Address	<PstlAdr>	[0..1]			
	13	Address Type	<AdrTp>	[0..1]	Choice		
	14	Code	<Cd>	[1..1]	text		
	15	Postal			ADDR		
	15	PO Box			PBOX		
	15	Residential			HOME		
	15	Business			BIZZ		
	15	Mail To			MLTO		
	15	Delivery To			DLVY		
	14	Proprietary	<Prtry>	[1..1]			
	15	Identification	<Id>	[1..1]	text [a-zA-Z0-9]{4}		
	15	Issuer	<Issr>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*!=^ `\'~";<>@\ \\/\]+
	15	Scheme Name	<SchmeNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*!=^ `\'~";<>@\ \\/\]+
	13	Department	<Dept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*!=^ `\'~";<>@\ \\/\]+
	13	Sub Department	<SubDept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*!=^ `\'~";<>@\ \\/\]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	13	Street Name	<StrtNm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\]+
	13	Building Number	<BldgNb>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\]+
	13	Building Name	<BldgNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\]+
	13	Floor	<Flr>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\]+
	13	Post Box	<PstBx>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\]+
	13	Room	<Room>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\]+
	13	Post Code	<PstCd>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\]+
	13	Town Name	<TwnNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\]+
	13	Town Location Name	<TwnLctnNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\]+
	13	District Name	<DstrctNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\]+
	13	Country Sub Division	<CtrySubDvsn>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\]+
	13	Country	<Ctry>	[0..1]	text [A-Z]{2,2}		
	13	Address Line	<AdrLine>	[0..7]	text{1,70}	[0..3] T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!*=-^ `\'~";<>@\ \\]+
	7	Related Dates	<RltdDts>	[0..1]		[1..1]	

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	8	Interbank Settlement Date	<IntrBkSttlmDt>	[0..1]	date	[1..1]	
	7	Additional Transaction Information	<AddtlTxInf>	[0..1]	text{1,500}	T/C	Type Changed: text{1,500} [0-9a-zA-Z/\-!\?:\(\)\.,'\+]+
	4	Additional Notification Information	<AddtlNtfctnInf>	[0..1]	text{1,500}	T/C	Type Changed: text{1,500} [0-9a-zA-Z/\-!\?:\(\)\.,'\+]+

Rule Definitions

Index	Name	Description	Formal Rule Definition
R1	Rule "CBPR_Copy_Duplicate_FormalRule"	If Copy Duplicate indicator is used in the Business Application Header, it must be identical to the Copy Duplicate indicator in the business document (if the latter is present).	For each [Full Message], if at least one occurrence of the following element(s) [Full Message/BusinessApplicationHeaderV02/CopyDuplicate] and [Full Message/Document/BankToCustomerDebitCreditNotificationV08/Notification/CopyDuplicateIndicator] is (are) present , then every occurrence of [Full Message/BusinessApplicationHeaderV02/CopyDuplicate] must have the same value than every occurrence of [Full Message/Document/BankToCustomerDebitCreditNotificationV08/Notification/CopyDuplicateIndicator]
R2	Rule "CBPR_Character_Set Usage_TextualRule"	For further description on the usage of the field, pls refer to the CBPR Plus UHB.	
R3	Rule "CBPR_Business_Message_Identifier_TextualRule"	The Business Message Identifier is the unique identifier of the Business Message instance that is being transported with this header, as defined by the sending application or system. Must contain the Message Identification element from the Group Header of the underlying message, where available (as is typically the case with pacs, pain, and camt messages, for example). If Message Identification is not available in the underlying message, then this field must contain the unique identifier of the Business Message instance.	
R4	Rule "CBPR_Message_Definition_Identifier_TextualRule"	The Message Definition Identifier of the Business Message instance that is being transported with this header. In general, it must be formatted exactly as it appears in the namespace of the Business Message instance.	

R5	Rule "CBPR_Business_Service_TextualRule"	This field may be used by SWIFT to support differentiated processing on SWIFT-administered services such as FINplus. For a description of reserved values, please refer to the Service Description for your service. To support differentiated processing on CBPRPlus, for example, SWIFT reserves a set of values that conform to a specific format. A user-specific value may be used, but please contact your Service Administrator before doing so to ensure alignment with general practice on your service.	
R6	Rule "CBPR_Business_Service_Usage_TextualRule"	The value "swift.cbprplus.02" must be used.	
R7	Rule "CBPR_Market_Practice_TextualRule"	This field may be used by SWIFT on SWIFT-administered services. For a description of reserved values, please refer to the Service Description for your service. Contact your Service Administrator for further clarification, if necessary. A user-specific value may be used, but please contact your Service Administrator before doing so to ensure alignment with general practice on your service.	
R8	Rule "CBPR_Related_Business_Application_Header_TextualRule"	If used, the Related BAH must transport the exact same information as in the BAH of the related message.	
R9	Rule "CBPR_Related_BAH_Business_Service_TextualRule"	If related BAH is present, it should transport the element Business Service.	

R10	Rule "CBPR_Additional_Information_TextualRule"	May be used to indicate type of Notification. Where this is used, all transactions within this message are of the same type. Codes are for example: /LBOX/ - Lock box /BULK/ - Bulk reporting (batch transaction with underlying transactions) /RTRN/ - Return report /CRED/ - Notification with Credit entries ONLY. /CRED/ will be provided by the Bank to the Corporate in case of Instant Payment receivable .	
R11	Rule "CBPR_Amount_TextualRule"	Amount in the currency of the account reported. Note: This amount can be Zero.	
R12	Rule "CBPR_Booking_Date_TextualRule"	Mandatory when Status is booked, Bilaterally Determined when status is Pending or Information.	
R13	Rule "CBPR_Value_Date_TextualRule"	Mandatory when Status is booked, Bilaterally Determined when status is Pending or Information.	
R14	Rule "CBPR_Domain_Proprietary_Recommendation_TextualRule"	BankTransactionCode/ Domain/ Code is the preferred option and should be used when possible.	
R15	Rule "CBPR_Original_Instruction_Identification_FormalRule"	This field must not start or end with a slash '/' and must not contain two consecutive slashes '//'. 	For each [Full Message/Document/BankToCustomerDebitCreditNotificationV08/Notification/Entry/EntryDetails/TransactionDetails/References/InstructionIdentification], the value of every occurrence of [InstructionIdentification] must not comply with the following XML pattern : '(/.*)((/))((/./*))'
R16	Rule "CBPR_Initiating_Party_TextualRule"	Party initiating the payment to an agent. In the payment context, this can either be the debtor (in a credit transfer), the creditor (in a direct debit), or a party that initiates the payment on behalf of the debtor or creditor. In the context of treasury, the party that instructs the trading party to execute a treasury deal on its behalf.	

R17	Rule "CBPR_Debtor_TextualRule"	For outward payments, report if different from account owner. For inward payments, report where available. In instances where the ReversalIndicator <RvslInd> is TRUE, the Creditor and Debtor must be the same as the Creditor and Debtor of the original entry.	
R18	Rule "CBPR_Debtor_Account_TextualRule"	For inward payment, report where available. Conditional on the country regulatory requirement. Recommendation: If IBAN is available populate in IBAN tag, else populate Other.	
R19	Rule "CBPR_Ultimate_Debtor_TextualRule"	In instances where the ReversalIndicator <RvslInd> is TRUE, the Ultimate Creditor and Ultimate Debtor must be the same as the Ultimate Creditor and Ultimate Debtor of the original entry.	
R20	Rule "CBPR_Creditor_TextualRule"	For outward payment, report where available. In instances where the ReversalIndicator <RvslInd> is TRUE, the Creditor and Debtor must be the same as the Creditor and Debtor of the original entry.	
R21	Rule "CBPR_Creditor_Account_TextualRule"	For outward, payment, report where available. Recommendation: If IBAN is available populate IBAN tag, else populate Other.	
R22	Rule "CBPR_Ultimate_Creditor_TextualRule"	In instances where the ReversalIndicator <RvslInd> is TRUE, the Ultimate Creditor and Ultimate Debtor must be the same as the Ultimate Creditor and Ultimate Debtor of the original entry.	

Legal Notices

Copyright

SWIFT SCRL © 2025. All rights reserved.

This material is a component of MyStandards, the SWIFT collaborative Web application used to manage standards definitions and industry usage. It can only be used and distributed in accordance with MyStandards Terms of Use.

Unless otherwise agreed in writing with SWIFT SCRL, you have no right to:

- authorise external end users to use this component for other purposes than their internal use.
- remove, alter, cover, obfuscate or cancel from view any copyright or other proprietary rights notices appearing in this physical medium.
- re-sell or authorise another party e.g. software and service providers, to re-sell this component.

Confidentiality

This publication may contain SWIFT or third-party confidential information. Only disclose it outside your organisation in accordance with MyStandards Terms of Use and your related license rights.

This component is provided 'AS IS'. SWIFT does not give and excludes any express or implied warranties with respect to this component such as but not limited to any guarantee as to its quality, supply or availability.

Any and all rights, including title, ownership rights, copyright, trademark, patents, and any other intellectual property rights of whatever nature in this component will remain the exclusive property of SWIFT or its licensors.

Trademarks and Patents

SWIFT is the trade name of S.W.I.F.T. SCRL. The following are registered trademarks of SWIFT:

SWIFT, the SWIFT logo, 3SKey, Innotribe, Sibos, SWIFTNet, MyStandards, SWIFTReady, and Accord. Other product, service, or company names in this publication are trade names, trademarks, or registered trademarks of their respective owners..