

Connectivity Handbook

Part 1 - Communication

For customers of Clearstream Banking Frankfurt

Connectivity Handbook Part 1 – Communication

Clearstream Banking AG, Frankfurt

Document number: F-CON21a

Date of publication: [August](#) 2021

The information contained in this document is subject to change without notice and does not represent any guarantee on the part of Clearstream Banking AG, Frankfurt (referred to in this document as Clearstream Banking Frankfurt or CBF) nor on the part of any other company belonging to Clearstream International, société anonyme. No part of this Handbook may be reproduced or transmitted for any purpose, in any form or in any way without the explicit written permission of Clearstream Banking Frankfurt. This also includes making photocopies and notes.

In the absence of any indication to the contrary, time in this document always means Central European Time (CET).

© Copyright Clearstream Banking AG, Frankfurt (2021). All rights reserved.

Contents

- 1 Introduction..... 2**
- 2 Communication with CBF 3**
 - 2.1 Online 6
 - 2.2 SWIFT 6
 - 2.2.1 Preconditions 7
 - 2.3 File Transfer (ISO 15022)..... 7
 - 2.3.1 Preconditions 7
 - 2.4 IBM WebSphere MQ..... 7
 - 2.5 Requirements for SWIFT / MQ / FT..... 7
 - 2.5.1 Authorisation 7
 - 2.5.2 Functionality 8
 - 2.5.3 Referencing 9
 - 2.5.4 Validation for release requests 10
 - 2.5.5 Communication flow for stock exchange trading 10
 - 2.5.6 Data transfer times for stock exchange trades 12
 - 2.5.7 Communication flow for OTC transactions 13
 - 2.5.8 Data transfer times for OTC transactions 15
 - 2.5.9 Communication flow for registered shares kept in collective safe custody 16
 - 2.5.10 Data transfer times for registered shares kept in collective safe custody 17
 - 2.5.11 Custody Services 17
 - 2.5.12 Collateral Management – Xemac ® 18
 - 2.6 Specific requirements for File Transfer 18
 - 2.6.1 Requirements for communication via File Transfer 19
 - 2.6.2 Validation process 20
 - 2.6.3 Process for handling errors 21
 - 2.6.4 Description of formats – header / trailer 22
 - 2.6.5 Description of the MT599 format 26
 - 2.6.6 Example: instruction file from customer to CBF..... 27
 - 2.6.7 Example: Technical validation feedback from CBF 28
 - 2.6.8 Example: Business Validation Feedback from CBF 31
 - 2.6.9 Example: MT535 statement of holdings file 32
 - 2.6.10 Example: MT536 – Clearing & Settlement Statement 33
 - 2.6.11 Custody 33
 - 2.6.12 CBF formats 35
 - 2.7 Specific processing for Compliance Check..... 35
- 3 Contacts 37**
- 4 Appendix 38**
 - 4.1 Overview of the header types in File Transfer (ISO 15022)..... 38

1 Introduction

This Connectivity Handbook is composed of three parts, each of which describes one aspect of communication channels between CBF and customers. These handbooks are intended to inform customers of Clearstream Banking Frankfurt ("CBF") about communication and formats within the settlement systems and custody services of CBF.

The three parts of the Connectivity Handbook are:

- Part 1: Communication processes
- Part 2: ISO 15022 formats (with the exception of custody)
- Part 3: ISO 15022 formats: custody

The Handbook provides an overview of the communication processes and messages supported by CBF. They are the messages that customers use for sending and processing instructions and the messages that CBF uses for reporting to customers. This Handbook concentrates on communication according to the ISO 15022 standard. The information contained in this Handbook applies in conjunction with other CBF publications (the CASCADE Online Handbook, the CASCADE-PC User Manual, the Xemac[®] User Manual and the Link Guides). The applicable version is always the latest version available on our website www.clearstream.com.

CBF reserves the right to revise and update this Handbook at any time in order to document the availability of new products and other improvements to the existing communication services. Customers who have specific questions about the information in this Handbook should contact their Client Services Officer.

2 Communication with CBF

The following four forms of communication are generally available to customers of CBF:

- online via CASCADE-Host and CASCADE-PC;
- through File Transfer (FT) for remote transfer of standardised data formats via the Link Manager;
- via SWIFT messages through the SWIFT-FIN network;
- IBM WebSphere MQ (MQ) for the bi-directional transmission of ISO 15022 messages.

Customers using SWIFT must use the Character Set X in their communication with CBF.

Customers using the automated connectivity channels have more characters at their disposition. The table below shows these additional characters and their related mapping. CBF converts these values towards T2S / the SWIFT network, especially for CBF outbound.

MQ / FT	SWIFT network / CBF outbound to T2S
à	A
á	A
Ä	A
&	.
é	E
è	E
Ü	U
*	.
;	.
ö	O
%	.
–	.
#	.
,	.
=	.
"	.
@	.
ß	s
ä	A
ü	U
Ö	O

CBF can also send CASCADE reports to a permanently allocated printer of the customer via the CA spool system. These reports are provided in the form of lists and can also be downloaded from the Deutsche Börse website (CBF File Service). Customers can also make use of a wide range of web upload functions for different services. In relation to tax services, depositories for various markets can forward beneficiary data for tax refund claims to CBF over the internet. Issuers of warrants and certificates can electronically transmit the issuing terms and conditions as well as term sheets to

CBF.

A combination of communication channels is available to CBF customers. For example, customers can send their instructions via SWIFT, receive standardised reports via File Transfer and make use of the online access provided by CASCADE-Host or CASCADE-PC

Communication via SWIFT, MQ or through File Transfer goes both ways:

- Inbound: Customer to CBF;
- Outbound: CBF to customer.

#	App	Product (Daten-Versand-Produkt)	Shortcut	MT	SWIFT	MQ	File Transfer
1	BST	Depotbuchbestände / Periodisch Statement of Holdings / periodically	BSTPER	MT535	✓	✓	✓
2	BST	Depotbuchbestände / Einmalig Statement of Holdings / once	BSTEIN	MT535	✓	✓	✓
3	CAS	Business Validation Feedback	BVF	MT548	✓	✓	✓
4	CAS	Settlement Allegment	SETALL	MT578	✓	✓	✓
5	CAS	Statement of Settlement Allegements	STMTSA	MT586	✓	✓	✓
6	CAS	Status Reporting	STAREP	MT548	✓	✓	✓
9	CAS	Settlement Confirmation	SETCON	MT544, MT545, MT546, MT547	✓	✓	✓
12	CAS	Query-Info Auftraege / 05:00 Uhr	QY0500	MT537	✓	✓	✓
13	CAS	Query-Info Auftraege / 06:00 Uhr	QY0600	MT537	✓	✓	✓
14	CAS	Query-Info Auftraege / 07:30 Uhr	QY0730	MT537	✓	✓	✓
15	CAS	Query Info Auftraege / 08:00 Uhr	QY0800	MT537	✓	✓	✓
17	CAS	Query-Info Auftraege / 09:00 Uhr	QY0900	MT537	✓	✓	✓
18	CAS	Query-Info Auftraege / 10:00 Uhr	QY1030	MT537	✓	✓	✓
19	CAS	Query-Info Auftraege / 11:15 Uhr	QY1115	MT537	✓	✓	✓
20	CAS	Query-Info Auftraege / 12:00 Uhr	QY1200	MT537	✓	✓	✓
21	CAS	Query-Info Auftraege / 12:45 Uhr	QY1245	MT537	✓	✓	✓
22	CAS	Query-Info Auftraege / 13:30 Uhr	QY1330	MT537	✓	✓	✓
23	CAS	Query-Info Auftraege / 15:30 Uhr	QY1530	MT537	✓	✓	✓
24	CAS	Query-Info Auftraege / 16:00 Uhr	QY1600	MT537	✓	✓	✓
25	CAS	Query-Info Auftraege / 17:00 Uhr	QY1700	MT537	✓	✓	✓
26	CAS	Query-Info Auftraege / 18:00 Uhr	QY1800	MT537	✓	✓	✓
27	CAS	Query-Info Auftraege / 23:00 Uhr	QY2300	MT537	✓	✓	✓
28	CAS	Query-Info Auftraege / 02:00 Uhr	QY0200	MT537	✓	✓	✓
30	CRS	Business Validation Feedback	BVF	MT510	✓	✓	✓
31	CRS	Feedback Information Registrar	FIREG	MT501	✓	✓	✓
32	CSH	EUR Cash Clearing Report	ECC	MT942	✓	✓	✓
33	CSS	Clearing&Settlement Statement	CSSTMT	MT536	✓	✓	✓
34	KAD	KADI-Informationendienste	KADINF	MT564, MT566, MT568	✓	✓	✓
35	KAD	KADI-Informationendienste	KADINF	MT565	✓	✓	
36	KAD	KADI-Zahlstellenservice	KADMEZ	MT564 MT566 MT568	✓	✓	✓
37	LIO	Business Validation Feedback	BVF	MT548	✓	✓	✓
38	LIO	Offene Börsengeschäfte	OFFBGE	MT537	✓	✓	✓
39	LIO	Settlement Confirmation	SETCON	MT545, MT547	✓	✓	✓
40	LMS	Business Validation Feedback	BVF	MT548	✓	✓	
41	LMS	Processing Information	PROCIN	MT548	✓	✓	✓
42	TAX	Business Validation Feedback	BVF	XML	---	---	✓
43	TAX	Taxbox Forwarding	TAXFOR	XML	---	---	✓
44	XEM	Detailed Allocated Collateral	DEALCO	MT569	✓	✓	✓

#	App	Product (Daten-Versand-Produkt)	Shortcut	MT	SWIFT	MQ	File Transfer
45	XEM	Summary Allocated Collateral	SUALCO	MT569	✓	✓	✓
46	XEM	Collateral Management	COLLMA	MT558	✓	✓	
46	XEM	Exposure Management	EXPOMA	MT558	✓	✓	

2.1 Online

CBF customers have online access to the CASCADE settlement platform from 05:00 to 03:00 the next day. Not all functionalities are available after 19:00.

For online access to CASCADE, CBF customers select at least two security officers from their staff to receive administrator access rights. The security officers can then grant the relevant authorisation rights to the users at your institution.

CBF customers have the two following options for online access to the CASCADE platform:

1. CASCADE-Host

Online access via CASCADE-Host is generally possible only in German. Exceptions are the online functionalities for Custody Services (income administration, corporate action events). These are also available in English.

There are two important technical preconditions for access via CASCADE-Host:

- CBF customers must be linked up to the CASCADE platform via a dedicated line (SNA);
- Customers need IBM PC 3270 emulation.

2. CASCADE-PC

CASCADE-PC enables customers to access CASCADE Online via a graphical user interface (GUI) in German and English. The following technical precondition must be met:

- Customers need IBM PC 3270 emulation.

Two options are available for the technical link to the CASCADE platform:

- Use of a dedicated line (SNA) or Clearstream Banking's Virtual Private Network (VPN) based on an internet protocol;
- Use of an internet connection with secure access via token (HOB link).

A detailed description of the online systems can be found at our website, www.clearstream.com:

- [CASCADE User Manual volumes 1-3](#) for the CASCADE-Host online system;
- [CASCADE-PC User Manual](#) for the CASCADE-PC online system.

2.2 SWIFT

CBF offers its customers communication via the SWIFT network on the basis of the ISO 15022 standard.

2.2.1 Preconditions

If a customer decides to communicate with CBF via SWIFT, the following steps need to be taken and the following preconditions met:

- Register with SWIFT as a subscriber to the SWIFT-FIN network. SWIFT gives each of its subscribers a clear, unambiguous identifier, known as the BIC (Bank Identifier Code);
- Create the necessary infrastructure for accessing the SWIFT network;
- When applying to CBF for the necessary authorisation to exchange SWIFT messages with CBF, please refer to the following section on "Authorisation";
- Apply for the SWIFT messages that the customer requires for CBF reporting by using the forms provided on our website: www.clearstream.com;
- Set up RMA (Relationship Management Application) with CBF.

2.3 File Transfer (ISO 15022)

CBF also offers an exchange of messages via File Transfer on the basis of the ISO 15022 standard. Through File Transfer the customer can send instructions for the settlement of its transactions to CBF and receive status information and reports from CBF about its stock exchange trades and OTC transactions. Detailed specifications for the file structure are described in section 2.6.

2.3.1 Preconditions

The following technical preconditions need to be satisfied for communication via File Transfer:

- A dedicated line (SNA) needs to be set up between CBF and the customer's in-house system;
- Software needs to be set up and configured on the customer's premises in order to transmit and receive data in the correct file format;
- Technical jobs need to be created at Deutsche Börse Systems.

2.4 IBM WebSphere MQ

IBM WebSphere MQ (MQ) can be used alongside the File Transfer and SWIFT interfaces to communicate in ISO 15022 format with CBF.

To ensure a sufficiently secured connection, the MQ communication channel needs a mutual certification from CBF's and customer's side. Furthermore, regulations require a separate certification for CBF's production and the customer simulation environment (IMS23).

A detailed description of the MQ parameters and the queue nomenclature are available in the document [IBM Websphere MQ: technical connectivity](#).

2.5 Requirements for SWIFT / MQ / FT

2.5.1 Authorisation

For communication via SWIFT / MQ / FT, CBF creates an authorisation table for each of its customers. This authorisation table shows the authorisation levels for the exchange of messages with CBF as a combination of the sender / recipient of an ISO 15022 message, the customer's CASCADE account and the CBF application (CASCADE-LION, CASCADE-OTC, CASCADE-RS). CBF assigns a technical account to each communication partner (the sender / recipient of a message).

For customers who communicate directly with CBF to settle their transactions, the technical account is usually identical to their CASCADE account. The holder of a technical account, however, does not necessarily have to be a holder of a CASCADE account or a customer of CBF as described below.

The technical sender of a message will be notified by CBF via MT548, if CBF's authorisation check fails.

Technical Sender (sending information / instructions to CBF - CBF Inbound)

For settlement ("CASCADE-OTC") messages, a Technical Sender BIC must be established that also serves as T2S Party BIC (BIC11) code.

The BIC11 has a 1:1 relationship to a CBF Account Master. This BIC11 can belong to the customer or a third party, if the necessary Power of Attorney is given.

Example:

CBF customer account 1234 and technical sender account 5678

--> The instruction for the account 1234 could be sent by the account 5678.

Technical Receiver (CBF sending information - CBF Outbound)

A technical receiver account must be established for CBF reporting. This related BIC11 can belong to the customer or a third party, if the necessary Power of Attorney is given. Any CBF Account Master can be set up as a technical receiver account.

Example:

CBF customer account 1234 and technical receiver account 5678

--> Reports for the business on account 1234 are sent to account 5678.

2.5.2 Functionality

The customer sends his instructions to CBF as a message or via file transfer. CBF passes an incoming instruction from a customer through three validation cycles before processing starts:

- The technical validation cycle checks the accuracy, completeness and consistency of the message structure as well as compliance with the ISO 15022 standard. CBF notifies the customer about the result of this validation cycle in an obligatory "Technical Validation Feedback" (TVF) via MQ and File Transfer via an MT599 message.
- Compliance check:
Deutsche Börse Group is legally required to monitor an official sanction list. A real-time check has been introduced. Customers are informed about the status of their instructions via MT548 messages.
- The business validation cycle checks the consistency of the message contents with regard to subsequent processing by the target system specified in the instruction file (CASCADE-LION, CASCADE-OTC, CASCADE-RS). The customer can request the result of the "Business Validation Feedback" (BVF) by a separate query. The usual CASCADE error codes appear if there are any faults. An MT548 message is used to transmit the BVF.

Only customer instructions that comply with all CBF validation rules are admitted to instruction processing in CASCADE. From forwarding the instruction to T2S up to settlement on T2S, CBF provides information about its status and issues final reports in relation to instructions. The reporting is provided in real-time or batch mode. The customer has a number of different options here and can freely choose from a large selection of data transfer times that are available during a business day.




Figure 1: Communication with CBF and T2S via the SWIFT network

2.5.3 Referencing

Whether or not RELA is included in a customer message, the CASCADE instruction is created with the value of the first available reference in the following list for the CASCADE field "Auftragsreferenz":

- PREA (MT540-MT543 NEWM)
- PREV
- SEME

If RELA is available and filled with the CASCADE "Auftragsnummer", CBF validates, if there is already an instruction that includes this reference in CASCADE. If no related instruction can be found, a new instruction will be created with this CASCADE "Auftragsnummer". Otherwise the message will be processed as a modification instruction for the related instruction.

If no CASCADE "Auftragsnummer" ("KP-Nummer") is filled in RELA, the first available reference of the following list will be used to verify if there is already an existing CASCADE instruction with this CASCADE "Auftragsreferenz":

- PREA (MT540-MT543 NEWM)
- PREV
- SEME

If no proper CASCADE instruction has been found, a new instruction with this CASCADE "Auftragsreferenz" will be created. Otherwise the message will be processed as a modification instruction for the related instruction. If only SEME is present in a message and a valid pending instruction with the value of SEME exists, the message will be rejected by CBF. For more information refer to section 2.5.4.

2.5.4 Validation for release requests

Based on the definition by SWIFT, all messages transmitted to CBF must have a reference that is assigned by the customer to allow the identification of the instruction. Customers using CBF’s automated connectivity channels (SWIFT, MQ or File Transfer) provide their reference via the field “20C: Reference: Sender’s Message Reference”.

In line with the standards and the services provided by CBF, a hold / release mechanism is available. This mechanism enables customers to temporarily hold an instruction from settlement or to release it when desired. The instruction can be put on hold using MT54x “PREA” messages and released using MT54x “NEWM” or via a modification request using MT530. For the creation of the release request validation, the MT54x “NEWM” must contain the reference of the previously provided message (“PREV”, “RELA” or “PREA”). Therefore, instructions (MT54x) transmitted without a “PREV”, “RELA” or “PREA” reference but with a reference containing an already used, known or pending “SEME” are rejected. The rejection message “Settlement Status and Processing Advice // Business Validation Feedback” (MT548) contains the error code “KV1308F Instruction already stored”.

2.5.5 Communication flow for stock exchange trading

The following diagrams show the process chain of stock exchange instructions and the customer’s options for communicating with CBF via SWIFT for the settlement of stock exchange trades.




Figure 2: Process chain stock exchange instruction




Figure 3: Instruction flow for stock exchange trading

Delivery instructions for stock exchange trading are processed via CASCADE-LION as follows (for more details, please refer to the CBF Customer Handbook):

Entry of instructions

Delivery instructions for stock exchange trading (Xetra, floor trading) are automatically entered in CASCADE-LION via Xontro-Trade. The release-for-delivery procedure selected by the customer determines the settlement process.

If the customer selects the positive procedure, all sell instructions are entered in CASCADE-LION with blocked settlement. The delivery instructions must be released / unblocked for settlement by the seller before the settlement cycle starts.

If the customer selects the negative procedure, all sell instructions are immediately released for settlement as soon as they are entered in CASCADE-LION, but the seller also has the option of blocking settlement before the start of the settlement cycle.

Processing of instructions

The seller can block or unblock settlement for individual sell instructions, and also mark a sell instruction for cancellation.

The buyer can also mark a buy instruction in process for cancellation.

Matching

Delivery instructions for stock exchange trades are entered as "matched" in CASCADE-LION. In contrast to the processing of OTC transactions, there is no matching of counter instructions. In the MT537 message, CBF only uses the matching status to show pending stock exchange trades where the broker (Makler in German) has taken on the role of counterparty (name-to-follow transactions) and has not yet found the counterparty.

Clearing and settlement

Clearing and settlement of stock exchange trades is carried for CSC eligible securities via the TARGET2-Securities (T2S) settlement platform, for NCSC eligible securities via the CBL Creation platform.

The following table describes the use of SWIFT ISO 15022 by CBF specifically for stock exchange trades through CASCADE-LION. The MT535 and MT536 are described as part of OTC.

SWIFT message type	Use by CBF
MT537 Statement of Pending Transactions	CBF sends MT537 message for information about all pending stock exchange trades as complete report four times a day.
MT541 Cancellation (Buyer)	Message from the buyer of a stock exchange trade to CBF to mark a buy instruction for cancellation. The precondition for the successful cancellation of a delivery instruction for a stock exchange trade is that the seller marks the sell instruction and the buyer marks the buy instruction for cancellation before the start of the settlement cycle intended for settlement.
MT543 Release, Blocking, Cancellation (Seller)	Message to CBF from the seller during stock exchange trading to set or release a settlement blocking for a sell instruction or to mark a sell instruction for cancellation. The message must be sent to CBF before the start of the settlement cycle intended for settlement.
MT530	Customers can <ul style="list-style-type: none"> • Execute Partial Release instructions; • Change the partial settlement flag; • Change priority.
MT548 Validation Feedback	Confirmation or failure message from CBF to the customer regarding a customer. The customer has the choice of receiving confirmations and / or failures.
MT545 and MT547 Settlement Confirmation	Generated and sent out by CBF after settlement of a stock exchange trade.

2.5.6 Data transfer times for stock exchange trades

The following table provides an overview of the times when CBF selects information on the settlement process for stock exchange trading and sends it to the customer. Instructions that the customer sends via SWIFT / MQ / FT (MT541 and MT543) must reach CBF no later than 15 minutes before the start of the cycle intended for the settlement of the stock exchange trade. SWIFT / MQ / FT instructions that CBF receives later than this are processed on a best-effort basis.

SWIFT message type	Data transfer times and acceptance deadlines
MT537 Statement of Pending Transactions	The MT537 message is generated four times a day
MT541 Cancellation (Buyer)	Transmission to CBF is possible from the time that the delivery instruction from the Xontro trade is entered in CASCADE-LION, no later than 15 minutes before the start of the cycle intended for settlement of the stock exchange trade,
MT543 Release, Blocking, Cancellation (Seller)	
MT545 and MT547 Settlement Confirmation	Generated and sent out by CBF immediately after settlement of a stock exchange trade.
MT548 Settlement Status and Processing Advice – Validation Feedback	Generated and sent out by CBF immediately after receipt of an MT541 or MT543 message and its validation.

2.5.7 Communication flow for OTC transactions

For the settlement of OTC transactions, CBF supports the following types of messages for communication via File Transfer on the basis of ISO 15022.

Inbound (customer to CBF)	
Message type	Description
MT540 Receive Free of Payment	Matching instruction from the customer to CBF for the settlement of an OTC transaction free of payment
MT541 Receive Against Payment	Matching instruction from the customer to CBF for the settlement of an OTC transaction against payment.
MT542 Deliver Free of Payment	Delivery instruction from the customer to CBF for the settlement of an OTC transaction free of payment.
MT543 Deliver Against Payment	Delivery instruction from the customer to CBF for the settlement of an OTC transaction against payment.
MT530 Transaction Processing Command	<p>Customers can:</p> <ul style="list-style-type: none"> • Hold and release instructions; • Partially release instructions; • Set a match error; • Change priority; • Link instructions or modify linkages; • Change the partial settlement flag. <p>Each MT530 triggers only one change. Multiple modifications within one MT530 will be rejected.</p> <p>Details are available in the Connectivity Handbook Part 2.</p>
MT598 Header and trailer message	Message type to indicate the beginning (header) and end (trailer) of a message block. Only used for FT.

Outbound (CBF to customer)	
Message type	Description
MT535 Statement of Holdings	Report from CBF to customers about the holdings in the customer's securities accounts in CASCADE.
MT536 Clearing & Settlement Statement	Report from CBF to customers regarding all settled transactions that have led to a change in the holdings (credits and debits) in the customer's CASCADE accounts. The SE trades are included.
MT537 Statement of Pending Transactions	Message from CBF to customers regarding the status of pending OTC transactions at a certain time.
MT586 Statement of Settlement Allegement	Message with details of pending settlement allegement from CBF to customers
MT544 Receive Free of Payment Confirmation	Message from CBF to customers confirming a credit in securities free of payment.
MT545 Receive Against Payment Confirmation	Message from CBF to customers confirming a credit in securities and a debit in cash.
MT546 Deliver Free of Payment Confirmation	Message from CBF to customers confirming a debit in securities free of payment.
MT547 Deliver Against Payment Confirmation	Message from CBF to customers confirming a debit in securities and a credit in cash.
MT548 Business Validation Feedback	Business feedback message on the validation result for an instruction sent by a customer.
MT548 Lifecycle Information	Message from CBF to inform customers of the status of an instruction within the settlement process. Details of the status characteristics of the MT548 message can be found in Part 2 of the Connectivity Handbook.
MT578 Settlement Allegement	Message from CBF to inform the customer about instructions from the counterparty that are to be matched.
MT598 Header or trailer message	Message indicating the beginning (header) and end (trailer) of a message block. Only used for FT.
MT599 Technical Validation Feedback	Message used within the Technical Validation File for technical feedback in response to an instruction submitted by customers. Only used for FT and MQ.

2.5.8 Data transfer times for OTC transactions

The following table provides an overview of the times when CBF selects information on the settlement process for an OTC transaction and sends it to the customer. Instructions sent by File Transfer must reach CBF no later than 15 minutes before the start of the cycle intended for settlement (batch cycle) or 15 minutes before the end of the settlement cycle (continuous settlement). Instructions that reach CBF later than this are processed on a best effort basis.

The times given in the table below apply to domestic OTC transactions where both parties settle their transactions via CASCADE accounts. The data transfer times for cross-border transactions with T2S Out-CSDs, particularly the acceptance deadlines for entering instructions, may be different, depending on the type of technical link between CBF and the depositories in other countries. Details concerning the data transfer times and acceptance deadlines for the settlement of cross-border transactions can be found on our website in the respective Link Guides.

SWIFT message type	Data transfer times and acceptance deadlines
MT535 Statement of Holdings	CASCADE generates and transmits the MT535 message once a day at around 19:30, at the end of daytime processing (end of RTS / Cont). The type of positions selection the customer has chosen is taken into account: Daily statements of positions or changes to the positions and / or statements of positions mid-month, at the end of a month, at the end of a quarter or at the end of a year. Customers also have the option of sending a one-time request for information on their positions at a certain value date which lies no more than 23 business days in the past.
MT536 Clearing & Settlement Statement	CBF prepares the MT536 message 14 times for each settlement date, following the settlement cycles in CASCADE. CBF offers the following data transfer times, which are identical with the times when the data is created. The customer has a choice of several data transfer times. The data is collected until the next transmission to the customer. At 23:00 and 02:00 (Night-time), 06:00, 08:00, 09:00, 10:00, 11:00, 12:00, 13:00, 14:00, 15:00, 16:00, 17:00 and at around 18:30
MT537 Statement of Pending Transactions	For OTC transactions, the customer can select up to 16 times when CBF will generate and immediately transmit the MT537 message on the basis of the selection criteria preselected by the customer. At 23:00 and 02:00 (Night-time), at 05:00, 06:00, 07:30, 08:00, 09:00, at around 10:30, 11:15, 12:00, 12:45, 13:30, 15:30, 16:00, 17:00, at around 18:30
MT540 Receive Free of Payment	Any instruction or transmission provided to CBF will be immediately processed and forwarded to the T2S settlement platform. The processing on T2S is based on the T2S Operational Day.
MT541 Receive Against Payment	
MT542 Deliver Free of Payment	
MT543 Deliver Against Payment	
MT544 Receive Free of Payment Confirmation	CBF sends the customer confirmations of in real-time for SWIFT and MQ. At the following times the MT54x settlement confirmations will be sent for FT: 23:00 and 02:00 (Night-time), at 05:00, 06:00, 07:30, 08:00, 09:00, at around 10:30, 11:15, 12:00, 12:45, 13:30, 15:30, 16:00, 17:00, at around 18:30
MT545 Receive Against Payment Confirmation	
MT546 Deliver Free of Payment Confirmation	

SWIFT message type	Data transfer times and acceptance deadlines
MT547 Deliver Against Payment Confirmation	
MT548 Lifecycle Information	Information about the lifecycle of an instruction is sent to customers in real-time for SWIFT and MQ.
MT578 Settlement Allegement	Information about the counterparty's instructions is sent to customers in real-time for SWIFT and MQ.
MT586 Statement of settlement allegement	Information about the lifecycle of an instruction is sent to customers in real-time for SWIFT and MQ. At the following times the MT586 will be sent for FT: At 05:00, 06:00, 07:30, 08:00, 09:00, 10:30, 11:15, 12:00, 12:45, 13:30, 15:30, 16:00, 17:00, 18:00, 19:45, at 23:00 and 02:00 (Night-time).
Technical Validation Feedback – MT598 / MT599	The Technical Validation Feedback message is generated after receipt and technical validation of an instruction file and is sent to the customer immediately. Only used for FT.

2.5.9 Communication flow for registered shares kept in collective safe custody

For the special requirements for securities transactions in registered shares kept in collective safe custody, CBF also offers its customers services according to ISO 15022.

SWIFT message type	Use by CBF
MT542 Deliver Free of Payment	<p>Message sent by customers to CBF concerning the following transactions:</p> <ul style="list-style-type: none"> • Transfer of holdings from registered positions to unregistered positions by the instructing party or seller. • Internal securities account transfer with change of customer reference. • Transfer of registered positions in securities account <p>The description of formats in Part 2 of the Connectivity Handbook concerning the MT542 message already lists the special requirements for registered shares and CASCADE-RS and will hence not be repeated here.</p>
MT544, MT546 Settlement Confirmation	<p>Message from CBF to customers to confirm an instruction sent as an MT542 message to transfer holdings or a securities account.</p> <p>The corresponding descriptions of formats can be found in Part 2 of the Connectivity Handbook.</p>
MT500 Instruction to Register	<p>Instruction sent by the customer (buyer bank or receiving bank in a securities transaction) to re-register a shareholder in the share ledger. Or instruction sent by customers to CBF to register shareholders in the share ledger for the first time (for example, when bearer shares are converted into registered shares).</p> <p>After validation, CBF forwards the MT500 instruction to the issuer or share ledger manager.</p>
MT501 Confirmation of Registration or Modification	<p>The MT501 message is the confirmation from the issuer or the share ledger manager, to the customer, forwarded by CBF, regarding a registration or re-registration instruction (MT500) or a modification instruction (MT519).</p>
MT510 Registration Status and Processing Advice	<p>Message sent by CBF to customers concerning a previously sent MT500 or MT519 instruction. The confirmation or rejection of the instruction is provided by CBF after its validation in CASCADE / CASCADE-RS.</p>
MT519 Modification of Client Details	<p>Instruction sent by the customer (depository) to CBF to modify a shareholder's data in the share ledger. After validation, CBF forwards the instruction to the issuer or share ledger manager.</p>

2.5.10 Data transfer times for registered shares kept in collective safe custody

The following table provides an overview of the data transfer times and acceptance deadlines for communication within the framework of the special CBF services for registered shares kept in collective safe custody.

SWIFT message type	Data transfer times and acceptance deadlines
MT542 Deliver Free of Payment	The transmission of an MT542 message to CBF for a transfer of holdings from the registered positions to the unregistered positions or for a securities account transfer must take place no later than 15 minutes before the start of the batch cycle intended for settlement, or no later than 15 minutes before the end of the continuous settlement cycle intended for settlement.
MT544, MT546 Settlement Confirmation	The settlement confirmation that CBF sends in response to an MT542 instruction from the customer is sent out after the transaction has been settled [for details see section 2.2.7]. The MT546 confirmation is sent to the sender of the position, the MT544 is sent to the receiver as a confirmation of the automatically set up receipt (MT540). For more information regarding the CASCADE-RS account transfer, refer to CASCADE Handbuch 2.
MT500 Instruction to Register	There are no special requirements for the transmission of the MT500 message to CBF as far as data transfer times and acceptance deadlines are concerned. The German Stock Corporation Act (Section 67,4 (1) AktG) requires the buyer bank or receiving bank in a securities transaction to re-register a shareholder who acquires registered shares in the share ledger in good time after the purchase or acquisition.
MT501 Confirmation of Registration	Upon receipt, CBF immediately sends the customer the confirmation from the issuer or share ledger manager in response to a registration or re-registration instruction (MT500) or an instruction to modify the shareholder data (MT519).
MT510 Registration Status and Processing Advice	The confirmation or rejection of the instruction (MT500 or MT519) by CBF takes place immediately after it has been entered in CASCADE / CASCADE-RS and validated and for the processing on T2S. CBF generates and submits position transfer instructions to T2S as part of the allocation runs.
MT519 Modification of Client Details	There are no special requirements for the transmission of the MT519 message to CBF as far as data transfer times and acceptance deadlines are concerned. The German Stock Corporation Act (section 67,4(1) AktG) requires the depository to arrange for the shareholder data to be modified in good time.

2.5.11 Custody Services

CBF offers its customers custody services for the securities positions that it holds on their behalf:

Income services include the settlement, payment and collection of income payments (interest and dividends), repayments, redemption payments and commission.

Non-income services include the settlement of mandatory corporate action events (such as rights allocation and exchange of shares) as well as voluntary corporate action events (such as tender offers).

Under defined conditions, CBF carries out settlement (compensation) for transactions where the securities are traded "cum", that is, with a claim (such as a coupon), and delivered "ex", that is, without a claim.

In the field of taxation, CBF offers services for various markets to customers residing in Germany and customers outside Germany.

CBF customers have access to pre-advice information on forthcoming AGMs / EGMs and can benefit from proxy voting services, such as the exercise of voting rights.

These services are processed via the functional area, "KADI", on the CASCADE platform. For collective-safe-custody securities (CSC) CBF supports its customers with the optional KADI-SWIFT

services by providing positions-related pre-advice of income and non-income events as well as of AGMs / EGMs. Settlement information (cash entries and movements in securities) is also provided. Additional services are available to CBF customers who use the SWIFT MT564 service, allowing them to send instructions (MT565) in relation to voluntary events, for example, or to buy and sell subscription rights through CBF.

Further information on the custody services can be found in the CBF Customer Handbook and Connectivity Handbook Part 3.

The following message types are offered in Corporate Action Reporting via SWIFT, MQ or File Transfer on the basis of ISO 15022. The message types include the:

- Corporate Action Notification (MT564);
- Corporate Action Confirmation (MT566);
- [Corporate Action Status and Processing Advice \(MT567\)](#); and
- Corporate Action Narrative (MT568).

CBF also provides customers with confirmations of settled transactions for corporate payments that are processed through settlement transactions (PFoDs). The following message types are offered regarding corporate payment transactions:

- MT545 - Receive Against Payment Confirmation;
- MT547 - Deliver Against Payment Confirmation.

Transmission times

The messages from Corporate Action File Transfer ISO 15022 Reporting are transmitted each time they are generated in KADI.

2.5.12 Collateral Management – Xemac®

CBF offers several collateral management services via CBF connectivity channels and the collateral management system Xemac.

Customers have the option to send Claim Adjustment Requests via MT527 SWIFT format. This is in addition to the entry of claim adjustments on the Xemac GUI.

Customers can subscribe to the products “Exposure Management” and “Collateral Management”, in order to receive MT558 messages reporting adjustments to their Xemac exposures and associated securities movements.

CBF also offers the option of ordering the MT569 Triparty Collateral and Exposure Statement, which is generated and transmitted after daytime processing.

The MT569 message is available separately for the party taking the collateral and the party providing the collateral and is offered in two versions: a summary and a detailed report. The summary contains information on the customer’s Xemac exposures, while the detailed report contains the allocated positions for each exposure.

2.6 Specific requirements for File Transfer

CBF also offers the exchange of messages via File Transfer on the basis of the ISO 15022 standard. Through File Transfer the customer can send instructions for the settlement of its transactions to CBF and receive status information and reports from CBF about its stock exchange trades and OTC transactions.

2.6.1 Requirements for communication via File Transfer

The following diagramme shows the structure of a file in ISO 15022 format for communication between CBF and the customer.




Figure 4: ISO 15022 file for communication between CBF and customers

The following requirements must be met for sending instructions to CBF via File Transfer:

- A file must consist of at least one message block.
- Each message block starts with a header message and ends with a trailer message, MT598. The header and the trailer have the format of an MT598 message.
- The number of message records between the header and the trailer is between zero and any number. In the case of an inbound message (customer to CBF), a message record represents an instruction from the customer. In the case of an outbound message (CBF to the customer), it represents a status message, confirmation of settlement or other report information. The message types to be used (for example, MT543) depend on the transaction and are described in the previous chapters. The formats of the messages are identical to those used in communication via the SWIFT network. They are described in parts 2 and 3 of the Connectivity Handbook.
- A message record sent by File Transfer must contain the start of the message (header: basic header and application header, user header optional), the body of the message (text block) and the end of the message (trailer). Details can be found in the SWIFT handbook (SWIFT User Handbook, Standards, and General Information).
- Only messages that are intended for the same target application can be transmitted in a message block (CASCADE-LION for stock exchange trades, CASCADE-OTC for OTC transactions, CASCADE-RS for special services for registered shares).
- The message blocks must be unambiguous and numbered in ascending order (in relation to the technical sender, the date of transmission and the target application). The individual messages in a file block must be given a sequential message number in ascending order.

2.6.2 Validation process

An instruction file sent by the customer passes through a two-stage validation process before the instructions can be processed by the target application on the CASCADE platform (CASCADE-LION, CASCADE-OTC or CASCADE-RS or XEMAC), assuming that the result is positive:

Technical validation

The result of this validation process is the Technical Validation Feedback, which has to be sent to the customer regardless of whether the result is positive or negative. For each message block sent by the customer, the file contains a corresponding message block with a header and a trailer in the form of an MT598 message. In between the header and the trailer there is feedback in the form of an MT599 message on each individual record in the customer's message.

The header indicates whether the file contains technical feedback or business feedback. Furthermore, both the header and the feedback contain a status indicating the result of the technical validation process for each message record sent by the customer.

If at least one message record in the message block passes all technical validation tests, the header in the message block has the ACK status (ACK = acknowledged). The NAK status (NAK = not acknowledged) appears in the header if either all message records in the message block have been found to contain technical errors or if CBF has rejected the message block in its entirety.

If a message block is rejected in its entirety, the technical validation file only contains the header with the NAK status and the trailer. The reason for the rejection can be found in field 77E (narrative) of the header.

The individual MT599 messages in a message block of the technical feedback will have the ACK status if the result of the technical validation process was positive and the NAK status if the result of the technical validation process was negative. The reason for the failure is given in field 79 (narrative).

The following table lists the major technical validation tests that CBF carries out to validate an instruction file sent by a customer:

No.	Validation step
1	Presence of the header and the trailer for a message block with matching sender address, transmission date and message block number
2	The transmission date is no date in the future and no more than one business day in the past.
3	The target application of the CASCADE platform indicated in the header is valid.
4	The sender is authorised for File Transfer.
5	Validation of the message block's authenticity on the basis of field 20 in the header.
6	The message block is numbered in ascending order in relation to the sender, the date of transmission and the target application.
7	The check sum in the trailer of a message block corresponds to the number of message records in the message block.
8	A message block does not contain any message records for test and production.
9	In all message records of a message block the SWIFT address is identical with the SWIFT address in the header and in the trailer.
10	Sequential message number in ascending order within a message block.
11	Structure of a message record, consisting of header, message and trailer.
12	The basic header of a message record contains the message ID, consisting of the session number and the sequence number.
13	The application header of a message record contains the sender's SWIFT address. All message records in a message block have the same sender address.
14	Validation of compliance with the ISO 15022 standard: mandatory fields, sequences, data types, field lengths and SWIFT character set

Business validation

After the general technical validation process, an instruction file is subjected to further business validation tests whose contents and scope depend on the target platform indicated in the header of the instruction file (CASCADE-OTC, CASCADE-LION, CASCADE-RS, Xemac). The customer can choose to have the result of this business validation process sent as a business validation file.

For each message block of the instruction file, the file contains a corresponding message block with the MT598 message as the header and the trailer. An indicator in the header identifies the feedback file as a business feedback. Within a message block the MT548 message is sent as a business feedback for each instruction sent by the customer.

In terms of its format, its status code and error code, the MT548 message is identical with the description of formats in Part 2 of the Connectivity Handbook. (For the scope of the validation rules please refer to the description of field "24B - Reason Code").

2.6.3 Process for handling errors

Handling of technical errors

If CBF has declined to process instructions any further after technical validation, a customer is sent information through the following channels:

- The Technical Validation Feedback is mandatory and has to be sent as the result of the technical validation process. In addition to negative information, it also contains positive information.
- CBF's online MAMJ (Message Journal) application allows the customer to monitor the receipt and further processing of the instruction files that it has sent to CBF. MAMJ offers various selection options for accessing transmitted message blocks and the message records that they contain, together with their processing status and the error code. Please refer to Connectivity Handbook part 2 for details of MAMJ.
- Client Services provides customers with direct information regarding rejected instructions if a complete message block has been rejected and / or it is not possible to enter instructions in the MAMJ database because of serious technical errors.

Message blocks or message records rejected by CBF must be sent to CBF for a second time after the customer has rectified the errors. The message block number must then be increased.

In certain error situations, CBF offers its customers a simplified process for handling errors where it suffices to send CBF the instruction file for a second time with its condition unchanged, i.e. not corrected (with the message blocks and message records that have tested positive and negative and with no change in the numbers of the message blocks). In order for this procedure to apply, the CBF customer needs to be admitted to it (the "emergency identifier" is set).

This simplified procedure is possible in the following error situations:

- The transmission date in the header of a message block is more than one business day in the past.
- The number of the message block is not in ascending order.
- The numbers of the message records in a message block are not in ascending order and / or sequential.
- The check sum in the trailer of a message block does not correspond to the number of message records sent in the message block.

If one of the above-mentioned errors occurs, the customer is informed directly by Client Services and, if an emergency identifier has been set in the master data, the customer is asked whether the simplified procedure is to apply. In order for the emergency procedure to apply in a specific case, the customer sends a corresponding instruction to Client Services in a brief message (for example, by fax) and sends the instruction file to CBF for a second time. The instructions that were previously rejected are then processed.

Handling of operational errors

If CBF has declined to process instructions any further after business validation, a customer is sent information through the following channels:

- The Business Validation Feedback is an optional feedback sent as a result of the business validation process and contains positive and / or negative messages.
- CBF's online MAMJ (Message Journal) application allows the customer to monitor the receipt and further processing of the instruction files sent to CBF. MAMJ offers various selection options for accessing transmitted message blocks and the message records that they contain, together with their processing status and the error code.

Message blocks or message records rejected by CBF must be sent to CBF for a second time after the customer has rectified the errors. The message block number must be updated.

2.6.4 Description of formats – header / trailer

When communication takes place via File Transfer, each message block in a file is identified by a header and a trailer. Message type MT598 is used for the header and the trailer. The general format of the MT598 message for instruction files sent to CBF and the validation feedback files, status messages and reports returned by CBF is explained below. The following format descriptions are based on the original SWIFT manuals written in English. This is to avoid confusing terminology. Concrete examples of headers and trailers can be found in the following sections.

Description of the MT598 message format when used as a header

Day	Status	Field name	Format
20	M	<p>Reference number of the transaction</p> <p>The reference number has the following sub-fields:</p> <ul style="list-style-type: none"> Receiver's / sender's account Date (YYMMTT) Transfer number <p>The "Receiver's / sender's account" field is to identify the receiver / sender on CBF side.</p> <p>The "Transfer number" field is a definite, continuous number to identify the transfer.</p>	<p>14x</p> <p>4n 6n 4n</p>
12	M	<p>Sub-message type</p> <ul style="list-style-type: none"> MT number <p>The field contains the value "001" which identifies the header message.</p>	3!n
77E	M	<p>Description of the original message.</p> <p>The sub-fields of this field are identified by four digit characteristics. A diagonal stroke must precede the name of each characteristic, and there must always be a blank between the name and the contents of the characteristic.</p> <p>The following sub-fields are available:</p> <p>/TRNA -ccc-aaa -ffff</p> <ul style="list-style-type: none"> ccc – Cycle, for example: <ul style="list-style-type: none"> 001 – Inbound 010 – Outbound Techn. Val. Feedback 011 – Outbound Business Val. Feedback 650 – Outbound Statement of Holdings 750 – Outbound Statement of Pending Transactions / SE-Trades <p>For the complete list of possible values see Connectivity Handbook part 2.</p> <ul style="list-style-type: none"> aaa – Application (BST, CAS, CSS, LIO, KAD, CRS) ffff – Function Code, for example: <ul style="list-style-type: none"> 0105 – Business Validation Feedback 0103 - Positive Technical Validation Feedback. At least one message was successfully processed within the file block. 0104 - Negative Technical Validation Feedback. No message in the file block could be processed. 0200 – Lifecycle Reporting CASCADE instructions 0201 – Pending Transactions 0202 – Statement of Holdings 0203 – Clearing & Settlement Statement <p>For the complete list of possible values, see Connectivity Handbook part 2.</p> <p>/ERRT error text and /MSG original message (analogous to MT599)</p>	<p>73x [n*78x]</p> <p>20x</p>

The Technical Validation File, the Business Validation File and the customer's instruction file are distinguished on the basis of the characteristics of "Cycle" and "Function Code" in field 77E.

As a message block number (transfer number), the validation files use the same number as the one used by the customer in the customer's instruction file. If the customer sends a message block number 3 in the instruction file that it sends to CBF, the same message block number 3 will be returned in the technical feedback and in the business feedback.

Description of the MT598 message format when used as a trailer

Day	Status	Field name	Format
20	M	<p>Reference number of the transaction</p> <p>The reference number has the following sub-fields:</p> <ul style="list-style-type: none"> Receiver's / sender's account Date (YYMMTT) Transfer number <p>The purpose of the "Receiver's / sender's account" field is to allow CBF to identify the receiver / sender.</p> <p>The "Transfer number" field is a definite, continuous number to identify the transfer.</p>	<p>14x</p> <p>4n</p> <p>6n</p> <p>4n</p>
12	M	<p>Sub-message type</p> <ul style="list-style-type: none"> MT number <p>The field contains the value "099" which identifies the trailer message.</p>	3!n
77E	M	<p>Description of the original message</p> <p>The sub-field of this field is identified by four-digit characteristics. A diagonal stroke must precede the name of each characteristic, and there must always be a blank between the name and the contents of the characteristic.</p> <p>The following sub-field is available:</p> <ul style="list-style-type: none"> /NOMS Number of messages 	<p>73x</p> <p>[n*78x]</p> <p>6n</p>

In field 77E, the trailer contains the number of message records transmitted in the message block (including the header) as a check sum. The trailer is not counted.

The following tables provide an overview of the contents of the MT598 message when used as a header and a trailer in messages that the customer sends to CBF (inbound) and that CBF sends to the customer (outbound).

MT598 - Header			
DAY	(m = mandatory / o = optional)	Customer (inbound)	CBF (outbound)
20	m	Transaction reference number: <ul style="list-style-type: none"> • Sender's account • Date (YYMMTT) • Transfer number 	Transaction reference number: <ul style="list-style-type: none"> • Sender's account • Date (YYMMTT) • Transfer number
12	m	Sub-message type MT number 001 defines the header	Sub-message type MT number 001 defines the header
77E	m	Description of the original message. /TRNA Transfer name Cycle 001 Application Function Code 0001	Description of the original message. /TRNA Transfer name Cycle 010 Application Function Code (/ERRT and /OMSG)

MT598 - Trailer			
DAY	(m = mandatory / o = optional)	Customer (inbound)	CBF (outbound)
20	m	Transaction reference number: <ul style="list-style-type: none"> • Sender's account • Date (YYMMTT) • Transfer number 	Transaction reference number: <ul style="list-style-type: none"> • Sender's account • Date (YYMMTT) • Transfer number
12	m	Sub-message type MT number 099 defines the trailer.	Sub-message type MT number 099 defines the trailer.
77E	m	Description of the original message. /NOMS Number of messages	Description of the original message. /NOMS Number of messages

2.6.5 Description of the MT599 format

The MT599 message is the technical feedback in response to a single instruction from the customer. CBF sends it to the customer in a message block of the Technical Validation Feedback.

Day	Status	Field name	Format
20	M	Transaction Reference Number (NAK or ACK + time stamp=date and time)	16x
21	O	Related Reference	16x
79	M	Narrative	35*50x

Field 20 contains the result of the technical validation of the customer's instruction. In the case of an error, field 79 contains a reason and there is the option of repeating the customer's instruction. Two examples for a positive and a negative result are given below.

Example 1: Negative Technical Validation Feedback

```
{:F01DUMMYXX0AXXX0000000002}
{:05991555010723DAKVDEFFADOM00000000020607231556N}
{:108:CASR16080674687A}
{:
:20:NAK068135543250
:21:1234567890
:79:/ERRT "Description(SWIFT Message Type Not Accepted)Position..."
/OMSG "original message"
}
```

(DUMMYXX0AXXX = receiver's address, DAKVDEFFADOM = sender's address / CBF)

Field 20 contains the abbreviation "NAK" (not acknowledged) to identify a negative message. Field 79 contains the "ERRT" code followed by the reason for the failure or the error code. The "OMSG" code is followed by the customer's original instruction.

Example 2: Positive Technical Validation Feedback

```
{:F01DUMMYXX0AXXX0000000002}
{:05991555010723DAKVDEFFADOM00000000020607231556N}
{:108:CASR16080674687A}
{:
:20:ACK068135543250
:21:1234567890
:79:/OMSG "original message"
}
```

Field 20 contains the abbreviation "ACK" (not acknowledged) to identify a positive message. Field 79 contains the "OMSG" code, followed by the customer's original instruction.

2.6.6 Example: instruction file from customer to CBF

Here is an example of the header and of the trailer in the customer's instruction file.

MT598 as header

Message block: ISO 15022 – Message Fields and Contents	Explanation	Header message
{1:F01DUMMYXX0AXXX0000000001} {2:I598DAKVDEFFADOMN} {3:{108:customer's reference}} (optional block)	Header message 1: F=(Finance) one digit 01=(Service identifier) two digits 12-digit SWIFT sender's address four digit no. (0000) - numeric six digit numeric sequence no. 2: I=(Input) 598=Message type SWIFT address CBF N=priority "normal" 3: 108: customer's reference is an optional field – the customer will be sent its input in the response file.	
{4:	Start of text blocks	
:20:99990607231234	Reference of transfer 9999=4 digits numeric techn. sender's account 060723=sending date (YYMMTT) 1234=4-digit numeric File Transfer block no.	
:12:001	Indicator for header 001 (constant value)	
:77E:/TRNA 001-CAS-0001	Additional information "/TRNA "=6 digit constant value 001=3 digit numeric (constant value) "- "=hyphen (constant value) CAS=3-digit alphabetical application (CAS=CASCADE) "- "=hyphen (constant value) 0001=4 digit numeric (constant value)	
-}	End of text blocks	
{5:{TNG:}} – (optional block)	Trailer block "TNG:"=Indicator for a test message, otherwise this field is optional and no plausibility check will be done.	

MT598 as a trailer

Message block: ISO 15022 – Message Fields and Contents	Explanation	Trailer block
{1:F01DUMMYXX0AXXX0000000533} {2:I598DAKVDEFFADOMN} {3:{108:customer's reference}} (optional block)	Trailer blocks see above "MT598 as a header"	
{4:	Start of text blocks	
:20:99990607231234	Reference of transfer see above "MT598 as a header"	
:12:099	Trailer-indicator 099 (constant value)	
:77E:/NOMS 000532	Additional information "/NOMS " =6-digit constant value 000532=6-digit numeric (no. of messages minus one – as the trailer will not be counted)	
-}	End of text blocks	
{5:{TNG:}} – (optional block)	Trailer block	

Examples of message records of type MT541-MT543 for sending instructions can be found in the chapter on the relevant format description.

2.6.7 Example: Technical validation feedback from CBF

The Technical Validation file consists of message blocks with a header and a trailer in the MT598 format and the technical feedback in MT599 format in response to the individual instructions sent by the customer. Some examples of the technical feedback are given below.

Example 1: Fully negative Technical Validation Feedback

Message block: ISO 15022 – Message Fields and Contents	Explanation	
{:F01DUMMYXX0AXXX00000000001} {:05981555010723DAKVDEFFADOM00000000010607231556N} {:{108:sender's reference}}	Header blocks	Header message
{:	Start of text blocks	
:20:70010607231234	Reference of transfer	
:12:001	Indicator for header	
:77E:/TRNA 010-CAS-0104 /ERRT SWIFT address not equal in all messages	Additional information	
-}	End of text blocks	
{:F01DUMMYXX0AXXX00000000002} {:05991555010723DAKVDEFFADOM00000000020607231556N} {:{108: sender's reference}}	Header blocks	MT599 message
{:	Start of text blocks	
:20: NAK 068135543250	Text block MT599	
:21:1234567890		
:79: ERRT Invalid Qualifier for field with tag 20 /OMSG "original message"		
-}	End of text blocks	
...	...	MT599 messages
{:F01DUMMYXX0AXXX00000000533} {:05981555010723DAKVDEFFADOM000000005330607231556N} {:{108: sender's reference}}	Header blocks	Trailer message
{:	Start of text blocks	
:20:70010607231234	Reference of transfer	
:12:099	Trailer indicator	
:77E: /NOMS 000533	Additional information	
-}	End of text blocks	

Example 2: MAMJ view of negative technical feedback (header only)

```
TRAN: MAMJ FC: FU SB: 21.07.2006##00:00#23:59##CAS#F#####  
  
CBF-VOLLANZEIGE                I N F O R M A T I O N                SEITE: 1  
  
DATUM      : 21.07.2006                SCHNITTSTELLE   : FILE-TRANSFER  
ANWENDUNG: CLEARING & SETTLEMENT STMT.  EINGANG/AUSGANG: A  
SNT/000 INFORMATION VERSENDET / ---  
  
{:          F01DUMMYXX0AXXX0000000001}  
{:          05980532060804DAKVDEFFADOM00000000010608040533N}  
{: {108: CAS2020732250406}}  
{:  
      :20: 70040607210001  
      :12: 001  
      :77E: /TRNA 010-CAS-0104  
           /ERRT original message  
           -}  
-- ID-KZ: 7999260001 -- PW:          ----- B79075QJ -- 21/07/06 -- 14:38:27  
AE0100I Keine weiteren Daten vorhanden  
PF3:Rücksprung  PF4:Abbruch
```

Example 3: MAMJ view of positive technical feedback (header only)

```
TRAN: MAMJ FC: FU SB: 21.07.2006##00:00#23:59##CAS#F#####  
  
CBF-VOLLANZEIGE                I N F O R M A T I O N                SEITE: 1  
  
DATUM      : 21.07.2006                SCHNITTSTELLE   : FILE-TRANSFER  
ANWENDUNG: CLEARING & SETTLEMENT STMT.  EINGANG/AUSGANG: A  
SNT/000 INFORMATION VERSENDET / ---  
  
{:          F01DUMMYXX0AXXX0000000001}  
{:          05980532060804DAKVDEFFADOM0000000001608040531N}  
{: {108: CAS2020732250406}}  
{:  
      :20: 70040607210001  
      :12: 001  
      :77E: /TRNA 010-CAS-0103  
           -}  
-- ID-KZ: 7999260001 -- PW:          ----- B79075QJ -- 21/07/06 -- 14:38:27  
AE0100I Keine weiteren Daten vorhanden  
PF3:Rücksprung  PF4:Abbruch
```


2.6.8 Example: Business Validation Feedback from CBF

The Business Validation file consists of message blocks with a header and a trailer in MT598 format and the business feedback in MT548 format in response to individual instructions sent by the customer. Examples of the header and the trailer from CBF's online MAMJ (Message Journal) display are shown below. For examples of the MT548 message, see part 2 of the Connectivity Handbook.

MT598 as header

```
: F01DUMMYXXXAXXX0000000001}
{: O5980532060804DAKVDEFFADOM0000000010608040533N}
{: {108: CAS2160532336239}}
{:
:20: 20070608040001
:12: 001
:77E: /TRNA 011-CAS-0105
-}
```

MT598 as trailer

```
{: F01DUMMYXXXAXXX0000000012}
{: O5980532060804DAKVDEFFADOM00000000110608040533N}
{: {108: CAS2160532340351}}
{:
:20: 20070608040001
:12: 099
:77E: /NOMS 000011
-}
```

2.6.9 Example: MT535 statement of holdings file

Message block: ISO 15022 – Message Fields and Contents	Explanation	
{:F01DUMMYXXXAXXX1234000001} {:05981555010723DAKVDEFFADOM12340000010107231556N} {:{108:BSTR16080674687A}}	Header blocks	Header message
{:	Start of text blocks	
:20:70010107231234	Transfer reference	
:12:001	Header indicator	
:77E:/TRNA 650-BST-0202	Additional information	
-}	End of text block	
{:F01DUMMYXXXAXXX1234000002} {:05351555010723DAKVDEFFADOM12340000020107231556N} {:{108: BSTR160806746877 }}	Header blocks	MT535 message
{:	Start of text block	
...	Text block MT535	
-}	End of text block	
...	...	Further MT535 messages
{:F01DUMMYXXXAXXX1234000533} {:05981555010723DAKVDEFFADOM12340005330107231556N} {:{108: BSTR160806746879 }}	Header blocks	Trailer message
{:	Start of text block	
:20:70010107231234	Transfer reference	
:12:099	Trailer indicator	
:77E: /NOMS 000533	Additional information	
-}	End of text block	

2.6.10 Example: MT536 – Clearing & Settlement Statement

Message block: ISO 15022 – Message Fields and Contents	Explanation	
{:F01DUMMYXXXAXXX1234000001} {:05981555010723DAKVDEFFADOM12340000010107231556N} {:108: CSSR07340295948A }}	Header blocks	Header message
{:	Start of text block	
:20:70010107231234	Transfer reference	
:12:001	Header indicator	
:77E:/TRNA 050-CSS-0203	Additional information	
-}	End of text block	
{:F01DUMMYXXXAXXX1234000002} {:05361555010723DAKVDEFFADOM12340000020107231556N} {:108: CSSR073402959482 }}	Header blocks	MT536 message
{:	Start of text block	
...	Text block MT536	
-}	End of text block	
...	...	Further MT536 messages
{:F01DUMMYXXXAXXX1234000533} {:05981555010723DAKVDEFFADOM12340005330107231556N} {:108: CSSR073402959489 }}	Header blocks	Trailer message
{:	Start of text block	
:20:70010107231234	Transfer reference	
:12:099	Trailer indicator	
:77E:/NOMS 000533	Additional information	
-}	End of text block	

2.6.11 Custody

The messages are grouped in logical files (blocks) for each function code or message type (see table below). Each logical block starts with a header message and ends with a trailer message, MT598. After each KADI reporting generation cycle a physical file is sent that can contain several blocks.

Description of the MT598 header, Corporate Action Reporting File Transfer on the basis of ISO 15022

{:F01DUMMYXXXAXXXbbb000001} {:05981555010723DAKVDEFFADOM00000000010607231556N} {:{108:KADF194512345678}}	Header blocks	Header message
{:	Start of text blocks	
:20:12340607231234	Reference of transfer	
:12:001	Indicator for header	
:77E:/TRNA ccc-KAD-dddd	Additional information ¹	
-}	End of text blocks	

Field 77E will have the following contents (depending on the corresponding message)

Corporate Action Message Type	Explanation 77E:
MT564 Corporate Action Notification	77E:/TRNA ccc-KAD-0411
MT566 Corporate Action Notification	77E:/TRNA ccc-KAD-0401
MT568 Corporate Action Narrative	77E:/TRNA ccc-KAD-0415

Description of the MT598 trailer, Corporate Action Reporting File Transfer on the basis of ISO 15022

File block: ISO 15022 Message Fields and Contents	Explanation
{1:F01DUMMYXXXAXXXbbb0000002} {2: 05981555010723DAKVDEFFADOM00000000010607231556N } {3:{108:KADF...}} (optional block)	Trailer blocks
{4:	Start of text blocks
:20:99990607231234	Reference of transfer
:12:099	Trailer indicator 099 (constant)
:77E:/NOMS 000002	Additional Information "/NOMS " =6-digit constant 000532=6-digit numeric (no. of messages minus one – as the trailer will not be counted)
-}	End of text blocks
{5:{TNG:}} – (optional block)	Trailer block

Further information in connection with AGMs / EGMs previously sent via the SWIFT-MERVA connection (MT568 user definable text for KADI and MT599 user definable text for other custody information) is not offered via File Transfer.

No description of the MT564, MT566 and MT568 report has been given as this corresponds to the existing Corporate Action Reporting SWIFT ISO 15022 format.²

¹ Cycle **ccc** depends on the time of generation in KADI. Function code **dddd** corresponds to one of the said message types (see table below).

² For the corresponding description of formats please refer to the [Connectivity Handbook](#).

2.6.12 CBF formats

In addition to communication in the ISO 15022 formats, CBF uses its own CBF formats for File Transfer to customers.

KUSTA data carrier

The KUSTA data carrier (KUSTA = master customer data) contains basic information for CBF customers that they need in order to send instructions via CASCADE to the T2S settlement platform. This includes the account information of CBF customers that is needed in order to enter the name of the counterparty when entering the instruction, information on stock exchange participants and the basic data of dedicated CSD participants; in general these CSDs are not directly connected to T2S. When the beneficiary or the original instructing party send instructions for processing and settlement, this information is fundamental in order to forward and process these instructions regarding securities transactions.

The KUSTA data carrier also provides the master data of brokers and other parties that are not customers of CBF. Here it should be noted that Clearstream Banking is not the owner of this data and does not therefore guarantee its completeness or accuracy.

The scope of the data made available for each account and customer is determined by consent to publication. The data carrier can be sent to CBF's domestic customers and / or non-German CSD customers at the end of each month, every quarter, daily or on a certain date in response to a one-time request.

The record structure and the format of the KUSTA data carrier is described in the "KUSTA Data Carrier User Manual" available on the Clearstream website www.clearstream.com.

2.7 Specific processing for Compliance Check

CBF offers a dedicated functionality for technical and business validation procedures. These procedures are described in section 2.5.2 Requirement for SWIFT / MQ / FT – Functionality and in section 2.6.2 Specific requirements for File Transfer – Validation process.

CBF conducts a compliance check for all inbound instructions provided by customers. This check will be conducted irrespectively of the connectivity mode, that is, CASCADE Online Functionality (HOST / PC), Indirectly Connected Participant mode or Directly Connected Participants mode.

Once an instruction has been either technically validated by CBF or was transmitted as a copy from T2S to CBF, the instruction is provided for scanning. To keep customers informed about the status of their instructions, the pending status will be reported via ICP mode using MT548 Settlement Status and Processing Advice – Validation Feedback.

The status will be reported in:

Sequence A – General Information

Subsequence A2 - Status

25D::IPRC//PPRC

Subsequence A2a - Reason

24B::PPRC//NARR

70D::REAS//YOUR INSTRUCTION IS AWAITING VALIDATION

After successful completion of the compliance check, instructions will follow the standard lifecycle reporting. For customers not subscribed to the MT548, this notification is also included in all other connectivity reporting provided in ICP mode.

The picture below illustrates the related processing chain:




Figure 5: Instruction monitoring following the compliance procedure

3 Contacts

The CBF and Deutsche Börse Systems Client Services teams are available to answer any questions customers may have regarding the technical link to CBF and for general support.

Client Services Connectivity Frankfurt

Services:

- Advice (selection of communication channel, reports etc.)
- Setup of message types, reports etc.
- Setup for File Transfer
- Setup for SWIFT communication
- Setup for the CA spool
- General support for SWIFT, File Transfer and the CA spool

Contact:

Tel. +49-(0) 69-211- 1 15 90
Fax +49-(0) 69-211- 61 15 90
Email connect@clearstream.com

Availability:

Monday to Friday, 08:00 – 18:00

Client Services Deutsche Börse Systems

Services:

- Ordering a dedicated line, a virtual private network (VPN) or an HOB link, and support for these services
- Physical access to CASCADE Online, CASCADE-PC, the Token and the HOB link
- General support for CASCADE Online, CASCADE-PC, the Token and the HOB link.
- IBM WebSphere MQ

Contact:

Tel. +49-(0) 69-211- 1 17 30
Fax +49-(0) 69-211- 61 17 30
Email connect@clearstream.com

Availability:

Monday to Friday, 08:00 – 18:00

4 Appendix

4.1 Overview of the header types in File Transfer (ISO 15022)

The following table provides an overview of the possible types of "Cycle" (generation cycle), "Application" (CASCADE application) and "Function Code" in the header (MT598) of the message blocks of ISO 15022 files transmitted between CBF and its customers (see also section 2.3.13) and allocates the possible message types.

Message block header (types of MT598) in File Transfer (ISO 15022)			
Message type	Application	Function code	Cycle ³
Customer instruction (MT540-MT543)	CAS LIO CRS	0001	001
Technical Validation Feedback (MT599)	CAS LIO CRS	0103 (positive), 0104 (negative)	010
Business Validation Feedback MT548	CAS LIO	0105	011
Statement of Holdings (MT535)	BST	0202	650
Clearing & Settlement Statement (MT536)	CSS	0203	100 200 250 300 350 380 400 500 580 600 650 700 750 800
Statement of Pending Transactions / SE-Trades (MT537)	LIO	0201	10:30 13:30 23:00 23:45
Statement of Pending Transactions / OTC trades (Queries - MT537)	CAS	0201	041 (05:00) 061 (06:00) 071 (07:30) 101 (08:00)
Settlement Confirmations (MT544-MT547)	CAS	0200	151 (09:00) 201 (10:30)

³ The cycle indicates the earliest point in time.

Message block header (types of MT598) in File Transfer (ISO 15022)			
Message type	Application	Function code	Cycle ³
Receive Free of Payment Information (MT548) Matching Information (MT548) Processing Information (MT548) Cancellation Information (MT548) Settlement Allegement (MT578) Statement of Settlement Allegement (MT586)			251 (11:15)
			301 (12:00)
			351 (12:45)
			401 (13:30)
			451 (15:30)
			501 (16:00)
			551 (17:00)
			601 (18:00)
		651 (23:00)	
		801 (02:00)	

Contact

www.clearstream.com

Published by**Clearstream Banking Frankfurt**

Clearstream Banking AG
Mergenthalerallee 61
65760 Eschborn
Germany

Postal address

Clearstream Banking AG
60485 Frankfurt / Main
Germany

August 2021
