

Usage Guideline

seev.003 Meeting Entitlement Notification (SR2025)

OneClearstream - General Meeting Messages (SR2025) - Clients

This document describes a usage guideline restricting the base message **MX seev.003.001.10**. You can also consult this information online.

Published by Clearstream and generated by $\underline{\text{MyStandards}}$.

25 November 2025

Table of Contents

Mess	sage Functionality	. 3
1	Restriction summary	. 5
2	Structure	6
3	ISO 20022 Rules	. 8
4	Message Building Blocks	9
5	Message Components	13
6	Message Datatypes	65
Lega	Il Notices	84

Message Functionality

Overview

The Meeting Notification message is sent by Clearstream to clients/account holders or their respective third-party service providers to inform about the entitled positions.

Collection Description

Guidelines applicable after Clearstream's Release in 24 November 2025 including changes from the Swift Release (SR2025)

This Usage Guideline includes the ISO 20022 message structures which are initially introduced by Clearstream for general meetings during the SCE Project in November 2024.

The focus in this section lies on messages which are sent between Clearstream and Clearstream clients (that is, account holders or their respective third-party service providers).

Version changes :

v.2 From v.1: Provision of the Building Number information in the Rights Holder section is no longer mandatory for Registration instructions.

DISCLAIMER: Please note that these message structures have been created based on the current understanding. Not all discussions and testing procedures have been finalised. As such, the message structures are subject to change and have to be considered as a preliminary version.

Outline

The OneClearstream - General Meeting Messages (SR2025) - Clients / seev.003 Meeting Entitlement Notification (SR2025) message is composed of 9 building blocks

a. NotificationType

Type of notification.

b. PreviousEntitlementNotificationIdentification

Identification of the original meeting notification entitlement message which is amended.

MeetingReference

Set of elements to allow the unambiguous identification of a meeting.

d. Issuer

Institution that is the issuer of the security to which the meeting applies.

e. Security

Security for which the meeting is organised, the account and the positions of the security holder.

f. Eligibility

Date determining eligibility.

g. MeetingAttendee

Person physically attending the meeting as a natural or legal person.

h. Proxy

Third party agent assigned by the shareholder that is legally authorised to cast a vote on the shareholder's behalf at the general meeting.

i. SupplementaryData

Additional information that cannot be captured in the structured fields and/or any other specific block.

1 Restriction summary

This Usage Guideline restricts the seev.003.001.10 message.

Restriction Type	See page
Removed elements	11, 12, 12, 16, 16, 17, 23, 27, 27, 28, 33, 34, 34, 52, 52, 52, 52, 53, 53, 53, 56, 56, 57, 58, 61
Make mandatory	16, 17, 29, 60, 62
Reduce Multiplicity	n.a.
Ignore	n.a.
Text rules	n.a.
Conditional rules	n.a.
Formal rules	9
Fixed values	n.a.
Truncates	n.a.
Comments	77
Annotations	n.a.
Changed datatypes	n.a.
Extensions	n.a.
Synonyms	n.a.

2 Structure

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	MeetingEntitlementNotificationV10	<mtgentitlmntntfctn></mtgentitlmntntfctn>		[11]	A	9
	NotificationType	<ntfctntp></ntfctntp>		[11]		9
	PreviousEntitlementNotificationIdentification	<prvsentitlmntntfctnid></prvsentitlmntntfctnid>		[01]		9
	MeetingReference	<mtgref></mtgref>		[11]		9
	MeetingIdentification	<mtgld></mtgld>		[11]		25
	IssuerMeetingIdentification	<lssrmtgld></lssrmtgld>		[01]		26
	MeetingDateAndTime	<mtgdtandtm></mtgdtandtm>		[11]		26
	Туре	<tp></tp>		[11]		26
	Classification	<clssfctn></clssfctn>		[01]		26
	Location	<lctn></lctn>		[05]	0	26
	Issuer	<lssr></lssr>		[01]	0	27
	Issuer	<lssr></lssr>		[11]		10
	AnyBIC	<anybic></anybic>	{Or	[11]	0	33
	ProprietaryIdentification	<prtryid></prtryid>	Or	[11]	0	33
	NameAndAddress	<nmandadr></nmandadr>	Or	[11]		34
	LEI	<lei></lei>	Or}	[11]	0	34
	Security	<scty></scty>		[1200]		10
	FinancialInstrumentIdentification	<fininstrmid></fininstrmid>		[11]		61
	Position	<pos></pos>		[01000	M	62
	Eligibility	<elgblty></elgblty>		[11]		11
	EntitlementFixingDate	<entitlmntfxgdt></entitlmntfxgdt>		[11]		14
	MeetingAttendee	<mtgattndee></mtgattndee>		[01]	0	11
	LegalPerson	<lglprsn></lglprsn>	{Or	[11]		39
	NaturalPerson	<ntrlprsn></ntrlprsn>	Or}	[11]		39
	Proxy	<prxy></prxy>		[01]	0	11
	LegalPerson	<lgiprsn></lgiprsn>	{Or	[11]		39
	NaturalPerson	<ntrlprsn></ntrlprsn>	Or}	[11]		39
	SupplementaryData	<splmtrydata></splmtrydata>		[0*]	0	12

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	PlaceAndName	<plcandnm></plcandnm>		[01]		64
	Envelope	<envlp></envlp>		[11]		64

3 ISO 20022 Rules

R1 PreviousEntitlementNotificationIdentificationRule 🗸

If NotificationType is REPL (Replacement), then PreviousEntitlementNotificationIdentification must be present.

Error handling:

- Error severity: Fatal

- Error Code: X00511

Error Text: PreviousEntitlementNotificationIdentification should be present.

4 Message Building Blocks

Note

The following chapter identifies the building blocks of the OneClearstream - General Meeting Messages (SR2025) - Clients / seev.003 Meeting Entitlement Notification (SR2025) message definition.

Usage Guideline on Root Node

- on seev.003.001.10/
 - Previous Entitlement Notification Identification mandatory for REPL message:

For each [Full Message/Document/MeetingEntitlementNotificationV10], at least one occurrence of [MeetingEntitlementNotificationV10/PreviousEntitlementNotificationIdentification] must be present when at least one occurrence of [MeetingEntitlementNotificationV10/NotificationType/Replacement] is present

4.1 NotificationType

XML Tag: NtfctnTp

Presence: [1..1]

Definition: Type of notification.

Datatype: "NotificationType2Code" on page 77

4.2 PreviousEntitlementNotificationIdentification

XML Tag: PrvsEntitlmntNtfctnId

Presence: [0..1]

Definition: Identification of the original meeting notification entitlement message which is amended.

Datatype: "Max35Text" on page 72

4.3 MeetingReference

XML Tag: MtgRef

Presence: [1..1]

Definition: Set of elements to allow the unambiguous identification of a meeting.

The **MtgRef** block contains the following elements (see datatype "MeetingReference10" on page 25 for details)

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	MeetingIdentification	<mtgld></mtgld>		[11]		25

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	IssuerMeetingIdentification	<lssrmtgld></lssrmtgld>		[01]		26
	MeetingDateAndTime	<mtgdtandtm></mtgdtandtm>		[11]		26
	Туре	<tp></tp>		[11]		26
	Classification	<clssfctn></clssfctn>		[01]		26
	Location	<lctn></lctn>		[05]	0	26
	Issuer	<issr></issr>		[01]	0	27

4.4 Issuer

XML Tag: Issr

Presence: [1..1]

Definition: Institution that is the issuer of the security to which the meeting applies.

The **Issr** block contains the following elements (see datatype <u>"Partyldentification129Choice" on page 33</u> for details)

Nemoved - No Partial Removed - No Ignored - No Partial Ignored - No Details below - No Partial Ignored - No Parti

M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	AnyBIC	<anybic></anybic>	{Or	[11]	0	33
	ProprietaryIdentification	<prtryid></prtryid>	Or	[11]	0	33
	NameAndAddress	<nmandadr></nmandadr>	Or	[11]		34
	LEI	<lei></lei>	Or}	[11]	0	34

4.5 Security

XML Tag: Scty

Presence: [1..200]

Definition: Security for which the meeting is organised, the account and the positions of the security

holder.

The **Scty** block contains the following elements (see datatype <u>"SecurityPosition21" on page 61</u> for details)

Semoved - Io Partial Removed - Io Partial Ignored - Io Details below - Io Partial Ignored - Io Details below - Io Details belo

Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	FinancialInstrumentIdentification	<fininstrmid></fininstrmid>		[11]		61
	Position	<pos></pos>		[01000) <mark>M</mark>	62

[1..1]

Page

14

4.6 Eligibility

XML Tag: Elgblty
Presence: [1..1]

Definition: Date determining eligibility.

The **Eigblty** block contains the following elements (see datatype <u>"EligibilityDates1" on page 14</u> for details)

Nandatory - R[x..x] Repeatability[details] Partial Ignored - ⚠ Details below - Mandatory - R[x..x] Repeatability[details]

Index Message Item *<XML Tag>* Or Mult. Usage Guidelines

<EntitlmntFxgDt>

4.7 MeetingAttendee

XML Tag: MtgAttndee

Presence: [0..1]

Definition: Person physically attending the meeting as a natural or legal person.

EntitlementFixingDate

The **MtgAttndee** block contains the following elements (see datatype <u>"Partyldentification232Choice" on page 38 for details)</u>

Nemoved - No Partial Removed - → Ignored - No Partial Ignored - No Details below - Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	LegalPerson	<lglprsn></lglprsn>	{Or	[11]		39
	NaturalPerson	<ntrlprsn></ntrlprsn>	Or}	[11]		39

Usage Guideline details

• This element(seev.003.001.10/MeetingAttendee) is removed.

4.8 Proxy

XML Tag: Prxy

Presence: [0..1]

Definition: Third party agent assigned by the shareholder that is legally authorised to cast a vote on the shareholder's behalf at the general meeting.

The **Prxy** block contains the following elements (see datatype <u>"Partyldentification232Choice" on</u> page 38 for details)

Nemoved - No Partial Removed - Order Ignored - No Partial Ignored - No Details below - Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	LegalPerson	<lglprsn></lglprsn>	{Or	[11]		39
	NaturalPerson	<ntrlprsn></ntrlprsn>	Or}	[11]		39

Usage Guideline details

• This element(seev.003.001.10/Proxy) is removed.

4.9 SupplementaryData

XML Tag: SplmtryData

Presence: [0..*]

Definition: Additional information that cannot be captured in the structured fields and/or any other specific block

cific block.

The **SpimtryData** block contains the following elements (see datatype <u>"SupplementaryData1" on page 63</u> for details)

Namoved - Na

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	PlaceAndName	<plcandnm></plcandnm>		[01]		64
	Envelope	<envlp></envlp>		[11]		64

Usage Guideline details

• This element(seev.003.001.10/SupplementaryData) is removed.

5 Message Components

Note The following chapter identifies the message components.

5.1 DateAndPlaceOfBirth2

Definition: Date and place of birth of a person.

Nemoved - No Partial Removed - ♦ Ignored - 10 Partial Ignored - A Details below -

Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	BirthDate	<birthdt></birthdt>		[11]		13
	ProvinceOfBirth	<prvcofbirth></prvcofbirth>		[01]		13
	CityOfBirth	<cityofbirth></cityofbirth>		[01]		13
	CountryOfBirth	<ctryofbirth></ctryofbirth>		[01]		13

Used in element(s)

"DateAndPlaceOfBirth" on page 41, "DateAndPlaceOfBirth" on page 45

5.1.1 BirthDate

XML Tag: BirthDt

Presence: [1..1]

Definition: Date on which a person is born.

Datatype: "ISODate" on page 69

5.1.2 ProvinceOfBirth

XML Tag: PrvcOfBirth

Presence: [0..1]

Definition: Province where a person was born.

Datatype: "Max35Text" on page 72

5.1.3 CityOfBirth

XML Tag: CityOfBirth

Presence: [0..1]

Definition: City where a person was born.

Datatype: "Max35Text" on page 72

5.1.4 CountryOfBirth

XML Tag: CtryOfBirth

Presence: [0..1]

Definition: Country where a person was born.

Datatype: "CountryCode" on page 67

5.2 EligibilityDates1

Definition: Dates determining the entitlement.

Removed - Io Partial Removed - Io Ignored - Io Partial Ignored -
 Details below - Io Partial Ignored - Io Partial Ignored

Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	EntitlementFixingDate	<entitlmntfxgdt></entitlmntfxgdt>		[11]		14

Used in element(s)

"Eligibility" on page 11

5.2.1 EntitlementFixingDate

XML Tag: EntitlmntFxgDt

Presence: [1..1]

Definition: Date at which the positions are struck to note which parties will receive the entitlement, e.g.

record date, book close date.

Datatype: "ISODate" on page 69

5.3 EligiblePosition19

Definition: Specifies the voting entitlement for rights holders.

Nemoved - !No Partial Removed - ♦ Ignored - !No Partial Ignored - ↑ Details below -

M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	AccountIdentification	<acctld></acctld>		[01]	M	15
	BlockChainAddressOrWallet	<blckchainadrorwllt></blckchainadrorwllt>		[01]	0	16
	AccountOwner	<acctownr></acctownr>		[01]	0	16
	HoldingBalance	<hldgbal></hldgbal>		[015]	M	16
	RightsHolder	<rghtshldr></rghtshldr>		[0250]	0	17

Rules

R3 HoldingBalanceTypeRule

In all occurrences of HoldingBalance, one and only one BalanceType may be ELIG (Eligible).

Error handling:

- Error severity: Fatal
- Error Code:
- Error Text:

R4 AccountIdentificationOrBlockChainAddress1Rule 🗸

Either AccountIdentification or BlockChainAddressOrWallet must be present but not both.

Error handling:

- Error severity: Warning
- Error Code: X00551
- Error Text: Invalid message contents for SafekeepingAccount or BlockchainAddressOrWallet. Only one of both must be present.

R5 AccountIdentificationOrBlockChainAddress2Rule 🗸

If BlockChainAddressOrWallet is present then AccountIdentification must be absent.

Error handling:

- Error severity: Fatal
- Error Code: X00565
- Error Text: Invalid message contents for SafekeepingAccount or BlockchainAddressOrWallet. Only one of both must be present.

R6 AccountIdentificationOrBlockChainAddress3Rule 🗸

If AccountIdentification is present, then BlockChainAddressOrWallet must be absent.

Error handling:

- Error severity: Fatal
- Error Code: X00566
- Error Text: Invalid message contents for SafekeepingAccount or BlockchainAddressOrWallet. Only one of both must be present.

Guidelines

1. RightsHolderMultiplicity1Guideline

It is recommended that RightsHolder is only present more than once if there is joint ownership.

Used in element(s)

"Position" on page 62

5.3.1 AccountIdentification

XML Tag: Acctld Presence: [0..1]

Definition: Identification of the securities account.

Datatype: "Max35Text" on page 72

Usage Guideline details

on seev.003.001.10/Security/Position/AccountIdentification

This element is now mandatory, the minimum occurrence has been changed to : 1

5.3.2 BlockChainAddressOrWallet

XML Tag: BlckChainAdrOrWllt

Presence: [0..1]

Definition: Blockchain address or wallet where digital assets are maintained. This is the equivalent of

safekeeping account for digital assets.

Datatype: "Max140Text" on page 70

Usage Guideline details

• This element(seev.003.001.10/Security/Position/BlockChainAddressOrWallet) is removed.

5.3.3 AccountOwner

XML Tag: AcctOwnr

Presence: [0..1]

Definition: Party that legally owns the account.

The AcctOwnr block contains the following elements (see datatype "Partyldentification241" on

page 41 for details)

Nemoved - IN Partial Removed - ♦ Ignored - IO Partial Ignored - A Details below -

Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	Identification	<id></id>		[11]		42
	AdditionalIdentificationInformation	<addtlldinf></addtlldinf>		[01]		42

Usage Guideline details

This element(seev.003.001.10/Security/Position/AccountOwner) is removed.

5.3.4 HoldingBalance

XML Tag: HldgBal Presence: [0..15] Definition: Net position of a segregated holding of a single security within the overall position held in a securities account, for example, sub-balance per status.

The **HidgBal** block contains the following elements (see datatype "HoldingBalance14" on page 22 for details)

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	Balance	<bal></bal>		[11]		22
	BalanceType	<baltp></baltp>		[11]		23
	SafekeepingPlace	<sfkpgplc></sfkpgplc>		[01]		23
	Date	<dt></dt>		[01]	0	23

Usage Guideline details

on seev.003.001.10/Security/Position/HoldingBalance

This element is now mandatory, the minimum occurrence has been changed to : 1

5.3.5 RightsHolder

XML Tag: RghtsHldr Presence: [0..250]

Definition: Owner of the voting rights.

The **RghtsHldr** block contains the following elements (see datatype <u>"PartyIdentification270" on page 47</u> for details)

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	Identification	<ld><ld><</ld></ld>		[11]		48
	AdditionalIdentificationInformation	<addtlldinf></addtlldinf>		[01]		48

Usage Guideline details

This element(seev.003.001.10/Security/Position/RightsHolder) is removed.

5.4 FinancialInstrumentQuantity45Choice

Definition: Choice between formats for the quantity of security.

Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	Unit	<unit></unit>	{Or	[11]		18
	FaceAmount	<faceamt></faceamt>	Or	[11]		18
	DigitalTokenUnit	<dgtltknunit></dgtltknunit>	Or}	[11]		18

Rules

R7 DigitalTokenUnitUsageRule

DigitalTokenUnit format may only be used for instruments identified with a digital token identifier

Error handling: Undefined

Used in element(s)

"Quantity" on page 63

5.4.1 Unit

XML Tag: Unit

Presence: [1..1]

Definition: Quantity expressed as a number, for example, a number of shares.

Datatype: "DecimalNumber" on page 67

5.4.2 FaceAmount

XML Tag: FaceAmt

Presence: [1..1]

Definition: Quantity expressed as an amount representing the face amount, that is, the principal, of a

debt instrument.

Datatype: "ImpliedCurrencyAndAmount" on page 70

5.4.3 DigitalTokenUnit

XML Tag: DgtlTknUnit

Presence: [1..1]

Definition: Quantity of digital tokens expressed as a number, for example, a number of blockchain to-

kens.

Datatype: "Max30DecimalNumber" on page 71

5.5 GenericIdentification13

Definition: Information related to an identification, for example, party identification or account identification.

Nemoved - No Partial Removed - ♦ Ignored - No Partial Ignored - A Details below -

M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	Identification			[11]		19
	SchemeName	<schmenm></schmenm>		[01]		19
	Issuer	<lssr></lssr>		[11]		19

Used in element(s)

"Proprietary" on page 28

5.5.1 Identification

XML Tag: ld

Presence: [1..1]

Definition: Identification assigned by an institution.

Datatype: "Max4AlphaNumericText" on page 72

5.5.2 SchemeName

XML Tag: SchmeNm

Presence: [0..1]

Definition: Name of the identification scheme.

Datatype: "Max35Text" on page 72

5.5.3 Issuer

XML Tag: Issr

Presence: [1..1]

Definition: Entity that assigns the identification.

Datatype: "Max35Text" on page 72

5.6 GenericIdentification30

Definition: Information related to an identification, for example, party identification or account identification.

Nemoved - IN Partial Removed - ♦ Ignored - IN Partial Ignored - A Details below -

Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	Identification	<id></id>		[11]		20
	Issuer	<lssr></lssr>		[11]		20
	SchemeName	<schmenm></schmenm>		[01]		20

Used in element(s)

"Proprietary" on page 25, "Type" on page 21

5.6.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Proprietary information, often a code, issued by the data source scheme issuer.

Datatype: "Exact4AlphaNumericText" on page 68

5.6.2 Issuer

XML Tag: Issr

Presence: [1..1]

Definition: Entity that assigns the identification.

Datatype: "Max35Text" on page 72

5.6.3 SchemeName

XML Tag: SchmeNm

Presence: [0..1]

Definition: Short textual description of the scheme.

Datatype: "Max35Text" on page 72

5.7 GenericIdentification36

Definition: Identification using a proprietary scheme.

M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	Identification	<ld></ld>		[11]		20
	Issuer	<lssr></lssr>		[11]		21
	SchemeName	<schmenm></schmenm>		[01]		21

Used in element(s)

"ProprietaryIdentification" on page 33, "ProprietaryIdentification" on page 36

5.7.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Proprietary information, often a code, issued by the data source scheme issuer.

Datatype: "Max35Text" on page 72

5.7.2 Issuer

XML Tag: Issr

Presence: [1..1]

Definition: Entity that assigns the identification.

Datatype: "Max35Text" on page 72

5.7.3 SchemeName

XML Tag: SchmeNm

Presence: [0..1]

Definition: Short textual description of the scheme.

Datatype: "Max35Text" on page 72

5.8 GenericIdentification78

Definition: Identification expressed as a proprietary type and narrative description.

S Removed - IO Partial Removed - ♦ Ignored - IO Partial Ignored - A Details below -

Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	Туре	<tp></tp>		[11]		21
	Identification	<id></id>		[01]		22

Used in element(s)

"Proprietary" on page 57

5.8.1 Type

XML Tag: Tp

Presence: [1..1]

Definition: Proprietary information, often a code, issued by the data source scheme issuer.

The **Tp** block contains the following elements (see datatype "GenericIdentification30" on page 19 for details)

Nemoved - IN Partial Removed - ♦ Ignored - IN Partial Ignored - A Details below -

M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	Identification	<id></id>		[11]		20
	Issuer	<lssr></lssr>		[11]		20

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	SchemeName	<schmenm></schmenm>		[01]		20

5.8.2 Identification

XML Tag: ld

Presence: [0..1]

Definition: Name or number assigned by an entity to enable recognition of that entity, for example, ac-

count identifier.

Datatype: "Max35Text" on page 72

5.9 HoldingBalance14

Definition: Net position of a segregated holding of a single security within the overall position held in the securities account, for example, sub-balance per status.

Nemoved - IN Partial Removed - ♦ Ignored - IO Partial Ignored - A Details below -

Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	Balance	<bal></bal>		[11]		22
	BalanceType	<baltp></baltp>		[11]		23
	SafekeepingPlace	<sfkpgplc></sfkpgplc>		[01]		23
	Date	<dt></dt>		[01]	0	23

Used in element(s)

"HoldingBalance" on page 16

5.9.1 Balance

XML Tag: Bal

Presence: [1..1]

Definition: Total quantity of financial instrument for the referenced holding.

The **Bal** block contains the following elements (see datatype <u>"SignedQuantityFormat14" on page 62</u> for details)

Nemoved - IN Partial Removed - ♦ Ignored - IN Partial Ignored - A Details below -

Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	ShortLongPosition	<shrtlngpos></shrtlngpos>		[11]		63
	Quantity	<qty></qty>		[11]		63

5.9.2 BalanceType

XML Tag: BalTp Presence: [1..1]

Definition: Reason a security is not available or additional information about the financial instrument for which the balance is given, for example, unregistered, registered in nominee name.

Datatype: "SecuritiesEntryType2Code" on page 79

5.9.3 SafekeepingPlace

XML Tag: SfkpgPlc

Presence: [0..1]

Definition: Place where the securities are safe-kept, physically or notionally. This place can be, for example, a local custodian, a Central Securities Depository (CSD) or an International Central Securities Depository (ICSD).

The **SfkpgPlc** block contains the following elements (see datatype <u>"SafekeepingPlaceFormat42Choice"</u> on page 55 for details)

Nemoved - No Partial Removed - Order Ignored - No Partial Ignored - No Details below - Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	Identification	<id></id>	{Or	[11]	0	56
	Country	<ctry></ctry>	Or	[11]	0	56
	DigitalLedgerIdentification	<dgtlldgrld></dgtlldgrld>	Or	[11]	0	57
	TypeAndIdentification	<tpandid></tpandid>	Or	[11]		57
	Proprietary	<prtry></prtry>	Or}	[11]	0	57

5.9.4 Date

XML Tag: Dt

Presence: [0..1]

Definition: Date of the entitlement.

Datatype: "ISODate" on page 69

Usage Guideline details

• This element(seev.003.001.10/Security/Position/HoldingBalance/Date) is removed.

5.10 IdentificationSource3Choice

Definition: Choice between source of identification of a financial instrument.

Notation Removed - Notation Removed - Notation Removed - Notation Partial Ignored - Notation Details below - Notation Removed - Notation Removed

Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	Code	<cd></cd>	{Or	[11]		24
	Proprietary	<prtry></prtry>	Or}	[11]		24

Used in element(s)

"Type" on page 32

5.10.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Unique and unambiguous identification source, as assigned via a pre-determined code list.

Datatype: "ExternalFinancialInstrumentIdentificationType1Code" on page 68

5.10.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Unique and unambiguous identification source using a proprietary identification scheme.

Datatype: "Max35Text" on page 72

5.11 IdentificationType45Choice

Definition: Choice between a code and a data source scheme to specify the type of natural person identification.

M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	Code	<cd></cd>	{Or	[11]		24
	Proprietary	<prtry></prtry>	Or}	[11]		25

Used in element(s)

"IdentificationType" on page 30

5.11.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Type of identification expressed as a code.

Datatype: "TypeOfIdentification4Code" on page 82

5.11.2 Proprietary

XML Tag: Prtry
Presence: [1..1]

Definition: Type of identification expressed as a proprietary code.

The **Prtry** block contains the following elements (see datatype <u>"GenericIdentification30" on page 19</u> for details)

Namoved - Na

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	Identification			[11]		20
	Issuer	<lssr></lssr>		[11]		20
	SchemeName	<schmenm></schmenm>		[01]		20

5.12 MeetingReference10

Definition: Identification of a meeting.

Namoved - No Partial Removed - → Ignored - No Partial Ignored - No Details below - Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	MeetingIdentification	<mtgld></mtgld>		[11]		25
	IssuerMeetingIdentification	<lssrmtgld></lssrmtgld>		[01]		26
	MeetingDateAndTime	<mtgdtandtm></mtgdtandtm>		[11]		26
	Туре	<tp></tp>		[11]		26
	Classification	<clssfctn></clssfctn>		[01]		26
	Location	<lctn></lctn>		[05]	0	26
	Issuer	<lssr></lssr>		[01]	0	27

Used in element(s)

"MeetingReference" on page 9

5.12.1 MeetingIdentification

XML Tag: Mtgld Presence: [1..1]

Definition: Identification assigned to the general meeting by the party that provides the meeting notification. It must be unique to the party providing the notification.

Datatype: "Max35Text" on page 72

5.12.2 IssuerMeetingIdentification

XML Tag: IssrMtgId

Presence: [0..1]

Definition: Identification assigned to the meeting by the issuer. It must be unique for the issuer.

Datatype: "Max35Text" on page 72

5.12.3 MeetingDateAndTime

XML Tag: MtgDtAndTm

Presence: [1..1]

Definition: Date and time at which the meeting will take place.

Datatype: "ISODateTime" on page 69

5.12.4 Type

XML Tag: Tp

Presence: [1..1]

Definition: Type of meeting for which instructions are sent.

Datatype: "MeetingType4Code" on page 73

5.12.5 Classification

XML Tag: Clssfctn

Presence: [0..1]

Definition: Classification type of the meeting.

The **Classfctn** block contains the following elements (see datatype "MeetingTypeClassification2Choice"

on page 27 for details)

Nemoved - No Partial Removed - ♦ Ignored - No Partial Ignored - A Details below -

M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	Code	<cd></cd>	{Or	[11]		28
	Proprietary	<prtry></prtry>	Or}	[11]	0	28

5.12.6 Location

XML Tag: Lctn

Presence: [0..5]

Definition: Place of the company meeting for the scheduled meeting date.

The **Lctn** block contains the following elements (see datatype "PostalAddress1" on page 51 for de-

tails)

Namoved - No Partial Removed - → Ignored - No Partial Ignored - No Details below - Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	AddressType	<adrtp></adrtp>		[01]		51
	AddressLine	<adrline></adrline>		[05]		52
	StreetName	<strtnm></strtnm>		[01]		52
	BuildingNumber	<bldgnb></bldgnb>		[01]		52
	PostCode	<pstcd></pstcd>		[01]		52
	TownName	<twnnm></twnnm>		[01]		53
	CountrySubDivision	<ctrysubdvsn></ctrysubdvsn>		[01]		53
	Country	<ctry></ctry>		[11]		53

Usage Guideline details

• This element(seev.003.001.10/MeetingReference/Location) is removed.

5.12.7 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Institution that is the issuer of the security to which the meeting applies.

The **Issr** block contains the following elements (see datatype <u>"Partyldentification129Choice" on page 33 for details)</u>

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	AnyBIC	<anybic></anybic>	{Or	[11]		33
	ProprietaryIdentification	<prtryid></prtryid>	Or	[11]		33
	NameAndAddress	<nmandadr></nmandadr>	Or	[11]		34
	LEI	<lei></lei>	Or}	[11]		34

Usage Guideline details

• This element(seev.003.001.10/MeetingReference/Issuer) is removed.

5.13 MeetingTypeClassification2Choice

Definition: Choice of meeting type classification.

Nemoved - IN Partial Removed - ♦ Ignored - IO Partial Ignored - A Details below -

M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	Code	<cd></cd>	{Or	[11]		28
	Proprietary	<prtry></prtry>	Or}	[11]	0	28

Used in element(s)

"Classification" on page 26

5.13.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Type of meeting expressed as a code.

Datatype: "MeetingTypeClassification2Code" on page 74

5.13.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Type of meeting expressed as a proprietary code.

The **Prtry** block contains the following elements (see datatype "GenericIdentification13" on page 18

for details)

Nemoved - No Partial Removed - No Ignored - No Partial Ignored - No Details below -

M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	Identification			[11]		19
	SchemeName	<schmenm></schmenm>		[01]		19
	Issuer			[11]		19

Usage Guideline details

• This element(seev.003.001.10/MeetingReference/Classification/Proprietary) is removed.

5.14 NameAndAddress5

Definition: Information that locates and identifies a party.

S Removed - IS Partial Removed - ♦ Ignored - IS Partial Ignored - A Details below -

M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	Name	<nm></nm>		[11]		29
	Address	<adr></adr>		[01]	М	29

Used in element(s)

"NameAndAddress" on page 34

5.14.1 Name

XML Tag: Nm

Presence: [1..1]

Definition: Name by which a party is known and which is usually used to identify that party.

Datatype: "Max350Text" on page 72

5.14.2 Address

XML Tag: Adr

Presence: [0..1]

Definition: Postal address of the party.

The **Adr** block contains the following elements (see datatype "PostalAddress1" on page 51 for details)

Nemoved - !Nemoved - ♦ Ignored - !Nemoved - ♦ Details below -

Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	AddressType	<adrtp></adrtp>		[01]	0	51
	AddressLine	<adrline></adrline>		[05]	0	52
	StreetName	<strtnm></strtnm>		[01]	0	52
	BuildingNumber	<bldgnb></bldgnb>		[01]	0	52
	PostCode	<pstcd></pstcd>		[01]	0	52
	TownName	<twnnm></twnnm>		[01]	0	53
	CountrySubDivision	<ctrysubdvsn></ctrysubdvsn>		[01]	0	53
	Country	<ctry></ctry>		[11]		53

Usage Guideline details

on seev.003.001.10/lssuer/NameAndAddress/Address

This element is now mandatory, the minimum occurrence has been changed to : 1

5.15 NaturalPersonIdentification1

Definition: Identification number and identification type of a natural person.

M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	Identification	<id></id>		[11]		30
	IdentificationType	<idtp></idtp>		[01]		30

Used in element(s)

"Identification" on page 40, "Identification" on page 45

5.15.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Natural person local identification.

Datatype: "Max35Text" on page 72

5.15.2 IdentificationType

XML Tag: IdTp

Presence: [0..1]

Definition: Type of local identification for a natural person.

The **IdTp** block contains the following elements (see datatype <u>"IdentificationType45Choice" on page 24</u> for details)

Removed - Io Partial Removed - Io Ignored - Io Partial Ignored -
 Details below - Io Partial Ignored - Io Partial Ignored - Io Details below - Io Partial Ignored -

M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	Code	<cd></cd>	{Or	[11]		24
	Proprietary	<prtry></prtry>	Or}	[11]		25

5.16 OrganisationIdentification5

Definition: Official identification of an organisation (legal entity) in a specific register.

Nemoved - No Partial Removed - ♦ Ignored - 10 Partial Ignored - A Details below -

Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	RegistrationNumber	<regnnb></regnnb>		[11]		31

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	RegisterName	<regrnm></regrnm>		[01]		31

Used in element(s)

"RegistrationIdentification" on page 32

5.16.1 RegistrationNumber

XML Tag: RegnNb

Presence: [1..1]

Definition: Name of the register of legal entities.

Datatype: "Max35Text" on page 72

5.16.2 RegisterName

XML Tag: RegrNm

Presence: [0..1]

Definition: Name of the register managed by a registration authority.

Datatype: "Max35Text" on page 72

5.17 OtherIdentification1

Definition: Other accepted financial instrument's identification than ISIN.

Nemoved - IN Partial Removed - ♦ Ignored - IO Partial Ignored - A Details below -

M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	Identification	<ld></ld>		[11]		31
	Suffix	<sfx></sfx>		[01]		31
	Туре	< <i>Tp></i>		[11]		32

Used in element(s)

"OtherIdentification" on page 60

5.17.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Identification of a security.

Datatype: "Max35Text" on page 72

5.17.2 **Suffix**

XML Tag: Sfx

Presence: [0..1]

Definition: Identifies the suffix of the security identification.

Datatype: "Max16Text" on page 71

5.17.3 Type

XML Tag: Tp

Presence: [1..1]

Definition: Type of the identification.

The **Tp** block contains the following elements (see datatype "IdentificationSource3Choice" on page 23 for details)

Removed - Io Partial Removed - Io Ignored - Io Partial Ignored -
 Details below - Io Partial Ignored - Io Partial Ignored

M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	Code	<cd></cd>	{Or	[11]		24
	Proprietary	<prtry></prtry>	Or}	[11]		24

5.18 PartyAdditionalIdentification2Choice

Definition: Ancillary identification information about the party.

Removed - Io Partial Removed - Io Ignored - Io Partial Ignored -
 Details below - Io Partial Ignored - Io Partial Ignored

Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	BirthDate	<birthdt></birthdt>	{Or	[11]		32
	RegistrationIdentification	<regnid></regnid>	Or}	[11]		32

Used in element(s)

"AdditionalIdentificationInformation" on page 42, "AdditionalIdentificationInformation" on page 48

5.18.1 BirthDate

XML Tag: BirthDt

Presence: [1..1]

Definition: Date of birth of an individual person.

Datatype: "ISODate" on page 69

5.18.2 RegistrationIdentification

XML Tag: Regnld Presence: [1..1]

Definition: Official identification of an organisation in a specific register.

The **RegnId** block contains the following elements (see datatype "OrganisationIdentification5" on page 30 for details)

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	RegistrationNumber	<regnnb></regnnb>		[11]		31
	RegisterName	<regrnm></regrnm>		[01]		31

5.19 Partyldentification129Choice

Definition: Choice between different formats for the identification of a party.

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	AnyBIC	<anybic></anybic>	{Or	[11]	0	33
	ProprietaryIdentification	<prtryid></prtryid>	Or	[11]	0	33
	NameAndAddress	<nmandadr></nmandadr>	Or	[11]		34
	LEI	<lei></lei>	Or}	[11]	0	34

Used in element(s)

"Issuer" on page 10, "Issuer" on page 27

5.19.1 **AnyBIC**

XML Tag: AnyBIC

Presence: [1..1]

Definition: Code allocated to a financial or non-financial institution by the ISO 9362 Registration Authority, as described in ISO 9362 "Banking - Banking telecommunication messages - Business identifier code (BIC)".

Datatype: "AnyBICDec2014Identifier" on page 66

Usage Guideline details

This element(seev.003.001.10/Issuer/AnyBIC) is removed.

5.19.2 ProprietaryIdentification

XML Tag: Prtryld Presence: [1..1]

Definition: Unique and unambiguous identifier, as assigned to a financial institution using a proprietary identification scheme.

The **PrtryId** block contains the following elements (see datatype <u>"GenericIdentification36" on page 20</u> for details)

S Removed - !S Partial Removed - ♦ Ignored - !S Partial Ignored - A Details below - M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	Identification			[11]		20
	Issuer	<lssr></lssr>		[11]		21
	SchemeName	<schmenm></schmenm>		[01]		21

Usage Guideline details

• This element(seev.003.001.10/Issuer/ProprietaryIdentification) is removed.

5.19.3 NameAndAddress

XML Tag: NmAndAdr

Presence: [1..1]

Definition: Name and address of a party.

The **NmAndAdr** block contains the following elements (see datatype "NameAndAddress5" on page 28 for details)

Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	Name	<nm></nm>		[11]		29
	Address	<adr></adr>		[01]	M	29

5.19.4 LEI

XML Tag: LEI

Presence: [1..1]

Definition: Legal entity identification of the party.

Datatype: "LEIIdentifier" on page 70

Usage Guideline details

This element(seev.003.001.10/Issuer/LEI) is removed.

5.20 Partyldentification198Choice

Definition: Identification of a party.

M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	NationalRegistrationNumber	<ntlregnnb></ntlregnnb>	{Or	[11]		35
	LEI	<lei></lei>	Or	[11]		35
	AnyBIC	<anybic></anybic>	Or	[11]		35
	ClientIdentification	<cintld></cintld>	Or	[11]		35
	ProprietaryIdentification	<prtryid></prtryid>	Or}	[11]		36

Used in element(s)

"Identification" on page 37, "Identification" on page 47

5.20.1 NationalRegistrationNumber

XML Tag: NtlRegnNb

Presence: [1..1]

Definition: Number assigned by a national registration authority to an entity.

Datatype: "Max35Text" on page 72

5.20.2 LEI

XML Tag: LEI

Presence: [1..1]

Definition: Legal entity identifier of the party.

Datatype: "LEIIdentifier" on page 70

5.20.3 **AnyBIC**

XML Tag: AnyBIC

Presence: [1..1]

Definition: Code allocated to a financial or non-financial institution by the ISO 9362 Registration Authority, as described in ISO 9362 "Banking - Banking telecommunication messages - Business identifier code (BIC)".

Datatype: "AnyBICDec2014Identifier" on page 66

5.20.4 ClientIdentification

XML Tag: Clntld Presence: [1..1]

Definition: Unique and unambiguous identification of the client's counterparty.

Datatype: "Max50Text" on page 73

5.20.5 ProprietaryIdentification

XML Tag: Prtryld Presence: [1..1]

Definition: Unique and unambiguous identifier, as assigned to a financial institution using a proprietary identification scheme.

The **PrtryId** block contains the following elements (see datatype <u>"GenericIdentification36" on page 20</u> for details)

M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	Identification	<id></id>		[11]		20
	Issuer	<lssr></lssr>		[11]		21
	SchemeName	<schmenm></schmenm>		[01]		21

5.21 Partyldentification221

Definition: Identification of a party.

Removed - Io Partial Removed - Io Partial Ignored - Io Details below - I

M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	NameAndAddress	<nmandadr></nmandadr>		[11]		36
	EmailAddress	<emailadr></emailadr>		[01]		37
	Identification	<ld></ld>		[11]		37

Used in element(s)

"LegalPerson" on page 38, "LegalPerson" on page 39

5.21.1 NameAndAddress

XML Tag: NmAndAdr

Presence: [1..1]

Definition: Name and address of the party.

The **NmAndAdr** block contains the following elements (see datatype <u>"PersonName2" on page 48</u> for details)

indutory repoditability [details]

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	Name	<nm></nm>		[11]		49
	Address	<adr></adr>		[01]		49

5.21.2 EmailAddress

XML Tag: EmailAdr

Presence: [0..1]

Definition: Address for electronic mail (e-mail).

Datatype: "Max256Text" on page 71

5.21.3 Identification

XML Tag: Id

Presence: [1..1]

Definition: Identification of the party.

The **Id** block contains the following elements (see datatype "Partyldentification198Choice" on

page 35 for details)

Nemoved - IN Partial Removed - ♦ Ignored - IN Partial Ignored - A Details below -

M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	NationalRegistrationNumber	<ntlregnnb></ntlregnnb>	{Or	[11]		35
	LEI	<lei></lei>	Or	[11]		35
	AnyBIC	<anybic></anybic>	Or	[11]		35
	ClientIdentification	<cintld></cintld>	Or	[11]		35
	ProprietaryIdentification	<prtryid></prtryid>	Or}	[11]		36

5.22 Partyldentification231Choice

Definition: Identification of a party.

Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	LegalPerson	<lglprsn></lglprsn>	{Or	[11]		38
	NaturalPerson	<ntrlprsn></ntrlprsn>	Or}	[1*]		38

Used in element(s)

"Identification" on page 42

5.22.1 LegalPerson

XML Tag: LgIPrsn

Presence: [1..1]

Definition: Legal entity.

The LgIPrsn block contains the following elements (see datatype $\underline{"Partyldentification221"}$ on

page 36 for details)

Nemoved - IN Partial Removed - ♦ Ignored - IO Partial Ignored - A Details below -

Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	NameAndAddress	<nmandadr></nmandadr>		[11]		36
	EmailAddress	<emailadr></emailadr>		[01]		37
	Identification			[11]		37

5.22.2 NaturalPerson

XML Tag: NtrlPrsn

Presence: [1..*]

Definition: Private person.

The **NtrlPrsn** block contains the following elements (see datatype <u>"Partyldentification238" on page 39</u> for details)

Removed - Io Partial Removed - Io Ignored - Io Partial Ignored -
 Details below - Io Partial Ignored - Io Partial Ignored - Io Details below - Io Partial Ignored -

M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	NameAndAddress	<nmandadr></nmandadr>		[11]		40
	EmailAddress	<emailadr></emailadr>		[01]		40
	Identification	<id></id>		[11]		40
	Nationality	<ntlty></ntlty>		[01]		41
	DateAndPlaceOfBirth	<dtandplcofbirth></dtandplcofbirth>		[01]		41

5.23 Partyldentification232Choice

Definition: Identification of a party.

Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	LegalPerson	<lglprsn></lglprsn>	{Or	[11]		39

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	NaturalPerson	<ntrlprsn></ntrlprsn>	Or}	[11]		39

"MeetingAttendee" on page 11, "Proxy" on page 11

5.23.1 LegalPerson

XML Tag: LgIPrsn

Presence: [1..1]

Definition: Legal entity.

The LgIPrsn block contains the following elements (see datatype "Partyldentification221" on

page 36 for details)

Namoved - IN Partial Removed - ♦ Ignored - IN Partial Ignored - A Details below -

M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	NameAndAddress	<nmandadr></nmandadr>		[11]		36
	EmailAddress	<emailadr></emailadr>		[01]		37
	Identification	<id></id>		[11]		37

5.23.2 NaturalPerson

XML Tag: NtrlPrsn

Presence: [1..1]

Definition: Private person.

The **NtrlPrsn** block contains the following elements (see datatype <u>"Partyldentification238" on page 39</u> for details)

Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	NameAndAddress	<nmandadr></nmandadr>		[11]		40
	EmailAddress	<emailadr></emailadr>		[01]		40
	Identification	<ld></ld>		[11]		40
	Nationality	<ntlty></ntlty>		[01]		41
	DateAndPlaceOfBirth	<dtandplcofbirth></dtandplcofbirth>		[01]		41

5.24 Partyldentification238

Definition: Identification of a party.

Nemoved - IN Partial Removed - ♦ Ignored - IO Partial Ignored - A Details below -

M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	NameAndAddress	<nmandadr></nmandadr>		[11]		40
	EmailAddress	<emailadr></emailadr>		[01]		40
	Identification	<id></id>		[11]		40
	Nationality	<ntlty></ntlty>		[01]		41
	DateAndPlaceOfBirth	<dtandplcofbirth></dtandplcofbirth>		[01]		41

Used in element(s)

"NaturalPerson" on page 38, "NaturalPerson" on page 39

5.24.1 NameAndAddress

XML Tag: NmAndAdr

Presence: [1..1]

Definition: Name and address of the party.

The **NmAndAdr** block contains the following elements (see datatype <u>"PersonName3" on page 49</u> for details)

S Removed - IO Partial Removed - ♦ Ignored - IO Partial Ignored - A Details below -

M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	NamePrefix	<nmprfx></nmprfx>		[01]		50
	FirstName	<frstnm></frstnm>		[11]		50
	Surname	<srnm></srnm>		[11]		50
	Address	<adr></adr>		[01]		50

5.24.2 EmailAddress

XML Tag: EmailAdr

Presence: [0..1]

Definition: Address for electronic mail (e-mail).

Datatype: "Max256Text" on page 71

5.24.3 Identification

XML Tag: ld

Presence: [1..1]

Definition: Natural person local identification and type.

The **Id** block contains the following elements (see datatype "NaturalPersonIdentification1" on page 30 for details)

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	Identification	<id></id>		[11]		30
	IdentificationType	<ldtp></ldtp>		[01]		30

5.24.4 Nationality

XML Tag: Ntlty
Presence: [0..1]

Definition: Nationality of the person.

Datatype: "CountryCode" on page 67

5.24.5 DateAndPlaceOfBirth

XML Tag: DtAndPlcOfBirth

Presence: [0..1]

Definition: Date on which and place at which a born person is born.

The **DtAndPlcOfBirth** block contains the following elements (see datatype "<u>DateAndPlaceOfBirth2</u>" on page 13 for details)

Namoved - Io Partial Removed - Io Partial Ignored - Io Details below - Io Details

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	BirthDate	<birthdt></birthdt>		[11]		13
	ProvinceOfBirth	<prvcofbirth></prvcofbirth>		[01]		13
	CityOfBirth	<cityofbirth></cityofbirth>		[01]		13
	CountryOfBirth	<ctryofbirth></ctryofbirth>		[01]		13

5.25 Partyldentification241

Definition: Set of elements used to identify a person or an organisation.

Nemoved - Io Partial Removed - ♦ Ignored - Io Partial Ignored - ↑ Details below -

M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	Identification	<ld></ld>		[11]		42

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	AdditionalIdentificationInformation	<addtlldinf></addtlldinf>		[01]		42

"AccountOwner" on page 16

5.25.1 Identification

XML Tag: ld

Presence: [1..1]

Definition: Identification of the party.

The **Id** block contains the following elements (see datatype <u>"PartyIdentification231Choice" on page 37</u> for details)

M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	LegalPerson	<lglprsn></lglprsn>	{Or	[11]		38
	NaturalPerson	<ntrlprsn></ntrlprsn>	Or}	[1*]		38

5.25.2 AdditionalIdentificationInformation

XML Tag: AddtlldInf

Presence: [0..1]

Definition: Ancillary identification information about the party.

The **AddtlIdInf** block contains the following elements (see datatype <u>"PartyAdditionalIdentification2Choice" on page 32</u> for details)

Nemoved - IN Partial Removed - ♦ Ignored - IN Partial Ignored - A Details below -

M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	BirthDate	<birthdt></birthdt>	{Or	[11]		32
	RegistrationIdentification	<regnid></regnid>	Or}	[11]		32

5.26 Partyldentification246Choice

Definition: Identification of a party.

M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	LegalPerson	<lglprsn></lglprsn>	{Or	[11]		43
	NaturalPerson	<ntrlprsn></ntrlprsn>	Or}	[1*]		43

"Identification" on page 48

5.26.1 LegalPerson

XML Tag: LgIPrsn

Presence: [1..1]

Definition: Legal entity.

The **LgIPrsn** block contains the following elements (see datatype "Partyldentification269" on

page 46 for details)

Nemoved - No Partial Removed - No Ignored - No Partial Ignored - No Details below - No Partial Ignored - No Parti

Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	NameAndAddress	<nmandadr></nmandadr>		[11]		46
	EmailAddress	<emailadr></emailadr>		[01]		46
	Identification	<ld></ld>		[01]		47
	CompanyRegisterShareholderI-dentification	<cpnyregrshrhldrld></cpnyregrshrhldrld>		[01]		47
	CountryOfIncorporation	<ctryofincorprtn></ctryofincorprtn>		[01]		47

5.26.2 NaturalPerson

XML Tag: NtrlPrsn

Presence: [1..*]

Definition: Private person.

The **NtrlPrsn** block contains the following elements (see datatype <u>"Partyldentification250" on page 44</u> for details)

Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	NameAndAddress	<nmandadr></nmandadr>		[11]		44
	EmailAddress	<emailadr></emailadr>		[01]		44
	Identification			[01]		45
	Nationality	<ntlty></ntlty>		[01]		45

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	DateAndPlaceOfBirth	<dtandplcofbirth></dtandplcofbirth>		[01]		45
	CompanyRegisterShareholderI-dentification	<cpnyregrshrhldrld></cpnyregrshrhldrld>		[01]		46

5.27 Partyldentification250

Definition: Identification of a party.

Removed - Io Partial Removed - Io Partial Ignored - Io Details below - I

M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	NameAndAddress	<nmandadr></nmandadr>		[11]		44
	EmailAddress	<emailadr></emailadr>		[01]		44
	Identification	<ld><</ld>		[01]		45
	Nationality	<ntlty></ntlty>		[01]		45
	DateAndPlaceOfBirth	<dtandplcofbirth></dtandplcofbirth>		[01]		45
	CompanyRegisterShareholderI-dentification	<cpnyregrshrhldrld></cpnyregrshrhldrld>		[01]		46

Used in element(s)

"NaturalPerson" on page 43

5.27.1 NameAndAddress

XML Tag: NmAndAdr

Presence: [1..1]

Definition: Name and address of the party.

The **NmAndAdr** block contains the following elements (see datatype <u>"PersonName3" on page 49</u> for details)

Nemoved - IN Partial Removed - ♦ Ignored - IO Partial Ignored - A Details below -

Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	NamePrefix	<nmprfx></nmprfx>		[01]		50
	FirstName	<frstnm></frstnm>		[11]		50
	Surname	<srnm></srnm>		[11]		50
	Address	<adr></adr>		[01]		50

5.27.2 EmailAddress

XML Tag: EmailAdr

Presence: [0..1]

Definition: Address for electronic mail (e-mail).

Datatype: "Max256Text" on page 71

5.27.3 Identification

XML Tag: Id

Presence: [0..1]

Definition: Natural person local identification and type.

The **Id** block contains the following elements (see datatype "NaturalPersonIdentification1" on page 30 for details)

Nemoved - !No Partial Removed - ♦ Ignored - !No Partial Ignored - ↑ Details below -

M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	Identification	<id></id>		[11]		30
	IdentificationType	<idtp></idtp>		[01]		30

5.27.4 Nationality

XML Tag: Ntlty

Presence: [0..1]

Definition: Nationality of the person.

Datatype: "CountryCode" on page 67

5.27.5 DateAndPlaceOfBirth

XML Tag: DtAndPlcOfBirth

Presence: [0..1]

Definition: Date on which and place at which a born person is born.

The **DtAndPlcOfBirth** block contains the following elements (see datatype "<u>DateAndPlaceOfBirth2</u>" on page 13 for details)

M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	BirthDate	<birthdt></birthdt>		[11]		13
	ProvinceOfBirth	<prvcofbirth></prvcofbirth>		[01]		13
	CityOfBirth	<cityofbirth></cityofbirth>		[01]		13
	CountryOfBirth	<ctryofbirth></ctryofbirth>		[01]		13

5.27.6 CompanyRegisterShareholderIdentification

XML Tag: CpnyRegrShrhldrld

Presence: [0..1]

Definition: Identification of the shareholder in the company share register.

Datatype: "Max35Text" on page 72

5.28 Partyldentification 269

Definition: Identification of a party.

S Removed - IS Partial Removed - Ignored - IS Partial Ignored - A Details below -

M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	NameAndAddress	<nmandadr></nmandadr>		[11]		46
	EmailAddress	<emailadr></emailadr>		[01]		46
	Identification	<ld></ld>		[01]		47
	CompanyRegisterShareholderI- dentification	<cpnyregrshrhldrld></cpnyregrshrhldrld>		[01]		47
	CountryOfIncorporation	<ctryofincorprtn></ctryofincorprtn>		[01]		47

Used in element(s)

"LegalPerson" on page 43

5.28.1 NameAndAddress

XML Tag: NmAndAdr

Presence: [1..1]

Definition: Name and address of the party.

The **NmAndAdr** block contains the following elements (see datatype <u>"PersonName2" on page 48</u> for details)

S Removed - IS Partial Removed - S Ignored - IS Partial Ignored - A Details below -

M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	Name	<nm></nm>		[11]		49
	Address	<adr></adr>		[01]		49

5.28.2 EmailAddress

XML Tag: EmailAdr

Presence: [0..1]

Definition: Address for electronic mail (e-mail).

Datatype: "Max256Text" on page 71

5.28.3 Identification

XML Tag: ld

Presence: [0..1]

Definition: Identification of the party.

The Id block contains the following elements (see datatype "Partyldentification198Choice" on

page 35 for details)

Nemoved - No Partial Removed - ♦ Ignored - No Partial Ignored - A Details below -

M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	NationalRegistrationNumber	<ntlregnnb></ntlregnnb>	{Or	[11]		35
	LEI	<lei></lei>	Or	[11]		35
	AnyBIC	<anybic></anybic>	Or	[11]		35
	ClientIdentification	<cintld></cintld>	Or	[11]		35
	ProprietaryIdentification	<prtryid></prtryid>	Or}	[11]		36

5.28.4 CompanyRegisterShareholderIdentification

XML Tag: CpnyRegrShrhldrld

Presence: [0..1]

Definition: Identification of the shareholder in the company share register.

Datatype: "Max35Text" on page 72

5.28.5 CountryOfIncorporation

XML Tag: CtryOfIncorprtn

Presence: [0..1]

Definition: Country in which the company is incorporated or legally registered.

Datatype: "CountryCode" on page 67

5.29 Partyldentification 270

Definition: Set of elements used to identify a person or an organisation.

Removed - IO Partial Removed - IO Ignored - IO Partial Ignored -
 A Details below - IO Partial Ignored - IO Partial Ignore

Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	Identification	<ld></ld>		[11]		48

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	AdditionalIdentificationInformation	<addtlldinf></addtlldinf>		[01]		48

"RightsHolder" on page 17

Identification 5.29.1

XML Tag: Id

Presence: [1..1]

Definition: Identification of the party.

The Id block contains the following elements (see datatype "Partyldentification246Choice" on

page 42 for details)

🚫 Removed - ⋉ Partial Removed - 🔸 Ignored - 🗠 Partial Ignored - 🛕 Details below -

M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	LegalPerson	<lglprsn></lglprsn>	{Or	[11]		43
	NaturalPerson	<ntrlprsn></ntrlprsn>	Or}	[1*]		43

AdditionalIdentificationInformation 5.29.2

XML Tag: AddtlldInf

Presence: [0..1]

Definition: Ancillary identification information about the party.

The AddtlldInf block contains the following elements (see datatype "PartyAdditionalIdentification2Choice" on page 32 for details)

🚫 Removed - 🐚 Partial Removed - 💠 Ignored - ় Partial Ignored - 🛕 Details below -

M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	BirthDate	<birthdt></birthdt>	{Or	[11]		32
	RegistrationIdentification	<regnid></regnid>	Or}	[11]		32

5.30 PersonName2

Definition: Identifies a person via its first name and surname.

🚫 Removed - 😥 Partial Removed - 💠 Ignored - ় Partial Ignored - 🛕 Details below -

M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	Name	<nm></nm>		[11]		49
	Address	<adr></adr>		[01]		49

"NameAndAddress" on page 36, "NameAndAddress" on page 46

5.30.1 Name

XML Tag: Nm

Presence: [1..1]

Definition: First name(s) by which a natural person is known.

Datatype: "Max350Text" on page 72

5.30.2 Address

XML Tag: Adr

Presence: [0..1]

Definition: Postal address of the party.

The **Adr** block contains the following elements (see datatype "PostalAddress26" on page 53 for details)

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	AddressType	<adrtp></adrtp>		[01]		54
	AddressLine	<adrline></adrline>		[05]		54
	StreetName	<strtnm></strtnm>		[01]		54
	BuildingNumber	<bldgnb></bldgnb>		[01]		54
	PostBox	<pstbx></pstbx>		[01]		55
	PostCode	<pstcd></pstcd>		[01]		55
	TownName	<twnnm></twnnm>		[01]		55
	CountrySubDivision	<ctrysubdvsn></ctrysubdvsn>		[01]		55
	Country	<ctry></ctry>		[11]		55

5.31 PersonName3

Definition: Identifies a person via its first name and surname.

Namoved - Io Partial Removed - Io Partial Ignored - Io Details below - Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	NamePrefix	<nmprfx></nmprfx>		[01]		50
	FirstName	<frstnm></frstnm>		[11]		50
	Surname	<srnm></srnm>		[11]		50
	Address	<adr></adr>		[01]		50

Used in element(s)

"NameAndAddress" on page 40, "NameAndAddress" on page 44

5.31.1 NamePrefix

XML Tag: NmPrfx

Presence: [0..1]

Definition: Prefix, as a title before a person's name.

Datatype: "NamePrefix2Code" on page 76

5.31.2 FirstName

XML Tag: FrstNm

Presence: [1..1]

Definition: First name(s) by which a natural person is known.

Datatype: "Max350Text" on page 72

5.31.3 Surname

XML Tag: Srnm

Presence: [1..1]

Definition: Name (s) by which a natural person is known and which is usually used to identify that party.

Datatype: "Max350Text" on page 72

5.31.4 Address

XML Tag: Adr

Presence: [0..1]

Definition: Postal address of the party.

The **Adr** block contains the following elements (see datatype "PostalAddress26" on page 53 for details)

Removed - Io Partial Removed - Ignored - Io Partial Ignored -
 Details below - Io Partial Removed - Io Partial Ignored - I

M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	AddressType	<adrtp></adrtp>		[01]		54
	AddressLine	<adrline></adrline>		[05]		54
	StreetName	<strtnm></strtnm>		[01]		54
	BuildingNumber	<bldgnb></bldgnb>		[01]		54
	PostBox	<pstbx></pstbx>		[01]		55
	PostCode	<pstcd></pstcd>		[01]		55
	TownName	<twnnm></twnnm>		[01]		55
	CountrySubDivision	<ctrysubdvsn></ctrysubdvsn>		[01]		55
	Country	<ctry></ctry>		[11]		55

5.32 PostalAddress1

Definition: Information that locates and identifies a specific address, as defined by postal services.

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	AddressType	<adrtp></adrtp>		[01]	0	51
	AddressLine	<adrline></adrline>		[05]	0	52
	StreetName	<strtnm></strtnm>		[01]	0	52
	BuildingNumber	<bldgnb></bldgnb>		[01]	0	52
	PostCode	<pstcd></pstcd>		[01]	0	52
	TownName	<twnnm></twnnm>		[01]	0	53
	CountrySubDivision	<ctrysubdvsn></ctrysubdvsn>		[01]	0	53
	Country	<ctry></ctry>		[11]		53

Used in element(s)

"Address" on page 29, "Location" on page 26

5.32.1 AddressType

XML Tag: AdrTp

Presence: [0..1]

Definition: Identifies the nature of the postal address.

Datatype: "AddressType2Code" on page 65

Usage Guideline details

• This element(seev.003.001.10/lssuer/NameAndAddress/Address/AddressType) is removed.

5.32.2 AddressLine

XML Tag: AdrLine Presence: [0..5]

Definition: Information that locates and identifies a specific address, as defined by postal services, that

is presented in free format text.

Datatype: "Max70Text" on page 73

Usage Guideline details

• This element(seev.003.001.10/lssuer/NameAndAddress/Address/AddressLine) is removed.

5.32.3 StreetName

XML Tag: StrtNm Presence: [0..1]

Definition: Name of a street or thoroughfare.

Datatype: "Max70Text" on page 73

Usage Guideline details

• This element(seev.003.001.10/Issuer/NameAndAddress/Address/StreetName) is removed.

5.32.4 BuildingNumber

XML Tag: BldgNb
Presence: [0..1]

Definition: Number that identifies the position of a building on a street.

Datatype: "Max16Text" on page 71

Usage Guideline details

• This element(seev.003.001.10/Issuer/NameAndAddress/Address/BuildingNumber) is removed.

5.32.5 PostCode

XML Tag: PstCd Presence: [0..1] Definition: Identifier consisting of a group of letters and/or numbers that is added to a postal address to assist the sorting of mail.

Datatype: "Max16Text" on page 71

Usage Guideline details

This element(seev.003.001.10/Issuer/NameAndAddress/Address/PostCode) is removed.

5.32.6 TownName

XML Tag: TwnNm
Presence: [0..1]

Definition: Name of a built-up area, with defined boundaries, and a local government.

Datatype: "Max35Text" on page 72

Usage Guideline details

This element(seev.003.001.10/lssuer/NameAndAddress/Address/TownName) is removed.

5.32.7 CountrySubDivision

XML Tag: CtrySubDvsn

Presence: [0..1]

Definition: Identifies a subdivision of a country for example, state, region, county.

Datatype: "Max35Text" on page 72

Usage Guideline details

This element(seev.003.001.10/Issuer/NameAndAddress/Address/CountrySubDivision) is removed.

5.32.8 Country

XML Tag: Ctry
Presence: [1..1]

Definition: Nation with its own government.

Datatype: "CountryCode" on page 67

5.33 PostalAddress26

Definition: Information that locates and identifies a specific address, as defined by postal services.

Nemoved - No Partial Removed - → Ignored - No Partial Ignored - No Details below - Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	AddressType	<adrtp></adrtp>		[01]		54
	AddressLine	<adrline></adrline>		[05]		54
	StreetName	<strtnm></strtnm>		[01]		54
	BuildingNumber	<bldgnb></bldgnb>		[01]		54
	PostBox	<pstbx></pstbx>		[01]		55
	PostCode	<pstcd></pstcd>		[01]		55
	TownName	<twnnm></twnnm>		[01]		55
	CountrySubDivision	<ctrysubdvsn></ctrysubdvsn>		[01]		55
	Country	<ctry></ctry>		[11]		55

"Address" on page 49, "Address" on page 50

5.33.1 AddressType

XML Tag: AdrTp Presence: [0..1]

Definition: Identifies the nature of the postal address.

Datatype: "AddressType2Code" on page 65

AddressLine 5.33.2

XML Tag: AdrLine Presence: [0..5]

Definition: Information that locates and identifies a specific address, as defined by postal services, that

is presented in free format text. Datatype: "Max70Text" on page 73

5.33.3 **StreetName**

XML Tag: StrtNm Presence: [0..1]

Definition: Name of a street or thoroughfare.

Datatype: "Max70Text" on page 73

BuildingNumber 5.33.4

XML Tag: BldgNb Presence: [0..1]

Definition: Number that identifies the position of a building on a street.

Datatype: "Max16Text" on page 71

5.33.5 PostBox

XML Tag: PstBx Presence: [0..1]

Definition: Numbered box in a post office, assigned to a person or organisation, where letters are kept

until called for.

Datatype: "Max16Text" on page 71

5.33.6 PostCode

XML Tag: PstCd Presence: [0..1]

Definition: Identifier consisting of a group of letters and/or numbers that is added to a postal address to

assist the sorting of mail.

Datatype: "Max16Text" on page 71

5.33.7 TownName

XML Tag: TwnNm
Presence: [0..1]

Definition: Name of a built-up area, with defined boundaries, and a local government.

Datatype: "Max35Text" on page 72

5.33.8 CountrySubDivision

XML Tag: CtrySubDvsn

Presence: [0..1]

Definition: Identifies a subdivision of a country for example, state, region, county.

Datatype: "Max35Text" on page 72

5.33.9 Country

XML Tag: Ctry
Presence: [1..1]

Definition: Nation with its own government.

Datatype: "CountryCode" on page 67

5.34 SafekeepingPlaceFormat42Choice

Definition: Choice of formats for a place of safekeeping.

Nemoved - No Partial Removed - No Ignored - No Partial Ignored - No Details below -

Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	Identification		{Or	[11]	0	56
	Country	<ctry></ctry>	Or	[11]	0	56
	DigitalLedgerIdentification	<dgtlldgrld></dgtlldgrld>	Or	[11]	0	57
	TypeAndIdentification	<tpandid></tpandid>	Or	[11]		57
	Proprietary	<prtry></prtry>	Or}	[11]	0	57

"SafekeepingPlace" on page 23

5.34.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Place of safekeeping expressed as a code and a narrative description.

The **Id** block contains the following elements (see datatype <u>"SafekeepingPlaceTypeAndText6" on page 58</u> for details)

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	SafekeepingPlaceType	<sfkpgplctp></sfkpgplctp>		[11]		59
	Identification	<id></id>		[01]		59

Usage Guideline details

This element(seev.003.001.10/Security/Position/HoldingBalance/SafekeepingPlace/Identification) is removed.

5.34.2 Country

XML Tag: Ctry

Presence: [1..1]

Definition: Place of safekeeping expressed with a country code.

Datatype: "CountryCode" on page 67

Usage Guideline details

 This element(seev.003.001.10/Security/Position/HoldingBalance/SafekeepingPlace/Country) is removed.

5.34.3 DigitalLedgerIdentification

XML Tag: DgtlLdgrld

Presence: [1..1]

Definition: Place of safekeeping expressed with a Digital Ledger Identifier. It identifies a digital ledger or

distributed ledger system (for example, blockchain or similar platforms).

Datatype: "DTI2024Identifier" on page 67

Usage Guideline details

This element(seev.003.001.10/Security/Position/HoldingBalance/SafekeepingPlace/DigitalLedgerIdentification) is removed.

5.34.4 TypeAndIdentification

XML Tag: TpAndId

Presence: [1..1]

Definition: Place of safekeeping expressed with a type and identification.

The **TpAndId** block contains the following elements (see datatype <u>"SafekeepingPlaceTypeAndIdentification1" on page 58</u> for details)

Nemoved - IN Partial Removed - ♦ Ignored - IN Partial Ignored - A Details below -

M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	SafekeepingPlaceType	<sfkpgplctp></sfkpgplctp>		[11]		58
	Identification	<id></id>		[11]		58

5.34.5 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Place of safekeeping expressed with a propriety identification scheme.

The **Prtry** block contains the following elements (see datatype <u>"GenericIdentification78" on page 21</u> for details)

Removed - Io Partial Removed - Ignored - Io Partial Ignored -
 Details below - Io Partial Ignored - I

M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	Туре	<tp></tp>		[11]		21
	Identification	<ld></ld>		[01]		22

Usage Guideline details

This element(seev.003.001.10/Security/Position/HoldingBalance/SafekeepingPlace/Proprietary) is removed.

5.35 SafekeepingPlaceTypeAndIdentification1

Definition: Identification of the type of place of safekeeping expressed as a code and a BIC.

Nemoved - No Partial Removed - Order Ignored - No Partial Ignored - No Details below - Mondatory - R[x..x] Repeatability[details]

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	SafekeepingPlaceType	<sfkpgplctp></sfkpgplctp>		[11]		58
	Identification	<id></id>		[11]		58

Used in element(s)

"TypeAndIdentification" on page 57

5.35.1 SafekeepingPlaceType

XML Tag: SfkpgPlcTp

Presence: [1..1]

Definition: Place of safekeeping as a code.

Datatype: "SafekeepingPlace1Code" on page 77

5.35.2 Identification

XML Tag: Id

Presence: [1..1]

Definition: Place of safekeeping.

Datatype: "AnyBICDec2014Identifier" on page 66

5.36 SafekeepingPlaceTypeAndText6

Definition: Identification of the place of safekeeping expressed as a code and a narrative description.

Namoved - Io Partial Removed - Ignored - Io Partial Ignored - Io Details below - Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	SafekeepingPlaceType	<sfkpgplctp></sfkpgplctp>		[11]		59
	Identification			[01]		59

"Identification" on page 56

5.36.1 SafekeepingPlaceType

XML Tag: SfkpgPlcTp

Presence: [1..1]

Definition: Place of safekeeping as a code.

Datatype: "SafekeepingPlace2Code" on page 78

5.36.2 Identification

XML Tag: Id

Presence: [0..1]

Definition: Additional information about the place of safekeeping.

Datatype: "Max35Text" on page 72

5.37 SecurityIdentification19

Definition: Identification of a security.

No Removed - No Partial Removed - No Ignored - No Partial Ignored - No Details below - No Partial Ignored - No Pa

Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	ISIN	<isin></isin>		[01]	M	60
	OtherIdentification	<othrld></othrld>		[0*]	0	60
	Description	<desc></desc>		[01]		61

Rules

R9 DescriptionPresenceRule /

If Description is not present then either ISIN or at least one occurrence of OtherIdentification must be present.

Error handling:

Error severity: Fatal

Error Code: X00192

Error Text: At least one identification must be present.

R10 OtherIdentificationPresenceRule 🗸

If OtherIdentification is not present then either ISIN or Description must be present.

Error handling:

- Error severity: Fatal

- Error Code: X00193
- Error Text: At least one identification must be present.

R11 ISINPresenceRule

If ISIN is not present then either Description or at least one occurrence of OtherIdentification must be present.

Error handling:

- Error severity: Fatal

Error Code: X00194

Error Text: At least one identification must be present.

R12 DescriptionUsageRule

Description must be used alone as the last resort.

Error handling: Undefined

R13 ISINGuideline

When an ISIN code exists, it is strongly recommended that the ISIN be used.

Error handling: Undefined

Used in element(s)

"FinancialInstrumentIdentification" on page 61

5.37.1 ISIN

XML Tag: ISIN

Presence: [0..1]

Definition: International Securities Identification Number (ISIN). A numbering system designed by the United Nation's International Organisation for Standardisation (ISO). The ISIN is composed of a 2-character prefix representing the country of issue, followed by the national security number (if one exists), and a check digit. Each country has a national numbering agency that assigns ISIN numbers for securities in that country.

Datatype: "ISINOct2015Identifier" on page 69

Usage Guideline details

on seev.003.001.10/Security/FinancialInstrumentIdentification/ISIN

This element is now mandatory, the minimum occurrence has been changed to : 1

5.37.2 OtherIdentification

XML Tag: Othrld

Presence: [0..*]

Definition: Identification of a security by proprietary or domestic identification scheme.

The OthrId block contains the following elements (see datatype "OtherIdentification1" on page 31 for details)

🚫 Removed - ⋉ Partial Removed - 🔸 Ignored - 🗠 Partial Ignored - 🛕 Details below -M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	Identification			[11]		31
	Suffix	<sfx></sfx>		[01]		31
	Туре	<tp></tp>		[11]		32

Usage Guideline details

 This element(seev.003.001.10/Security/FinancialInstrumentIdentification/OtherIdentification) is removed.

5.37.3 **Description**

XML Tag: Desc

Presence: [0..1]

Definition: Textual description of a security instrument.

Datatype: "Max140Text" on page 70

5.38 SecurityPosition21

Definition: Identification of a security and its balance.

🚫 Removed - ု 🛇 Partial Removed - 💠 Ignored - 🗠 Partial Ignored - 🛕 Details below -

M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	FinancialInstrumentIdentification	<fininstrmid></fininstrmid>		[11]		61
	Position	<pos></pos>		[01000) <mark>M</mark>	62

Used in element(s)

"Security" on page 10

FinancialInstrumentIdentification 5.38.1

XML Tag: FinInstrmId

Presence: [1..1]

Definition: Identification of the security, as assigned under a formal or proprietary identification scheme.

The FinInstrmId block contains the following elements (see datatype "SecurityIdentification19" on

page 59 for details)

25 November 2025 61 Namoved - Na

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	ISIN	<isin></isin>		[01]	M	60
	OtherIdentification	<othrld></othrld>		[0*]	0	60
	Description	<desc></desc>		[01]		61

5.38.2 Position

XML Tag: Pos

Presence: [0..1000]

Definition: Amount of securities that are eligible for the vote.

The **Pos** block contains the following elements (see datatype "EligiblePosition19" on page 14 for details)

Index Message Item <XML Tag> Or Mult. **Usage Page** Guidelines <Acctld> AccountIdentification [0..1] М 15 BlockChainAddressOrWallet <BlckChainAdrOrWllt> [0..1] 16 AccountOwner <AcctOwnr> [0..1] 0 16 HoldingBalance <HldgBal> [0..15] M 16 RightsHolder <RghtsHldr> [0..250] 17

Usage Guideline details

· on seev.003.001.10/Security/Position

This element is now mandatory, the minimum occurrence has been changed to : 1

5.39 SignedQuantityFormat14

Definition: Signed quantity of a security for various quantity formats.

Removed - Io Partial Removed - Ignored - Io Partial Ignored - A Details below -

Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	ShortLongPosition	<shrtlngpos></shrtlngpos>		[11]		63
	Quantity	<qty></qty>		[11]		63

"Balance" on page 22

5.39.1 ShortLongPosition

XML Tag: ShrtLngPos

Presence: [1..1]

Definition: Sign of the quantity of securities.

Datatype: "ShortLong1Code" on page 81

5.39.2 Quantity

XML Tag: Qty

Presence: [1..1]

Definition: Quantity of securities.

The **Qty** block contains the following elements (see datatype <u>"FinancialInstrumentQuantity45Choice" on page 17</u> for details)

Nemoved - !No Partial Removed - ♦ Ignored - !No Partial Ignored - ↑ Details below -

M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	Unit	<unit></unit>	{Or	[11]		18
	FaceAmount	<faceamt></faceamt>	Or	[11]		18
	DigitalTokenUnit	<dgtltknunit></dgtltknunit>	Or}	[11]		18

5.40 Supplementary Data1

Definition: Additional information that can not be captured in the structured fields and/or any other specific block.

Index	Message Item	<xml tag=""></xml>	Or	Mult.	Usage Guidelines	Page
	PlaceAndName	<plcandnm></plcandnm>		[01]		64
	Envelope	<envlp></envlp>		[11]		64

Rules

R14 SupplementaryDataRule

This component may not be used without the explicit approval of a SEG and submission to the RA of ISO 20022 compliant structure(s) to be used in the Envelope element.

Error handling: Undefined

"SupplementaryData" on page 12

5.40.1 PlaceAndName

XML Tag: PlcAndNm

Presence: [0..1]

Definition: Unambiguous reference to the location where the supplementary data must be inserted in

the message instance.

In the case of XML, this is expressed by a valid XPath.

Datatype: "Max350Text" on page 72

5.40.2 Envelope

XML Tag: Envlp
Presence: [1..1]

Definition: Technical element wrapping the supplementary data.

6 Message Datatypes

Note The following chapter identifies the datatypes that are used in the message.

6.1 AddressType2Code

Definition: Specifies the type of address.

Type: CodeSet

Code	Name	Definition
ADDR	Postal	Address is the complete postal address.
BIZZ	Business	Address is the business address.
DLVY	DeliveryTo	Address is the address to which delivery is to take place.
HOME	Residential	Address is the home address.
MLTO	MailTo	Address is the address to which mail is sent.
PBOX	POBox	Address is a postal office (PO) box.

Used in element(s)

"AddressType" on page 51, "AddressType" on page 54

Restricts

"AddressTypeCode" on page 65

6.2 AddressTypeCode

Definition: Specifies the type of address.

Type: CodeSet

Code	Name	Definition
ADDR	Postal	Address is the complete postal address.
BIZZ	Business	Address is the business address.
DLVY	DeliveryTo	Address is the address to which delivery is to take place.
HOME	Residential	Address is the home address.
MLTO	MailTo	Address is the address to which mail is sent.
PBOX	POBox	Address is a postal office (PO) box.

Is restricted by

"AddressType2Code" on page 65

6.3 AnyBICDec2014Identifier

Definition: Code allocated to a financial or non-financial institution by the ISO 9362 Registration Authority, as described in ISO 9362: 2014 - "Banking - Banking telecommunication messages - Business identifier code (BIC)".

Type: IdentifierSet

Format

pattern [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}

Rules

R8 AnyBIC ✓

Only a valid Business identifier code is allowed. Business identifier codes for financial or non-financial institutions are registered and published by the ISO 9362 Registration Authority in the ISO directory of BICs, and consists of eight (8) or eleven (11) contiguous characters.

Error handling:

- Error severity: Fatal

Error Code: D00008

- Error Text: Invalid BIC.

Used in element(s)

"AnyBIC" on page 33, "AnyBIC" on page 35, "Identification" on page 58

6.4 CorporateActionNotificationTypeCode

Definition: Type of notification.

Type: CodeSet

Code	Name	Definition
CANC	Cancellation	Notification requesting the cancellation of a previously sent notification.
NEWM	New	New notification.
PROC	Processing	Cancellation due to a processing error.
REPL	Replacement	Notification replacing a previously sent notification.
RMDR	Reminder	Notification sent as a reminder of an event taking place.
WITH	Withrawal	Notification sent to void a previously sent notification due to the withdrawal of the event by the issuer.

Is restricted by

"NotificationType2Code" on page 77

6.5 CountryCode

Definition: Code to identify a country, a dependency, or another area of particular geopolitical interest, on the basis of country names obtained from the United Nations (ISO 3166, Alpha-2 code).

Type: CodeSet

Format

pattern [A-Z]{2,2}

Rules

R2 Country ✓

The code is checked against the list of country names obtained from the United Nations (ISO 3166, Alpha-2 code).

Error handling:

- Error severity: Fatal

Error Code: D00004

Error Text: Invalid Country Code.

Used in element(s)

"Country" on page 53, "Country" on page 55, "Country" on page 56, "CountryOfBirth" on page 13, "CountryOfIncorporation" on page 47, "Nationality" on page 41, "Nationality" on page 45

6.6 DTI2024Identifier

Definition: The Digital Token Identifier (DTI) is an 8 character code assigned to fungible digital assets which uses distributed ledger technology for its issuance, storage, exchange, record of ownership or transaction validation and is not a currency (ISO 4217) as described in ISO 24165 - DTI. A check character, using the same character set as the base number, shall be calculated and added.

Type: IdentifierSet

Format

pattern [1-9B-DF-HJ-NP-TV-XZ][0-9B-DF-HJ-NP-TV-XZ]{8,8}

Used in element(s)

"DigitalLedgerIdentification" on page 57

6.7 DecimalNumber

Definition: Number of objects represented as a decimal number, for example 0.75 or 45.6.

Type: Quantity

Format

fractionDigits 17

totalDigits 18

Used in element(s)

"Unit" on page 18

6.8 Exact4AlphaNumericText

Definition: Specifies an alphanumeric string with a length of 4 characters.

Type: Text

Format

pattern [a-zA-Z0-9]{4}

Used in element(s)

"Identification" on page 20

6.9 ExternalFinancialInstrument-IdentificationType1Code

Definition: Specifies the external financial instrument identification type scheme name code in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength 4 minLength 1

Used in element(s)

"Code" on page 24

Restricts

"ExternalFinancialInstrumentIdentificationTypeCode" on page 68

6.10 ExternalFinancialInstrument-IdentificationTypeCode

Definition: Specifies the external financial instrument identification type scheme name code in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength 4
minLength 1

Is restricted by

"ExternalFinancialInstrumentIdentificationType1Code" on page 68

6.11 ISINOct2015Identifier

Definition: The International Securities Identification Number is a code allocated to financial instruments as well as referential instruments, as described in the ISO 6166 standard, associated with the minimum descriptive data. The ISIN consists of a prefix using the alpha-2 country codes or reserved codes specified in ISO 3166 or other prefixes as may be determined by the Registration Authority for the ISO 6166 standard, a nine characters (alphanumeric) basic code and a check digit.

Note: this identifier also supports the new version of the standard, which was published in 2021 (ISO 6166:2021) as there is no update in the pattern.

Type: IdentifierSet

Format

pattern [A-Z]{2,2}[A-Z0-9]{9,9}[0-9]{1,1}

Used in element(s)

"ISIN" on page 60

6.12 ISODate

Definition: A particular point in the progression of time in a calendar year expressed in the YYYY-MM-DD format. This representation is defined in "XML Schema Part 2: Datatypes Second Edition - W3C Recommendation 28 October 2004" which is aligned with ISO 8601.

Type: Date

Used in element(s)

"BirthDate" on page 13, "BirthDate" on page 32, "Date" on page 23, "EntitlementFixingDate" on page 14

6.13 ISODateTime

Definition: A particular point in the progression of time defined by a mandatory date and a mandatory time component, expressed in either UTC time format (YYYY-MM-DDThh:mm:ss.sssZ), local time with UTC offset format (YYYY-MM-DDThh:mm:ss.sss+/-hh:mm), or local time format (YYYY-MM-DDThh:m-m:ss.sss). These representations are defined in "XML Schema Part 2: Datatypes Second Edition - W3C Recommendation 28 October 2004" which is aligned with ISO 8601.

Note on the time format:

1) beginning / end of calendar day

00:00:00 = the beginning of a calendar day

24:00:00 = the end of a calendar day

2) fractions of second in time format

Decimal fractions of seconds may be included. In this case, the involved parties shall agree on the maximum number of digits that are allowed.

Type: DateTime

Used in element(s)

"MeetingDateAndTime" on page 26

6.14 ImpliedCurrencyAndAmount

Definition: Number of monetary units specified in a currency where the unit of currency is implied by the context and compliant with ISO 4217. The decimal separator is a dot.

Note: a zero amount is considered a positive amount.

Type: Amount

Format

fractionDigits 5
minInclusive 0
totalDigits 18

Used in element(s)

"FaceAmount" on page 18

6.15 LElldentifier

Definition: Legal Entity Identifier is a code allocated to a party as described in ISO 17442 "Financial Services - Legal Entity Identifier (LEI)".

Type: IdentifierSet

Format

pattern [A-Z0-9]{18,18}[0-9]{2,2}

Used in element(s)

"LEI" on page 34, "LEI" on page 35

6.16 Max140Text

Definition: Specifies a character string with a maximum length of 140 characters.

Type: Text

Format

maxLength 140 minLength 1

Used in element(s)

"BlockChainAddressOrWallet" on page 16, "Description" on page 61

6.17 Max16Text

Definition: Specifies a character string with a maximum length of 16 characters.

Type: Text

Format

maxLength 16 minLength 1

Used in element(s)

"BuildingNumber" on page 52, "BuildingNumber" on page 54, "PostBox" on page 55, "PostCode" on page 52, "PostCode" on page 55, "Suffix" on page 31

6.18 Max256Text

Definition: Specifies a character string with a maximum length of 256 characters.

Type: Text

Format

maxLength 256 minLength 1

Used in element(s)

"EmailAddress" on page 37, "EmailAddress" on page 40, "EmailAddress" on page 44, "EmailAddress" on page 46

6.19 Max30DecimalNumber

Definition: Number of objects represented as a decimal number, for example 0.75 or 45.6 with a maximum of 30 digits and 29 fraction digits.

Type: Quantity

Format

fractionDigits 29 totalDigits 30

Used in element(s)

"DigitalTokenUnit" on page 18

6.20 Max350Text

Definition: Specifies a character string with a maximum length of 350 characters.

Type: Text

Format

maxLength 350 minLength 1

Used in element(s)

"FirstName" on page 50, "Name" on page 29, "Name" on page 49, "PlaceAndName" on page 64, "Surname" on page 50

6.21 Max35Text

Definition: Specifies a character string with a maximum length of 35 characters.

Type: Text

Format

maxLength 35 minLength 1

Used in element(s)

"AccountIdentification" on page 15, "CityOfBirth" on page 13, "CompanyRegisterShareholderIdentification" on page 46, "CompanyRegisterShareholderIdentification" on page 47, "CountrySubDivision" on page 53, "CountrySubDivision" on page 55, "Identification" on page 20, "Identification" on page 22, "Identification" on page 30, "Identification" on page 31, "Identification" on page 59, "Issuer" on page 19, "Issuer" on page 20, "Issuer" on page 21, "IssuerMeetingIdentification" on page 26, "MeetingIdentification" on page 25, "NationalRegistrationNumber" on page 35, "Proprietary" on page 24, "ProvinceOfBirth" on page 13, "RegisterName" on page 31, "RegistrationNumber" on page 31, "SchemeName" on page 19, "SchemeName" on page 20, "SchemeName" on page 21, "TownName" on page 53, "TownName" on page 55

6.22 Max4AlphaNumericText

Definition: Specifies an alphanumeric string with a maximum length of 4 characters.

Type: Text

Format

maxLength 4
minLength 1

pattern [a-zA-Z0-9]{1,4}

Used in element(s)

"Identification" on page 19

6.23 Max50Text

Definition: Specifies a character string with a maximum length of 50 characters.

Type: Text

Format

maxLength 50 minLength 1

Used in element(s)

"ClientIdentification" on page 35

6.24 Max70Text

Definition: Specifies a character string with a maximum length of 70characters.

Type: Text

Format

maxLength 70 minLength 1

Used in element(s)

"AddressLine" on page 52, "AddressLine" on page 54, "StreetName" on page 52, "StreetName" on page 54

6.25 MeetingType4Code

Definition: Specifies a type of security holders meeting.

Type: CodeSet

Code	Name	Definition
BMET	BondHolderMeeting	Physical meeting of bond holders.
CMET	CourtMeeting	Meeting is the result of a legal proceeding.
GMET	General	Includes annual and ordinary meetings. Statutory meeting(s) usually held at least

Code	Name	Definition
		once a year. The resolutions are related to the usual business of the company, for example, approval of dividends and directors. These meetings are always issuer initiated.
MIXD	Mixed	Meeting which contains both ordinary and extraordinary resolutions.
SPCL	Special	Meeting that takes place as needed that is neither ordinary nor extraordinary.
XMET	Extraordinary	Meeting that takes place as needed, in addition to the general meetings, is extraordinary as per the bylaws. The resolutions are related to the unusual business of the company, for example, approval of takeovers or mergers or spinoffs. These meetings are always issuer initiated.

"Type" on page 26

Restricts

"MeetingTypeV2Code" on page 75

6.26 MeetingTypeClassification2Code

Definition: Classifies the meeting type.

Type: CodeSet

Code	Name	Definition
AMET	Annual	Meeting held periodically to approve the financial statements and to elect the board members and the auditors.
CLAS	Class	Meeting for holders of a specific type of asset, for example, preferred shares, bonds.
ISSU	IssuerInitiated	Meeting is the result of an obligation or a decision made by the issuer as opposed to voting rights holder initiated, for example, contested meeting.
OMET	Ordinary	Meeting which is planned in the by-laws.
VRHI	VotingRightsHolderInitiated	Meeting is the result of a request or an action of a voting right holder(s), for example, contested meeting.

Used in element(s)

"Code" on page 28

Restricts

"MeetingTypeClassificationCode" on page 75

6.27 MeetingTypeClassificationCode

Definition: Classifies the meeting type.

Type: CodeSet

Code	Name	Definition
AMET	Annual	Meeting held periodically to approve the financial statements and to elect the board members and the auditors.
CLAS	Class	Meeting for holders of a specific type of asset, for example, preferred shares, bonds.
CORT	Court	Specifies that the meeting is the result of a legal proceeding.
ISSU	IssuerInitiated	Meeting is the result of an obligation or a decision made by the issuer as opposed to voting rights holder initiated, for example, contested meeting.
OMET	Ordinary	Meeting which is planned in the by-laws.
VRHI	VotingRightsHolderInitiated	Meeting is the result of a request or an action of a voting right holder(s), for example, contested meeting.

Is restricted by

"MeetingTypeClassification2Code" on page 74

6.28 MeetingTypeV2Code

Definition: Specifies the type of security holders meeting.

Type: CodeSet

Code	Name	Definition
AMET	AnnualGeneralMeeting	Specifies a meeting held periodically to approve the financial statements and elect the board members and the auditors.
BMET	BondHolderMeeting	Physical meeting of bond holders.
CLAS	ClassMeeting	Meeting for a class of assets.
CMET	CourtMeeting	Meeting is the result of a legal proceeding.
GMET	General	Includes annual and ordinary meetings. Statutory meeting(s) usually held at least once a year. The resolutions are related to the usual business of the company, for example, approval of dividends and

Code	Name	Definition
		directors. These meetings are always issuer initiated.
MIXD	Mixed	Meeting which contains both ordinary and extraordinary resolutions.
OMET	Ordinary	Specifies a meeting that is not planned in the by laws.
SPCL	Special	Meeting that takes place as needed that is neither ordinary nor extraordinary.
XMET	Extraordinary	Meeting that takes place as needed, in addition to the general meetings, is extraordinary as per the bylaws. The resolutions are related to the unusual business of the company, for example, approval of takeovers or mergers or spinoffs. These meetings are always issuer initiated.

"MeetingType4Code" on page 73

6.29 NamePrefix2Code

Definition: Specifies the terms used to formally address a person.

Type: CodeSet

Code	Name	Definition
DOCT	Doctor	Title of the person is Doctor or Dr.
MADM	Madam	Title of the person is Madam.
MIKS	GenderNeutral	Title of the person is gender neutral (Mx).
MISS	Miss	Title of the person is Miss.
MIST	Mister	Title of the person is Mister or Mr.

Used in element(s)

"NamePrefix" on page 50

Restricts

"NamePrefixCode" on page 76

6.30 NamePrefixCode

Definition: Specifies the terms used to formally address a person.

Type: CodeSet

Code	Name	Definition
DOCT	Doctor	Title of the person is Doctor or Dr.

Code	Name	Definition
MADM	Madam	Title of the person is Madam.
MIKS	GenderNeutral	Title of the person is gender neutral (Mx).
MISS	Miss	Title of the person is Miss.
MIST	Mister	Title of the person is Mister or Mr.

"NamePrefix2Code" on page 76

6.31 NotificationType2Code

Definition: Specifies a type of notification.

Type: CodeSet

Code	Nam	e Definition
NEWM	New	New notification.
REPL	Replacement	Notification replacing a previously sent notification.
		Usage Guideline restrictions for this code
		 on seev.003.001.10/Notification- Type/Replacement
		Comment: REPL is sent out if a previous- ly positive position drops to 0

Restricts

"CorporateActionNotificationTypeCode" on page 66

6.32 SafekeepingPlace1Code

Definition: Specifies the type of place of safekeeping.

Type: CodeSet

Code	Name	Definition
CUST	SharesHeldAtLocalCustodian	Financial instruments held at a local custodian.
ICSD	SharesHeldAtICSD	Financial instruments held at an International Central Securities Depository.
NCSD	SharesHeldAtNCSD	Financial instruments held at a National Central Securities Depository.

Code	Name	Definition
SHHE	SharesHeldElsewhere	Used for certain financial instruments, for example, US mutual funds, where settlement is internal only, that is, there is no external movement of securities.

"SafekeepingPlaceType" on page 58

Restricts

"SafekeepingPlaceCode" on page 78

6.33 SafekeepingPlace2Code

Definition: Specifies the type of place of safekeeping.

Type: CodeSet

Code	Name	Definition
ALLP	AllPlaces	All places of safekeeping where the financial instrument is held.
SHHE	SharesHeldElsewhere	Used for certain financial instruments, for example, US mutual funds, where settlement is internal only, that is, there is no external movement of securities.

Used in element(s)

"SafekeepingPlaceType" on page 59

Restricts

"SafekeepingPlaceCode" on page 78

6.34 SafekeepingPlaceCode

Definition: Specifies the type of place of safekeeping.

Type: CodeSet

Code	Name	Definition
ALLP	AllPlaces	All places of safekeeping where the financial instrument is held.
CUST	SharesHeldAtLocalCustodian	Financial instruments held at a local custodian.
ICSD	SharesHeldAtICSD	Financial instruments held at an International Central Securities Depository.
NCSD	SharesHeldAtNCSD	Financial instruments held at a National Central Securities Depository.

Code	Name	Definition
SHHE	SharesHeldElsewhere	Used for certain financial instruments, for example, US mutual funds, where settlement is internal only, that is, there is no external movement of securities.

"SafekeepingPlace1Code" on page 77, "SafekeepingPlace2Code" on page 78

6.35 SecuritiesEntryType2Code

Definition: Specifies the type of securities entry on an account.

Type: CodeSet

Code	Name	Definition
BLOK	Blocked	Balance of securities that are blocked or frozen. A financial instrument may be unavailable due to external circumstances such as a court order, death of beneficiary or account owner, or bankruptcy.
BORR	Borrowed	Balance of securities that have been borrowed from another party.
COLI	Collateralin	Balance of securities that belong to a third party and that are held for the purpose of collateralisation.
COLO	CollateralOut	Balance of securities that belong to the safekeeping account indicated within this message, and are deposited with a third party for the purpose of collateralisation.
ELIG	Eligible	Total number of securities eligible for this event.
INBA	InstructedBalance	Balance of instructed position.
LOAN	OnLoan	Balance of securities that have been loaned to a third party.
NOMI	Registered	Balance of securities that are registered (in the name of a nominee or of the beneficial owner).
PEND	PendingDelivery	Balance of securities that are pending delivery.
PENR	PendingReceipt	Balance of securities that are pending receipt.
REGO	OutForRegistration	Balance of securities currently being processed by the institution responsible for registering the new beneficial owner (or nominee) of securities after a transaction has settled.
SETD	Settled	Balance of securities representing only settled transactions.

Code	Name	Definition
SPOS	StreetPosition	Balance of securities that remain registered in the name of the prior beneficial owner of securities.
TRAD	Traded	Balance of securities representing traded transactions.
UNBA	UninstructedBalance	Balance of uninstructed position.

"BalanceType" on page 23

Restricts

"SecuritiesEntryTypeCode" on page 80

6.36 **SecuritiesEntryTypeCode**

Definition: Specifies the type of securities entry on an account.

Type: CodeSet

Code	Name	Definition
BLOK	Blocked	Balance of securities that are blocked or frozen. A financial instrument may be unavailable due to external circumstances such as a court order, death of beneficiary or account owner, or bankruptcy.
BORR	Borrowed	Balance of securities that have been borrowed from another party.
BTRA	BeingTransferred	Financial instrument is unavailable as a result of a transfer order, pending movement in the shareholders' register.
COLI	CollateralIn	Balance of securities that belong to a third party and that are held for the purpose of collateralisation.
COLO	CollateralOut	Balance of securities that belong to the safekeeping account indicated within this message, and are deposited with a third party for the purpose of collateralisation.
ELIG	Eligible	Total number of securities eligible for this event.
INBA	InstructedBalance	Balance of instructed position.
LOAN	OnLoan	Balance of securities that have been loaned to a third party.
NOMI	Registered	Balance of securities that are registered (in the name of a nominee or of the beneficial owner).
OTHR	Unclassified	Balance of securities that is unclassified, ie, is not identified with one of the existing sub-balance types.

Code	Name	Definition
PEND	PendingDelivery	Balance of securities that are pending delivery.
PENR	PendingReceipt	Balance of securities that are pending receipt.
PLED	Pledged	Balance of securities that are pledged, for example, a financial instrument is unavailable because it has been used or given as a guarantee.
REGO	OutForRegistration	Balance of securities currently being processed by the institution responsible for registering the new beneficial owner (or nominee) of securities after a transaction has settled.
SETD	Settled	Balance of securities representing only settled transactions.
SETT	SettlementPosition	Balance of securities representing only settled transactions; pending transactions not included.
SPOS	StreetPosition	Balance of securities that remain registered in the name of the prior beneficial owner of securities.
TRAD	Traded	Balance of securities representing traded transactions.
TRAN	InTransshipment	Balance of physical securities that are in transshipment, eg, in the process of being transferred from one depository or agent to another.
UNBA	UninstructedBalance	Balance of uninstructed position.
UNRG	Unregistered	Balance of securities that could not be registered due to foreign ownership limitation.
WDOC	WaitingDocumentation	Financial instrument is unavailable due to missing or incomplete documentation pertaining to the account, or due to a missing or incomplete order.

"SecuritiesEntryType2Code" on page 79

6.37 ShortLong1Code

Definition: Specifies whether the securities position is short or long, that is, whether the balance is a negative or positive balance.

Type: CodeSet

Code	Name	Definition
LONG	Long	Position is long, that is, the balance is positive.

Code	Name	Definition
SHOR		Position is short, that is, the balance is negative.

"ShortLongPosition" on page 63

Restricts

"ShortLongCode" on page 82

6.38 ShortLongCode

Definition: Specifies whether the securities position is short or long, that is, whether the balance is a negative or positive balance.

Type: CodeSet

Code	Name	Definition
LONG	Long	Position is long, that is, the balance is positive.
SHOR	Short	Position is short, that is, the balance is negative.

Is restricted by

"ShortLong1Code" on page 81

6.39 TypeOfIdentification4Code

Definition: Specifies the type of alternate identification which can be used to give an alternate identification of the party identified.

Type: CodeSet

Code	Name	Definition
ARNU	AlienRegistrationNumber	Number assigned by a government agency to identify foreign nationals.
CCPT	PassportNumber	Number assigned by a passport authority.
CORP	CorporateIdentification	Number assigned to a corporate entity.
CUST	Concat	Number assigned by an issuer to identify a customer via the concatenation of the birthdate and characters of the first name and surname.
DRLC	DriverLicenseNumber	Number assigned to a driver's license.
IDCD	IdentityCardNumber	Number assigned by a national authority to an identity card.
NRIN	NationalRegistrationIdentificationNumber	National registration identification number. In Singapore this is known as the NRIC.

Code	Name	Definition
SOCS	SocialSecurityNumber	Number assigned by a social security agency.
TXID	TaxIdentificationNumber	Number assigned by a tax authority to an entity.

"Code" on page 24

Restricts

"TypeOfIdentificationCode" on page 83

6.40 TypeOfIdentificationCode

Definition: Specifies the type of alternate identification which can be used to give an alternate identification of the party identified.

Type: CodeSet

Code	Name	Definition
ARNU	AlienRegistrationNumber	Number assigned by a government agency to identify foreign nationals.
CCPT	PassportNumber	Number assigned by a passport authority.
CHTY	TaxExemptIdentificationNumber	Number assigned to a tax exempt entity.
CORP	CorporateIdentification	Number assigned to a corporate entity.
CUST	Concat	Number assigned by an issuer to identify a customer via the concatenation of the birthdate and characters of the first name and surname.
DRLC	DriverLicenseNumber	Number assigned to a driver's license.
FIIN	ForeignInvestmentIdentityNumber	Number assigned to a foreign investor (other than the alien number).
IDCD	IdentityCardNumber	Number assigned by a national authority to an identity card.
NRIN	NationalRegistrationIdentificationNumber	National registration identification number. In Singapore this is known as the NRIC.
SOCS	SocialSecurityNumber	Number assigned by a social security agency.
TXID	TaxIdentificationNumber	Number assigned by a tax authority to an entity.

Is restricted by

"TypeOfIdentification4Code" on page 82

Legal Notices

Copyright

S.W.I.F.T. SC © 2025. All rights reserved.

This material is a component of MyStandards, the Swift collaborative Web application used to manage standards definitions and industry usage. It can only be used and distributed in accordance with MyStandards Terms of Use.

Unless otherwise agreed in writing with S.W.I.F.T. SC, you have no right to:

- authorise external end users to use this component for other purposes than their internal use.
- remove, alter, cover, obfuscate or cancel from view any copyright or other proprietary rights notices appearing in this physical medium.
- re-sell or authorise another party e.g. software and service providers, to re-sell this component.

Confidentiality

This publication may contain Swift or third-party confidential information. Only disclose it outside your organisation in accordance with MyStandards Terms of Use and your related license rights.

This component is provided 'AS IS'. Swift does not give and excludes any express or implied warranties with respect to this component such as but not limited to any guarantee as to its quality, supply or availability.

Any and all rights, including title, ownership rights, copyright, trademark, patents, and any other intellectual property rights of whatever nature in this component will remain the exclusive property of Swift or its licensors.

Trademarks and Patents

Swift is the trade name of S.W.I.F.T. SC. The following are registered trademarks of Swift: 3SKey, Innotribe, MyStandards, Sibos, Swift, SwiftNet, Swift Institute, the Standards Forum logo, the Swift logo, Swift GPI with logo, the Swift GPI logo, and UETR. Other product, service, or company names in this publication are trade names, trademarks, or registered trademarks of their respective owners.